

# Aquatic Mammals Author Index

## Volumes 16-30 (Alphabetical)

**Legend:** Each author and co-author are listed separately followed by their publications. — = the author is the main author of the publication, which may or may not have co-authors; & = the author is the first author of a two-author publication; See = the author is a co-author of the publication or the 2nd author of a two-author publication.

Abgrall, P.

—Terhune, J. M., & Burton, H. R., Variation of Weddell seal (*Leptonychotes weddellii*) underwater vocalizations over mesogeographic ranges, 29.2, 268-277.

Acevedo, A.

—Behaviour and movements of bottlenose dolphins, *Tursiops truncatus*, in the entrance to Ensenada De La Paz, Mexico, 17.3, 137-147.

—Interactions between boats and bottlenose dolphins, *Tursiops truncatus*, in the entrance to Ensenada De La Paz, Mexico, 17.3, 120-124.

—& Würsig, B., Preliminary observations on bottlenose dolphins, *Tursiops truncatus*, at Isla del Coco, Costa Rica, 17.3, 148-151.

Acevedo-Gutiérrez, A.

—& Stienessen, S. C., Bottlenose dolphins (*Tursiops truncatus*) increase number of whistles when feeding, 30.3, 357-362.

Afonso-Dias, M.

See Magalhães et al., 28.3, 267-274.

Aguiar dos Santos, R.

See Santos et al., 28.1, 38-45.

Alexander, J. W.

See Watson et al., 30.2, 275-278.

Alfaro, J.

See Van Waerebeek et al., 19.3, 159-169.

Aliaga-Rossel, E.

—Distribution and abundance of the river dolphin (*Inia geoffrensis*) in the Tijamuchi River, Beni, Bolivia, 28.3, 312-323.

Allman, K. N.

See Marten et al., 27.1, 56-66.

Alonso, J. M.

See André et al., 29.1, 3-8.

Alvarenga F. S.

See Santos et al., 26.3, 260-267; 29.3, 404-410.

Alves-Júnior, T. T.

See Monteiro-Neto et al., 26.1, 49-56.

Amano, M.

—& Miyazaki, N., Geographic variation in external morphology of Dall's porpoise, *Phocoenoides dalli*, 22.3, 167-174.

Amante-Helweg, V.

—Ecotourists' beliefs and knowledge about dolphins and the development of ecotourism, 22.2, 131-140.

Amundin, M.

See Blomqvist & Amundin, 30.3, 345-356.

Anderson, K. E.

See Wisdom et al., 27.3, 239-255.

Anderson, P. K.

—Scarring and photoidentification of dugongs (*Dugong dugon*) in Shark Bay, Western Australia, 21.3, 205-211.

Anderson, W. I.

—Steinberg, H., Scott, D. W., & King, J. M., Cutaneous squamous cell carcinoma and multiple epidermoid cysts in a California sea lion, 16.1, 21-22.

Andrade, A. L. V.

See Pinedo et al., 28.1, 32-37.

See Rosas et al., 28.1, 60-66.

André, M.

—Supin, A. Ya., Delory, E., Kamminga, C., Degollada, E., & Alonso, J. M., Evidence of deafness in a striped dolphin, *Stenella coeruleoalba*, 29.1, 3-8.

See Harzen & André, 29.1, 1-2.

Andrews, B.

—Davis, W., & Parham, D., Corporate response and facilitation of the rehabilitation of a California gray whale calf, 27.3, 209-211.

Andrews, K.

See Nachtigall et al., 26.3, 167-174.

Andrianarivelo, N.

See Razafindrakoto et al., 30.1, 103-110.

Antrim, J.

—Logistics of maintenance, rehabilitation and return to the Pacific Ocean of a California gray whale calf, 27.3, 228-230.

Aoki, I.

See Murayama et al., 19.3, 171-182.

Araabi, B. N.

See Hillman et al., 29.1, 117-123.

Arshad, S.

See Marino et al., 30.2, 315-326.

Atkins, S.

—Pillay, N., & Peddemors, V. M., Spatial distribution of Indo-Pacific humpback dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental influences and behavioural patterns, 30.1, 84-93.

Atkinson, S.

See Feinholz & Atkinson, 26.3, 191-195.

See Maniscalco et al., 30.3, 427-433.

See Mazzuca et al., 25.2, 105-114.

Au, W. W. L.

See Mooney et al., 30.2, 220-226.

See Nachtigall et al., 26.3, 167-174.

See Teilmann et al., 28.3, 275-284.

Aurioles-Gamboa, D.

See Garcia-Aguilar & Aurioles-Gamboa, 29.1, 67-76.

Azevedo, A. F.

—& Simão, S. M., Whistles produced by marine tucuxi dolphins (*Sotalia fluviatilis*) in Guanabara Bay, southeastern Brazil, 28.3, 261-266.

—Lailson-Brito, J., Siciliano, S., Cunha, H. A., & Fragoso, A. B. L., Colour pattern and external morphology of the Fraser's dolphin (*Lagenodelphis hosei*) in the southwestern Atlantic, 29.3, 411-416.

Baba, N.

See Yonezaki et al., 30.2, 284-288.

Bachman, W. A.

See Tremel et al., 24.2, 63-69.

Bahr, R. J.

See Watson et al., 30.2, 275-278.

Bain, D.

See Heise et al., 29.3, 325-334.

Baird, R. W.

See Willis & Baird, 24.1, 21-25.

Baker, C. S.

See Neumann et al., 28.2, 181-187.

- Baker, J. R.  
—Skin disease in wild cetaceans from British waters, 18.1, 27-32.
- Baldwin, R. M.  
—& Cockcroft, V. G., Are dugongs, *Dugong dugon*, in the Arabian Gulf safe?, 23.2, 73-74.  
—Collins, M., Van Waerebeek, K., & Minton, G., The Indo-Pacific humpback dolphin of the Arabian region: A status review, 30.1, 111-124.
- Bamy, I. L.  
See Van Waerebeek et al., 30.1, 56-83.
- Barnett, L.  
See Van Waerebeek et al., 30.1, 56-83.
- Barreto, A. S.  
See Hale et al., 26.2, 101-110.  
See Pinedo et al., 28.1, 32-37.
- Barrett-Lennard, L. G.  
See Heise et al., 29.3, 325-334.
- Barros, N. B.  
—& Cockcroft, V. G., Prey of humpback dolphins (*Sousa plumbea*) stranded in eastern Cape Province, South Africa, 17.3, 134-136.  
—Jefferson, T. A., & Parsons, E. C. M., Feeding habits of Indo-Pacific humpback dolphins (*Sousa chinensis*) stranded in Hong Kong, 30.1, 179-188.  
—Parsons, E. C. M., & Jefferson, T. A., Prey of offshore bottlenose dolphins from the South China Sea, 26.1, 2-6.  
See Manire et al., 30.2, 257-270.
- Basso, M.  
See Santos et al., 28.1, 38-45.
- Bastos, G.  
See di Benedetto et al., 27.1, 24-28.
- Battersby, M. Z.  
See Müller et al., 24.2, 93-104.
- Baudinette, R. V.  
See Fish et al., 28.2, 103-112.
- Bauer, G. B.  
See Colbert et al., 27.1, 16-23.  
See Helweg et al., 18.3, 74-78.  
See Mobley et al., 25.2, 63-72.
- Baum, C.  
—Stelzer, R., Meyer, W., Siebers, D., & Fleischer, L. G., A cryo-scanning electron microscopic study of the skin surface of the pilot whale *Globicephala melas*, 26.1, 7-16.
- Beard, D. A.  
See Fedorowicz et al., 29.3, 355-359.
- Behrmann, G.  
—The pineal organ (*Epiphysis cerebri*) of the harbour porpoise *Phocoena phocoena* (Linné, 1758), 16.3, 96-100.  
—The tuberous organs of the harbour porpoise *Phocoena phocoena* (Linné, 1758), 16.1, 33-35.
- Beitsma, G. R.  
See Kamminga & Beitsma, 16.1, 14-20.
- Benoldi, C.  
See Gnone et al., 27.1, 29-33.
- Berghan, J.  
—& Visser, I. N., Vertebral column malformations in New Zealand delphinids with a review of cases world wide, 26.1, 17-25.  
See Visser et al., 28.2, 121-130.
- Berghout, E.  
See Kastelein et al., 20.1, 11-27; 20.2, 81-97; 21.1, 43-53.
- Bernal, R.  
—Olavarría, C., & Moraga, R., Occurrence and long-term residency of two long-beaked common dolphins, *Delphinus capensis* (Gray 1828), in adjacent small bays on the Chilean central coast, 29.3, 396-399.
- Bilgre, B. A.  
See Campbell et al., 28.2, 170-180.
- Bisther, A.  
—Intergroup interactions among killer whales in Norwegian coastal waters; tolerance vs. aggression at feeding grounds, 28.1, 14-23.
- Bjæger, P.  
—Heegaard, S., & Tougaard, J., Anatomy of the eye of the sperm whale (*Physeter macrocephalus* L.), 29.1, 31-36.
- Blackwell, S.  
See Campagna et al., 24.1, 1-11.
- Blanshard, W. H.  
See Chilvers et al., 27.1, 11-15.
- Blomqvist, C.  
—& Amundin, M., An acoustic tag for recording directional pulsed ultrasounds aimed at free-swimming bottlenose dolphins (*Tursiops truncatus*) by conspecifics, 30.3, 345-356.
- Bloom, P.  
—The diary of a wild, solitary, bottlenose dolphin (*Tursiops truncatus*), resident off Amble on the north Northumberland coast of England, from April 1987 to January 1991, 17.3, 103-119.  
—& Jager, M., The injury and subsequent healing of a serious propeller strike to a wild bottlenose dolphin (*Tursiops truncatus*) resident in cold waters off the Northumberland coast of England, 20.2, 59-64.
- Bloom, P. R. S.  
—Goodson, A. D., Klinowska, M., & Sturtivant, C. R., The activities of a wild, solitary bottlenose dolphin (*Tursiops truncatus*), 21.1, 19-42.
- Bonaccorso, F. J.  
See Visser & Bonaccorso, 28.2, 121-130.
- Bonsignori, B.  
See Gnone et al., 27.1, 29-33.
- Bordignon, M. O.  
See Rosas et al., 28.1, 60-66.
- Borggaard, D.  
—Lien, J., & Stevick, P., Assessing the effects of industrial activity on large cetaceans in Trinity Bay, Newfoundland (1992-1995), 25.3, 149-161.
- Born, E. W.  
See Kastelein et al., 19.2, 61-92.
- Bortolotto, A.  
—Casini, L., & Stanzani, L. A., Dolphin mortality along the southern Italian coast (June-September 1991), 18.2, 56-60.
- Bossart, G. D.  
—& Defran, R. H., Pathologic findings in Florida manatees (*Trichechus manatus latirostris*), 30.3, 433-440.  
—Meisner, R. A., Rommel, S. A., Ghim, S. J., & Jenson, A. B., Pathological features of the Florida manatee cold stress syndrome, 29.1, 9-17.  
—Meisner, R. A., Rommel, S. A., Lightsey, J. D., Varela, R. A., Bossley, M.  
See Müller & Bossley, 28.3, 298-307.  
See Müller et al., 24.2, 93-104.
- Bowles, A. E.  
See Wisdom et al., 27.3, 239-255.
- Brederlau, B.  
See Ritter & Brederlau, 25.2, 55-61.
- Bristow, T.  
—Changes in coastal site usage by bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 30.3, 398-404.  
—& Rees, E. I. S., Site fidelity and behaviour of bottlenose dolphins (*Tursiops truncatus*) in Cardigan Bay, Wales, 27.1, 1-10.

- Glanville, N., & Hopkins, J., Shore-based monitoring of bottlenose dolphins (*Tursiops truncatus*) by trained volunteers in Cardigan Bay, Wales, 27.2, 115-120.
- Brook, F.  
—Lim, E. H. T., Chua, F. H. C., & Mackay, B., Assessment of the reproductive cycle of the Indo-Pacific humpback dolphin, *Sousa chinensis*, using ultrasonography, 30.1, 137-148.
- Brouwers, M. E. L.  
—& Kamminga, C., The use of computed tomography in cetacean research: Airsac determination of *Lagenorhynchus albirostris*; Part 1, 16.3, 145-155.
- Brown, R. E.  
—& Butler, J. P., The absolute necessity of chest-wall collapse during diving in breath-hold diving mammals, 26.1, 26-32.
- Brown, R. F.  
See Jeffries et al., 19.1, 21-25.
- Bruehler, G. L.  
—DiRocco, S., Ryan, T., & Robinson, K., Husbandry and hand-rearing of a rehabilitating California gray whale calf, 27.3, 222-227.
- Bruni, P.  
—Stanzani, L. A., Caniglia, G., & Ubaldi, A., Evolution of clinical signs in a baby dolphin (*Tursiops truncatus*) found in a river, 16.1, 23-27.
- Brunnick, B. J.  
See Harzen & Brunnick, 23.1, 59-68.  
See Herzing & Brunnick, 23.3, 155-162.  
See Herzing et al., 29.3, 335-341.
- Burton, H. R.  
See Abgrall et al., 29.2, 268-277.  
See Oetelaar et al., 29.2, 261-267.
- Busch III, A. A.  
—Foreword - Gray whale rehabilitation & release, 27.3, 201.
- Butler, J. P.  
See Brown et al., 26.1, 26-32.
- Buurman, D.  
See Müller et al., 24.2, 93-104.
- Byrd, L.  
See Manire et al., 30.2, 257-270.
- Cabecinhas, A.  
See Silva et al., 29.1, 77-83.
- Camara, A.  
See Van Waerebeek et al., 30.1, 56-83.
- Campagna, C.  
—Quintana, F., Le Boeuf, B. J., Blackwell, S., & Crocker, D. E., Diving behaviour and foraging ecology of female southern elephant seals from Patagonia, 24.1, 1-11.  
See Fernández-Juricic et al., 29.2, 289-296.  
See Lewis & Campagna, 24.3, 85-90.
- Campbell, G. S.  
—Bilgre, B. A., & Defran, R. H., Bottlenose dolphins (*Tursiops truncatus*) in Turneffe Atoll, Belize: Occurrence, site fidelity, group size, and abundance, 28.2, 170-180.
- Campos, A. A.  
See Monteiro-Neto et al., 26.1, 49-56.
- Caniglia, G.  
See Bruni et al., 16.1, 23-27.
- Capella, J. J.  
—Flórez-González, L., Falk-Fernández, P., & Palacios, D. M., Regular appearance of otariid pinnipeds along the Colombian Pacific coast, 28.1, 67-72.
- Capibaribe Ávila, F. J.  
See Monteiro-Neto et al., 26.1, 49-56.
- Carder, D. A.  
See Ridgway & Carder, 27.3, 267-276.
- Carter, S. K.  
—Rosas, F. C. W., Cooper, A. B., & Cordeiro-Duarte, A. C., Consumption rate, food preferences and transit time of captive giant otters *Pteronura brasiliensis*: Implications for the study of wild populations, 25.2, 79-90.
- Carwardine, M.  
See Gendron et al., 25.1, 31-34.
- Casini, L.  
See Bortolotto et al., 18.2, 56-60.
- Castellini, J. M.  
See Castellini et al., 27.3, 277-278.
- Castellini, M. A.  
—Yochem, P. K., & Castellini, J. M., Differential concentration of glucose in red blood cells and plasma of a rehabilitating gray whale calf, 27.3, 277-278.
- Castro, C.  
—Encounter with a school of pygmy killer whales (*Feresa attenuata*) in Ecuador, Southeast Tropical Pacific, 30.3, 441-444.
- Caudron, A. K.  
—Social behaviour of Cape fur seals *Arctocephalus pusillus pusillus* in captivity, 21.1, 7-17.
- Cham, A.  
See Van Waerebeek et al., 30.1, 56-83.
- Charrier, I.  
See Insley et al., 29.2, 181-201.
- Cháves Rosales, S.  
—& Gardner, S. C., Recent harbour seal (*Phoca vitulina richardsi*) pup sightings in Magdalena Bay, Baja California Sur, Mexico, 25.3, 169-171.  
See Gendron & Cháves Rosales, 22.2, 127-130.
- Chilvers, B. L.  
—Corkeron, P. J., Blanshard, W. H., Long, T. R., & Martin, A. R., A new VHF tag and attachment technique for small cetaceans, 27.1, 11-15.
- Chua, F. H. C.  
See Brook et al., 30.1, 137-148.
- Claridge, D. E.  
See Parsons et al., 29.3, 360-362.
- Clark, C. W.  
See Dudzinski et al., 21.3, 187-193.
- Clark, S. T.  
—& Odell, D. K., Nursing behavior in captive false killer whales (*Pseudorca crassidens*), 25.3, 183-191.
- Claver, J. A.  
—Iniguez, M. A., Lombardo, D. M., & von Lawzewitsch, I., Preliminary observations of ovarian activity and sexual maturity in female Peale's dolphin (*Lagenorhynchus australis*), 18.3, 85-88.
- Cockcroft, V. G.  
—Rate of post mortem temperature loss in a striped dolphin (*Stenella coeruleoalba*), 17.2, 88-90.  
—& Sauer, W., Observed and inferred epimeletic (nurturant) behaviour in bottlenose dolphins, 16.1, 31-32.  
See Baldwin & Cockcroft, 23.2, 73-74.  
See Barros & Cockcroft, 17.3, 134-136.  
See Guissamulo & Cockcroft, 30.1, 94-102.  
See Karczmarski & Cockcroft, 24.3, 143-147.  
See Karczmarski et al., 23.3, 127-133.  
See Weller et al., 23.1, 49-58.
- Cohen Stuart, A.  
See Kamminga et al., 22.1, 45-55.

- Colbert, D. E.  
—Fellner, W., Bauer, G. B., Manire, C. A., & Rhinehart, H. L.,  
Husbandry and research training of two Florida manatees  
(*Trichechus manatus latirostris*), 27.1, 16-23.
- Collet, A.  
See Di-Méglio et al., 22.1, 11-20.
- Collins, M.  
See Baldwin et al., 30.1, 111-124.
- Conçalves, J. M.  
See Silva et al., 29.1, 77-83.
- Connor, R. C.  
—& Smolker, R. A., Seasonal changes in the stability of male-  
male bonds in Indian Ocean bottlenose dolphins (*Tursiops* sp.),  
21.3, 213-216.  
See Fedorowicz et al., 29.3, 355-359.
- Cooke, J. G.  
—The management of whaling, 20.3, 129-135.
- Cooper, A. B.  
See Carter et al., 25.2, 79-90.
- Cordeiro-Duarte, A. C.  
See Carter et al., 25.2, 79-90.
- Corkeron, P. J.  
See Green & Corkeron, 17.3, 125-129.  
See Parra & Corkeron, 27.1, 45-49.  
See Chilvers et al., 27.1, 11-15.  
See Parra et al., 30.1, 197-206.
- Costa, A. F.  
See Monteiro-Neto et al., 26.1, 49-56.
- Costa Sidrim, J. J.  
See Vergara-Parente et al., 29.1, 124-130; 29.1, 131-136.
- Cotton, P. A.  
See Goodwin & Cotton, 30.2, 279-283.
- Couperus, A. S.  
—Killer whales (*Orcinus orca*) scavenging on discards of freezer  
trawlers north east of the Shetland Islands, 20.1, 47-51.
- Courbis, S. S.  
—& Worthy, G. A. J., Opportunistic carnivory by Florida  
manatees (*Trichechus manatus latirostris*), 29.1, 104-107.
- Cox, M.  
—Gaglione, E., Prowten, P., & Noonan, M., Food preferences  
communicated via symbol discrimination by a California seal lion  
(*Zalophus californianus*), 22.1, 3-10.
- Craig, A. S.  
See Pack et al., 28.2, 131-146.
- Crane, N. L.  
See Dudzinski et al., 21.2, 149-153.
- Crocker, D. E.  
See Campagna et al., 24.1, 1-11.
- Cruz, A.  
See Silva et al., 29.1, 77-83.
- Cunha, H. A.  
See Azevedo et al., 29.3, 411-416.
- Cunningham-Smith, P.  
See Manire et al., 30.2, 257-270.
- da Silva Teixeira, M. F.  
See Vergara-Parente et al., 29.1, 124-130, 131-136.
- dan der Toorn, J.  
—Book Review: *Animal training—Successful animal  
management through positive reinforcement*, 26.2, 165-166.
- Danilewicz, S.  
See Ott & Danilewicz, 22.3, 185-189.
- Daura-Jorge, F.  
See Wedekin et al., 30.3, 391-397.
- Davis, R. W.  
See Ranneft et al., 27.2, 183-195.
- Davis, W.  
See Andrews et al., 27.3, 209-211.
- de Bakker, M. A. G.  
See Kastelein et al., 22.2, 95-125; 23.1, 29-47.
- de Castro, A. F. V.  
See Santos et al., 29.3, 404-410.
- de Haro, J. C.  
See Iñiguez & de Haro, 20.1, 35-37.
- de Koning, J.  
See van der Kamp & de Koning, 16.2, 73-77.
- Deakos, M. H.  
See Pack et al., 28.2, 131-146.
- Defran, R. H.  
See Hanson & Defran, 19.3, 127-142.  
See Bossart et al., 30.3, 433-440.  
See Campbell et al., 28.2, 170-180.  
See Mazzoil et al., 30.2, 209-219.
- Degollada, E.  
See André et al., 29.1, 3-8.
- Delahunty, K. M.  
See Sanvito et al., 30.2, 251-256.
- DeLong, R. L.  
See Lander et al., 26.2, 137-142.
- Delory, E.  
See André et al., 29.1, 3-8.
- Dendrinis, P.  
See Verriopoulou et al., 27.2, 137-139.
- di Benedetto, A. P. M.  
—Presence of Franciscana dolphin (*Pontoporia blainvillei*)  
remains in the stomach of a tiger shark (*Galeocerdo cuvieri*)  
captured in southeastern Brazil, 30.2, 311-314.  
—Ramos, R. M. A., Siciliano, S., dos Santos, R. A., Bastos, G.,  
& Fagundes-Netto, E., Stomach contents of delphinids from  
Rio de Janeiro, southeastern Brazil, 27.1, 24-28.  
See Ramos et al., 26.1, 65-75.
- Di-Méglio, N.  
—Romero-Alvarez, R., & Collet, A., Growth comparison in  
striped dolphins, *Stenella coeruleoalba*, from the Atlantic and  
Mediterranean coasts of France, 22.1, 11-20.
- Diallo, M.  
See Van Waerebeek et al., 30.1, 56-83.
- Ding, W.  
—Würsig, B., & Evans, W. E., Whistles of bottlenose dolphins:  
comparisons among populations, 21.1, 65-77.
- DiRocco, S.  
See Bruehler et al., 27.3, 222-227.
- Djiba, A.  
See Van Waerebeek et al., 30.1, 56-83.
- Doak, W.  
See Müller et al., 24.2, 93-104.
- Dokter, T.  
See Kastelein et al., 16.3, 134-138; 21.2, 155-159.
- Dolar, M. L. L.  
See Jefferson et al., 23.3, 145-153.
- dos Santos M. E.  
—Book Review: *The bottlenose dolphin—Biology and conserva-  
tion*, 27.1, 67-69.  
See Harzen & dos Santos, 18.2, 49-55.  
See di Benedetto et al., 27.1, 24-28.
- Drobyshevsky, A.  
See Hillman et al., 29.1, 117-123.

- Drouot, V.  
—Gannier, A., & Goold, J. C., Diving and feeding behaviour of sperm whales (*Physeter macrocephalus*) in the northwestern Mediterranean Sea, 30.3, 409-426.
- Dubbeldam, J. L.  
See Kastelein et al., 17.3, 156-180; 19.2, 61-92; 22.2, 95-125; 23.1, 29-47.
- Dudzinski, K. M.  
—Contact behavior and signal exchange in Atlantic spotted dolphins (*Stenella frontalis*), 24.3, 129-142.  
—Clark, C. W., & Würsig, B., A mobile video/acoustic system for simultaneous underwater recording of dolphin interactions, 21.3, 187-193.  
—Frohoff, T. G., & Crane, N. L., Behavior of a lone female bottlenose dolphin (*Tursiops truncatus*) with humans off the coast of Belize, 21.2, 149-153.  
—Sakai, M., Masaki, K., Kogi, K., Hishii, T., & Kurimoto, M., Behavioural observations of bottlenose dolphins towards two dead conspecifics, 29.1, 108-116.
- Duignan, P. J.  
—Hunter, J. E. B., Visser, I. N., Jones, G. W., & Nutman, A., Stingray spines: A potential cause of killer whale mortality in New Zealand, 26.2, 143-147.  
See Neumann et al., 28.2, 181-187.
- Durban, J. W.  
See Parsons et al., 29.3, 360-362.
- Dye, G. S.  
See Tremel et al., 24.2, 63-69.
- Eaker, H.  
See Ranneft et al., 27.2, 183-195.
- Early, G.  
See Wiley et al., 27.2, 162-171.
- Ellis, G. M.  
—& Trites A. W., The RAM-packs came back: A method for attaching and recovering pinniped data recorders, 18.2, 61-64.
- Engel, M. H.  
See Wedekin et al., 30.2, 327-329.
- Englesma, F. J.  
See Kamminga et al., 19.1, 31-43.
- Estes, J. A.  
—Conservation of marine otters, 20.3, 125-128.
- Evans, W. E.  
See Ding et al., 21.1, 65-77.
- Ewbank, R.  
—Book Review: *The hunting of the whale*, 16.1, 6.
- Fagundes-Netto, E.  
See di Benedetto et al., 27.1, 24-28.
- Falk-Fernández, P.  
See Capella et al., 28.1, 67-72.
- Fauquier, D. A.  
See Goldstein et al., 25.1, 43-51.
- Fedak, M. A.  
See Vincent et al., 28.2, 121-130.
- Fedorowicz, S. M.  
—Beard, D. A., & Connor, R. C., Food sharing in wild bottlenose dolphins, 29.3, 355-359.
- Feinholz, D. M.  
—Abundance, distribution, and behavior of the southern sea otter (*Enhydra lutris nereis*) in a California estuary, 24.2, 105-116.  
—& Atkinson, S., Possible aetiologies of yellow coloration in dolphin calves, 26.3, 191-195.
- Felix, F.  
—Organization and social structure of the coastal bottlenose dolphin *Tursiops truncatus* in the Gulf de Guayaquil, Ecuador, 23.1, 1-16.
- Fellner, W.  
See Colbert et al., 27.1, 16-23.
- Fernández-Juricic, E.  
—Campagna, C., & San Mauro, D., Variations in the arrangement of South American sea lion (*Otaria flavescens*) male vocalizations during the breeding season: Patterns and contexts, 29.2, 289-296.
- Fertl, D.  
—& Schiro, A., Carrying of dead calves by free-ranging Texas bottlenose dolphins (*Tursiops truncatus*), 20.1, 53-56.  
—& Wilson, B., Bubble use during prey capture by a lone bottlenose dolphin (*Tursiops truncatus*), 23.2, 113-114.  
—& Würsig, B., Coordinated feeding by Atlantic spotted dolphins (*Stenella frontalis*) in the Gulf of Mexico, 21.1, 3-5.  
—Schiro, A. J., & Peake, D., Coordinated feeding by Clymene dolphins (*Stenella clymene*) in the Gulf of Mexico, 23.2, 111-112.  
See Silber & Fertl, 21.3, 183-186.  
See Visser & Fertl, 28.2, 121-130.  
See Visser et al., 28.2, 121-130.  
See Weller et al., 23.1, 49-58.
- Fish, F. E.  
—Smelstoys, J., Baudinette, R. V., & Reynolds, P. S., Fur does not fly, it floats: Buoyancy of pelage in semi-aquatic mammals, 28.2, 103-112.
- Fleischer, L. G.  
See Baum et al., 26.1, 7-16.
- Flórez-González, L.  
See Capella et al., 28.1, 67-72.
- Fognani, P.  
See Gnone et al., 27.1, 29-33.
- Ford, J.  
See Kastelein et al., 20.2, 81-97.
- Fothergill, M. B.  
—Schwegman, C. A., Garratt, P. A., Govender, A., & Robertson, W. D., Serum alkaline phosphatase—Changes in relation to state of health and age of dolphins, 17.2, 71-75.
- Fragoso, A. B. L.  
See Azevedo et al., 29.3, 411-416.
- Frantzis, A.  
—& Herzing, D. L., Mixed-species associations of striped dolphins (*Stenella coeruleoalba*), short-beaked common dolphins (*Delphinus delphis*), and Risso's dolphins (*Grampus griseus*) in the Gulf of Corinth (Greece, Mediterranean Sea), 28.2, 188-197.
- Freitas, A.  
See Wedekin et al., 30.2, 327-329.
- Frohoff, T. G.  
See Dudzinski et al., 21.2, 149-153.
- Fujimoto, A.  
See Terasawa et al., 23.1, 69-72.
- Furtado-Neto, M. A. A.  
See Monteiro-Neto et al., 26.1, 49-56.
- Furuya, T.  
See Tsutsui et al., 27.2, 172-182.
- Gadella Rocha, M. F.  
See Vergara-Parente et al., 29.1, 124-130, 131-136.
- Gaglione, E.  
See Cox et al., 22.1, 3-10.
- Gailey, G. A.  
See Hillmanet al., 29.1, 117-123.

- Gales, N.  
— & Waples, K., The rehabilitation and release of bottlenose dolphins from Atlantis Marine Park, Western Australia, 19.2, 49-59.
- Galimberti, F.  
— & Sanvito, S., Modeling female haul-out in southern elephant seals (*Mirounga leonina*), 27.2, 92-104.  
See Sanvito et al., 30.2, 251-256.
- Gannier, A.  
— Cetaceans of the Marquesas Islands (French Polynesia): Distribution and relative abundance as obtained from a small boat dedicated survey, 28.2, 198-210.  
— Diel variations of the striped dolphin distribution off the French Riviera (Northwestern Mediterranean Sea), 25.3, 123-134.  
— Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys, 26.2, 111-126.  
— The large-scale distribution of humpback whales (*Megaptera novaeangliae*) wintering in French Polynesia during 1997-2002, 30.2, 227-236.  
See Drouot et al., 30.3, 409-426.
- Gao, A.  
— & Zhou, K., Growth and reproduction of three populations of finless porpoise, *Neophocoena phocaenoides*, in Chinese waters, 19.1, 3-12.  
— Zhou, K., & Wang, Y., Geographical variation in morphology of bottlenose dolphins (*Tursiops* sp.) in Chinese waters, 21.2, 121-135.  
See Zhou et al., 24.2, 123-132.
- García-Aguilar, M. C.  
— Breeding biology of the northern elephant seal (*Mirounga angustirostris*) at the Isla San Benito del Oeste, Eastern Pacific, Mexico, 30.2, 289-295.  
— & Aurióles-Gamboa, D., Breeding season of the California sea lion (*Zalophus californianus*) in the Gulf of California, Mexico, 29.1, 67-76.
- García-Borboroglu, P.  
See Reyes & García-Borboroglu, 30.3, 376-379.
- García Hartmann, M.  
See Knieriem & García Hartmann, 27.2, 73-81.
- Gardner, S. C.  
See Chávez-Rosales & Gardner, 25.3, 169-171.
- Garratt, P. A.  
See Fothergill et al., 17.2, 71-75.
- Geimm, K. K.  
See Tremel et al., 24.2, 63-69.
- Gendron, D.  
— & Chaves Rosales, S., Recent sei whale (*Balaenoptera borealis*) sightings in the Gulf of California, Mexico, 22.2, 127-130.  
— Lanham, S., & Carwardine, M., North Pacific right whale (*Eubalaena glacialis*) sighting south of Baja California, 25.1, 31-34.
- Geracitano, L.  
See Pinedo et al., 28.1, 32-37.
- Gerrits, N. M.  
— & Gerrits, 16.3, 101-119; 17.1, 20-30.  
See Kastelein et al., 17.3, 156-180; 22.2, 95-125.
- Gesualdi, J. F.  
— Book Review: *Conservation and management of marine mammals*, 26.3, 268.
- Gewalt, W.  
— The Jacobita, or Commerson's dolphin (*Cephalorhynchus commersoni*): Observations and live capture in Argentinian and Chilean Waters—1978, 1980 and 1984. First steps in maintaining and training the species in the Walarium of Duisburg Zoo, 16.2, 53-64.  
— & Neurohr, B., A case of mastitis in a *Delphinapterus leucas*, 18.1, 24-26.
- Ghim, S. J.  
See Bossart et al., 29.1, 9-17.
- Gilmartin, W. G.  
See Thomas et al., 16.1, 28-30.
- Gjertz, I.  
See Kastelein et al., 19.3, 143-148.
- Glanville, N.  
See Bristow et al., 27.2, 115-120.
- Gnone, G.  
— Benoldi, C., Bonsignori, B., & Fognani, P., Observations of rest behaviours in captive bottlenose dolphins (*Tursiops truncatus*), 27.1, 29-33.
- Goff, T.  
See Sumich et al., 27.3, 231-233.
- Goffman, O.  
See Spanier et al., 26.3, 196-201.
- Goforth, H.  
See Reddy et al., 25.2, 115-118.
- Goldblatt, A.  
— Automatic feeder for marine mammals, 18.3, 82-84.  
— Behavioural needs of captive marine mammals, 19.3, 149-157.  
See Kuttin & Goldblatt, 18.3, 89-90.
- Goldstein, T.  
— Johnson, S. P., Phillips, A. V., Hanni, K. D., Fauquier, D. A., & Gulland, F. M. D., Human-related injuries observed in live stranded pinnipeds along the central California coast 1986-1998, 25.1, 43-51.
- Gomes de Pinho Pessoa, A. B.  
See Vergara-Parente et al., 29.1, 124-130.
- Gonçalves, J.  
See Magalhães et al., 28.3, 267-274.
- Goodson, A. D.  
See Bloom et al., 21.1, 19-42.
- Goodson, D.  
— Book Review: *Animal sonar processes and performance*, 16.3, 93-94.
- Goodwin, L.  
— & Cotton, P. A., Effects of boat traffic on the behaviour of bottlenose dolphins (*Tursiops truncatus*), 30.2, 279-283.
- Goold, J. C.  
— & Jefferson, T. A., A note on clicks recorded from free-ranging Indo-Pacific humpback dolphins, *Sousa chinensis*, 30.1, 175-178.  
See Drouot et al., 30.3, 409-426.
- Govender, A.  
See Fothergill et al., 17.2, 71-75.
- Gowans, S.  
See Simard & Gowans, 30.2, 330-334.
- Green, A.  
— & Corkeron, P. J., An attempt to establish a feeding station for bottlenose dolphins (*Tursiops truncatus*) on Moreton Island, Queensland, Australia, 17.3, 125-129.
- Greenwood, A. G.  
— Book Review: *Marine mammals of Australasia—Field biology and captive management*, 17.1, 4.  
— Book Review: *Whales and dolphins of New Zealand and Australia: An identification guide*, 17.3, 100.  
— Obituary – Robert Lowry Turner, 17.2, 56.
- Gregory, P. R.  
— & Rowden, A. A., Behaviour patterns of bottlenose dolphins (*Tursiops truncatus*) relative to tidal state, time-of-day, and boat traffic in Cardigan Bay, West Wales, 27.2, 105-113.

- Grellier, K.  
—& Wilson, B., Bottlenose dolphins using the Sound of Barra, Scotland, 29.3, 378-382.
- Griebel, U.  
—& Peichl, L., Colour vision in aquatic mammals—Facts and open questions, 29.1, 18-30.
- Griffin, N. J.  
See Griffin & Griffin, 30.3, 380-390.
- Griffin, R. B.  
—& Griffin, N. J., Temporal variation in Atlantic spotted dolphin (*Stenella frontalis*) and bottlenose dolphin (*Tursiops truncatus*) densities on the west Florida continental shelf, 30.3, 380-390.
- Grigg, E.  
—& Markowitz, H., Habitat use by bottlenose dolphins (*Tursiops truncatus*) at Turneffe Atoll, Belize, 23.3, 163-170.
- Groenenberg, H. J.  
See Kastelein et al., 20.1, 11-27.
- Guan, S.  
—Takemura, A., & Koido, T., An introduction to the structure of humpback whale, *Megaptera novaeangliae*, song off Ryukyu Islands, 1991/1992, 25.1, 35-42.
- Gubbins, C.  
—Association patterns of resident bottlenose dolphins (*Tursiops truncatus*) in a South Carolina estuary, 28.1, 24-31.  
See McCowan et al., 24.1, 27-40.
- Guerrero-Ruiz, M.  
—& Urbán R., J., First report of remoras on two killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 26.2, 148-150.
- Guissamulo, A.  
—& Cockcroft, V. G., Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique, 30.1, 94-102.
- Gulland, F. M. D.  
See Goldstein et al., 25.1, 43-51.  
See Lander et al., 26.2, 137-142.
- Hale, P. T.  
—Barreto, A. S., & Ross, G. J. B., Comparative morphology and distribution of the *aduncus* and *truncatus* forms of bottlenose dolphin *Tursiops* in the Indian and Western Pacific Oceans, 26.2, 101-110.
- Hall, A. J.  
—Licence, S. T., & Pomeroy, P. P., The response of grey seal pups to intradermal phytohaemagglutinin injection, 25.1, 25-30.
- Hammill, M. O.  
See Henry & Hammill, 27.2, 140-148.
- Hanni, K. D.  
See Goldstein et al., 25.1, 43-51.
- Hanson, M. B.  
See Maniscalco et al., 30.3, 427-433.
- Hanson, M. T.  
—& Defran, R. H., The behaviour and feeding ecology of the Pacific coast bottlenose dolphin, *Tursiops truncatus*, 19.3, 127-142.
- Hartmann, M. G.  
—Book Review: *The beluga whale*, 29.1, 173.  
—The European studbook of bottlenose dolphins (*Tursiops truncatus*): 1998 survey results, 26.2, 95-100.
- Harvey, J.  
—& Skrovan, S., Training California sea lions to record whale behavior using a rehabilitating California gray whale calf, 27.3, 289-293.  
See Jeffries et al., 19.1, 21-25.  
See Stewart et al., 27.3, 294-300.
- Harzen, S. E.  
—Habitat use by the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 24.3, 117-128.  
—Use of an electronic theodolite in the study of movements of the bottlenose dolphin (*Tursiops truncatus*) in the Sado Estuary, Portugal, 28.3, 251-260.  
—& André, M., Cees Kamminga 1932-2002, 29.1, 1-2.  
—& Brunnick, B. J., Skin disorders in bottlenose dolphins (*Tursiops truncatus*), resident in the Sado Estuary, Portugal, 23.1, 59-68.  
—& dos Santos, M. E., Three encounters with wild bottlenose dolphins (*Tursiops truncatus*) carrying dead calves, 18.2, 49-55.
- Hassani, S.  
See Vincent et al., 28.2, 121-130.
- Heegaard, S.  
See Bjerager et al., 29.1, 31-36.
- Heise, K.  
—Barrett-Lennard, L. G., Saulitis, E., Matkin, C., & Bain, D., Examining the evidence for killer whale predation on Steller sea lions in British Columbia and Alaska, 29.3, 325-334.
- Helweg, D. A.  
—Bauer, G. B., & Herman, L. M., Observations of an S-shaped posture in humpback whales (*Megaptera novaeangliae*), 18.3, 74-78.  
See Houser et al., 27.2, 82-91.
- Henry, E.  
—& Hammill, M. O., Impact of small boats on the haulout activity of harbour seals (*Phoca vitulina*) in Métis Bay, Saint Lawrence Estuary, Québec, Canada, 27.2, 140-148.
- Herman, L. M.  
—Book Review: *The dolphins of Hilton Head: Their natural history*, 29.1, 174.  
—Vocalizations and associated underwater behavior of free-ranging Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, 22.2, 61-79.  
—& Brunnick, B. J., Coefficients of association of reproductively active female Atlantic spotted dolphins, *Stenella frontalis*, 23.3, 155-162.  
—& Johnson, C. M., Interspecific interactions between Atlantic spotted dolphins (*Stenella frontalis*) and bottlenose dolphins (*Tursiops truncatus*) in the Bahamas, 1985-1995, 23.2, 85-99.  
—Moewe, K., & Brunnick, B. J., Interspecies interactions between Atlantic spotted dolphins, *Stenella frontalis* and bottlenose dolphins, *Tursiops truncatus*, on Great Bahama Bank, Bahamas, 29.3, 335-341.  
See Frantzis & Herzing, 28.2, 188-197.  
See Miles & Herzing, 29.3, 363-377.  
See Helweg et al., 18.3, 74-78.  
See Killebrew et al., 27.1, 34-44.  
See Marten et al., 27.1, 56-66.  
See Mercado et al., 29.1, 37-52.  
See Mobley et al., 25.2, 63-72.  
See Pack et al., 28.2, 131-146.  
See Psarakos et al., 29.3, 390-395.
- Heyning, C. A.  
See Heyning & Heyning, 27.3, 212-214.
- Heyning, J. E.  
—Thermoregulation in feeding baleen whales: Morphological and physiological evidence, 27.3, 284-288.  
—& Heyning, C. A., Rescue of an orphaned gray whale calf, 27.3, 212-214.
- Hilgenkamp, J.  
See Kastelein et al., 21.2, 155-159.
- Hillman, G. R.  
—Würsig, B., Gailey, G. A., Kehtarnavaz, N., Drobyshevsky, A., Araabi, B. N., Tagare, H. D., & Weller, D. W., Computer-assisted

- photo-identification of individual marine vertebrates: A multi-species system, 29.1, 117-123.
- Hishii, T.  
See Dudzinski et al., 29.1, 108-116.
- Holst, M.  
—& Stirling, I., A comparison of ringed seal (*Phoca hispida*) biology on the east and west sides of the North Water Polynya, Baffin Bay, 28.3, 221-230.
- Hopkins, J.  
See Bristow et al., 27.2, 115-120.
- Houser, D. S.  
—Helweg, D. A., & Moore, P. W. B., A bandpass filter-bank model of auditory sensitivity in the humpback whale, 27.2, 82-91.
- Hubard, C. W.  
—Maze-Foley, K., Mullin, K. D., & Schroeder, W. W., Seasonal abundance and site fidelity of bottlenose dolphins (*Tursiops truncatus*) in Mississippi Sound, 30.2, 299-310.
- Hung, S. K.  
—& Jefferson, T. A., Ranging patterns of Indo-Pacific humpback dolphins (*Sousa chinensis*) in the Pearl River Estuary, People's Republic of China, 30.1, 159-174.  
See Jefferson & Hung, 30.1, 149-158.  
See Wang et al., 30.1, 189-196.
- Hunter, J. E. B.  
See Duignan et al., 26.2, 143-147.
- Hurley, J.  
See Harvey et al., 27.3, 289-293.
- Hvenegaard, G. T.  
See Stacey & Hvenegaard, 28.1, 1-13.
- Iniguez, M. A.  
—Seasonal distribution of killer whales (*Orcinus orca*) in Northern Patagonia, Argentina, 27.2, 154-161.  
—& de Haro, J. C., Preliminary report on the feeding habits of the Peale's dolphin (*Lagenorhynchus australis*) in southern Argentina, 20.1, 35-37.  
See Claver et al., 18.3, 85-88.
- Insley, S. J.  
—Phillips, A. V., & Charrier, I., A review of social recognition in pinnipeds, 29.2, 181-201.
- Ishii, T.  
See Murayama et al., 19.3, 171-182.
- Jacobs, S. R.  
—& Terhune, J. M., The effectiveness of acoustic harassment devices in the Bay of Fundy, Canada: Seal reactions and a noise exposure model, 28.2, 147-158.
- Jager, M.  
See Bloom & Jager, 20.2, 59-64.
- Jallow, A. O.  
See Van Waerebeek et al., 30.1, 56-83.
- Jann, B.  
See Moore et al., 29.3, 383-389.
- Jaquet, N.  
—& Whitehead, H., Movements, distribution and feeding success of sperm whales in the Pacific Ocean, over scales of days and tens of kilometers, 25.1, 1-13.
- Jefferson, T. A.  
—Book Review: *Walker's marine mammals of the world*, 30.3, 447-448.  
—Foreword – Special Issue: Biology and conservation of humpback dolphins (*Sousa* spp.), 30.1, 1-2.  
—Morphology of the Clymene dolphin (*Stenella clymene*) in the northern Gulf of Mexico, 22.1, 35-43.  
—Observations on the distribution and behaviour of Dall's porpoise (*Phocoenoides dalli*) in Monterey Bay, California, 17.1, 12-19.  
—& Hung, S. K., A review of the status of the Indo-Pacific humpback dolphin (*Sousa chinensis*) in Chinese waters, 30.1, 149-158.  
—& Van Waerebeek, K., Geographic variation in skull morphology of humpback dolphins (*Sousa* spp.), 30.1, 3-17.  
—Pitman, R. L., Leatherwood, S., & Dolar, M. L. L., Development and sexual variation in the external appearance of Fraser's dolphins (*Lagenodelphis hosei*), 23.3, 145-153.  
See Goold & Jefferson, 30.1, 175-178.  
See Hung & Jefferson, 30.1, 159-174.  
See Sutaria & Jefferson, 30.1, 125-136.  
See Barros et al., 26.1, 2-6; 30.1, 179-188.  
See Würsig et al., 24.1, 41-50.
- Jeffries, S. J.  
—Brown, R. F., & Harvey, J. T., Techniques for capturing, handling and marking harbour seals, 19.1, 21-25.
- Jenson, A. B.  
See Bossart et al., 29.1, 9-17.
- Johnson, C. M.  
—& Moewe, K., Pectoral fin preference during contact in Commerson's dolphins (*Cephalorhynchus commersonii*), 25.2, 73-77.  
See Herzing & Johnson, 23.2, 85-99.
- Johnson, J. I.  
See Marino et al., 30.2, 315-326.
- Johnson, S. P.  
See Goldstein et al., 25.1, 43-51.
- Johnston, D. W.  
—& Woodley, T. H., A survey of acoustic harassment device (AHD) use in the Bay of Fundy, NB, Canada, 24.1, 51-61.
- Jones, F. M.  
—& Pfeiffer, C. J., Morphometric comparison of the epidermis in several cetacean species, 20.1, 29-34.
- Jones, G. W.  
See Duignan et al., 26.2, 143-147.
- Jonker, R. A. H.  
See Trites & Jonker, 26.2, 151-157.
- Kaller, A.  
See Kuttin & Kaller, 18.3, 79-81; 22.1, 57-59.  
See Kuttin et al., 19.1, 27-29.
- Kamminga, C.  
—Letter to the Editor, 16.1, 3.  
—& Beitsma, G. R., Investigations on Cetacean Sonar IX: Remarks on dominant sonar frequencies from *Tursiops truncatus*, 16.1, 14-20.  
—Cohen Stuart, A., & Silber, G. K., Investigations on Cetacean Sonar XI: Intrinsic comparison of the wave shapes of some members of the Phocoenidae family, 22.1, 45-55.  
—van Hove, M. T., Englesma, F. J., & Terry, R. P., Investigations on Cetacean Sonar X: A comparative analysis of underwater echolocation clicks of *Inia* spp. and *Sotalia* spp., 19.1, 31-43.  
See Brouwers & Kamminga, 16.3, 145-155.  
See André et al., 29.1, 3-8.
- Karamanlidis, A. A.  
—Pires, R., Neves, H. C., & Santos, C., Habitat of the endangered Mediterranean monk seal (*Monachus monachus*) at São Lourenço-Maderia, 29.3, 400-403.
- Karczmarski, L.  
—& Cockcroft, V. G., Matrix photo-identification technique applied in studies of free-ranging bottlenose and humpback dolphins, 24.3, 143-147.



- Thornton, M., & Cockcroft, V. G., Description of selected behaviours of humpback dolphins (*Sousa chinensis*), 23.3, 127-133.
- Kastak, D.  
See Schusterman & Kastak, 29.2, 202-213.
- Kastelein, R. A.  
—Book Review: *CRC handbook of marine mammal medicine*, 30.3, 445-446.  
—Letter to the Editor 16.2, 39-40.  
—& Gerrits, N. M., Swimming, diving, and respiration patterns of a northern bottlenose whale (*Hyperoodon ampullatus*, Forster, 1770), 17.1, 20-30.  
—& Gerrits, N. M., The anatomy of the walrus head (*Odobenus rosmarus*). Part 1: The skull, 16.3, 101-119.  
—& Lavaleije, M. S. S., Foreign bodies in the stomach of a female harbour porpoise (*Phocoena phocoena*) from the North Sea, 18.2, 40-46.  
—& Mosterd, J., Improving parental care of a female bottlenose dolphin (*Tursiops truncatus*) by training, 21.3, 165-169.  
—& van Battum, R., The relationship between body weight and morphological measurements in harbour porpoises (*Phocoena phocoena*) from the North Sea, 16.2, 48-52.  
—& Wetz, F. C., Distribution and behaviour of Steller sea lions (*Eumetopias jubatus*) in Prince William Sound, Alaska, June 1989, 17.2, 91-97.  
—& Wiepkema, P. R., The suckling period of a grey seal (*Halichoerus grypus*) while confined to an outdoor land area, 16.3, 120-128.  
—Dokter, T., & Hilgenkamp, J., A swimming support for dolphins underdoing veterinary care, 21.2, 155-159.  
—Dokter, T., & Zwart, P., The suckling of a bottlenose dolphin calf (*Tursiops truncatus*) by a foster mother, and information on transverse birth bands, 16.3, 134-138.  
—Dubbeldam, J. L., & de Bakker, M. A. G., The anatomy of the walrus head (*Odobenus rosmarus*). Part 5: The tongue and its function in walrus ecology, 23.1, 29-47.  
—Dubbeldam, J. L., de Bakker, M. A. G., & Gerrits, N. M., The anatomy of the walrus head (*Odobenus rosmarus*). Part 4: The ears and their function in aerial and underwater hearing, 22.2, 95-125.  
—Ford, J., Berghout, E., Wiepkema, P. R., & van Boxsel, M., Food consumption, growth and reproduction of belugas (*Delphinapterus leucas*) in human care, 20.2, 81-97.  
—Gerrits, N. M., & Dubbeldam, J. L., The anatomy of the walrus head (*Odobenus rosmarus*). Part 2: Description of the muscles and of their role in the feeding and haul-out behaviour, 17.3, 156-180.  
—Kershaw, J., Berghout, E., & Wiepkema, P. R., The food consumption of South American sea lions (*Otaria flavescens*), 21.1, 43-53.  
—Kershaw, J., & Wiepkema, P. R., The food consumption of southern elephant seals (*Mirounga leonina*), 17.2, 76-87.  
—McBain, J., & Neurohr, B., Information on the biology of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.1, 13-19.  
—McBain, J., Neurohr, B., Mohri, M., Saijo, S., Wakabayashi, I., & Wiepkema, P. R., The food consumption of Commerson's dolphins (*Cephalorhynchus commersonii*), 19.2, 99-121.  
—Mosterd, J., Schooneman, N. M., & Wiepkema, P. R., Food consumption, growth, body dimensions, and respiration rates of captive false killer whales (*Pseudorca crassidens*), 26.1, 33-44.  
—Mosterd, P., van Ligteneberg, C. L., & Verboom, W. C., Aerial hearing sensitivity tests with a male Pacific walrus (*Odobenus rosmarus divergens*), in the free field and with headphones, 22.2, 81-93.  
—Neurohr, B., Nieuwstraten, S. H., & Wiepkema, P. R., Food consumption and body measurements of Amazon river dolphins (*Inia geoffrensis*), 25.3, 173-182.  
—Postma, J., van Rossum, T., & Wiepkema, P. R., Drinking speed of Pacific walrus (*Odobenus rosmarus divergens*) pups, 22.1, 21-26.  
—Schooneman, N. M., & Wiepkema, P. R., Food consumption and body weight of captive Pacific walrus (*Odobenus rosmarus divergens*), 26.3, 175-190.  
—Staal, C., & Wiepkema, P. R., Food consumption, food passage time, and body measurements of captive Atlantic bottlenose dolphins (*Tursiops truncatus*), 29.1, 53-66.  
—Stevens, S., & Mosterd, P., The tactile sensitivity of the mystacial vibrissae of a Pacific walrus (*Odobenus rosmarus divergens*). Part 2: Masking, 16.2, 78-87.  
—van Ligteneberg, C. L., Gjertz, I., & Verboom, W. C., Free field hearing tests on wild Atlantic walrus (*Odobenus rosmarus rosmarus*) in air, 19.3, 143-148.  
—Walton, S., Odell, D., Nieuwstraten, S. H., & Wiepkema, P. R., Food consumption of a captive female killer whale (*Orcinus orca*), 26.2, 127-131.  
—Wiepkema, P. R., Berghout, E., & Groenenberg, H. J., Effective mass transfer in a suckling grey seal (*Halichoerus grypus*), 20.1, 11-27.  
—Wiepkema, P. R., & Vaughan, N., The suckling period of a grey seal (*Halichoerus grypus*) while the mother had access to a pool, 17.1, 42-51.  
—Zweypfenning, R. C. V. J., Spekreijse, H., Dubbeldam, J. L., & Born, E. W., The anatomy of the walrus head (*Odobenus rosmarus*). Part 3: The eyes and their function in walrus ecology, 19.2, 61-92.  
See Teilmann et al., 28.3, 275-284.
- Kaupp, S. E.  
See Reddy et al., 25.2, 115-118.
- Keating, B.  
See Mazzuca et al., 25.2, 105-114.
- Kehtarnavaz, N.  
See Hillman et al., 29.1, 117-123.
- Kerem, D.  
See Spanier et al., 26.3, 196-201.
- Kershaw, J.  
See Kastelein et al., 17.2, 76-87; 21.1, 43-53.
- Killebrew, D. A.  
—Mercado III, E., Herman, L. M., & Pack, A. A., Sound production of a neonate bottlenose dolphin, 27.1, 34-44.
- King, J. M.  
See Anderson et al., 16.1, 21-22.
- Kirketerp, T.  
See Teilmann et al., 28.3, 275-284.
- Kirschfeld, K.  
See Kröger & Kirschfeld, 20.2, 99-107.
- Kishino, H.  
See Ohizumi et al., 28.1, 73-77.
- Kishiro, T.  
See Ohizumi & Kishiro, 29.1, 99-103.
- Kitamura, M.  
See Terasawa et al., 23.1, 69-72.
- Kitney, R. I.  
See Rompelman & Kitney, 16.2, 39-40.
- Kiyota, M.  
See Yonezaki et al., 30.2, 284-288.
- Klima, M.  
—Cetacean phylogeny and systematics based on the morphogenesis of the nasal skull, 21.2, 79-89.
- Klinowska, M.  
—Book Review: *Handbook of marine mammals*, 16.1, 4-5.  
See Bloom et al., 21.1, 19-42.
- Klishin, V. O.  
—Pezo Diaz, R., Popov, V. V., & Supin, A. Ya., Some characteristics of hearing of the Brazilian manatee, *Trichechus inunguis*, 16.3, 139-144.

- Popov, V. V., & Supin, A. Ya., Hearing capabilities of a beluga whale, *Delphinapterus leucas*, 26.3, 212-228.  
See Popov & Klishin, 24.1, 13-20.
- Klissarov, D.  
—Zhekov, I., & Milushev, G., Successful therapy on upper-jaw fracture in a pregnant bottlenose dolphin (*T. truncatus*) in the Varna Dolphinarium, 18.2, 47-48.
- Knieriem, A.  
—& Garcia Hartmann, M., Comparative histopathology of lungs from by-caught Atlantic white-sided dolphins (*Leucopleurus acutus*), 27.2, 73-81.
- Kogi, K.  
See Dudzinski et al., 29.1, 108-116.
- Koido, T.  
See Guan et al., 25.1, 35-42.  
See Maeda et al., 26.3, 202-211.  
See Yonezaki et al., 30.2, 284-288.
- Kompanje, E. J. O.  
—Differences between spondylo-osteomyelitis and spondylosis deformans in small odontocetes based on museum material, 21.3, 199-203.
- Kreb, D.  
—& Rahadi, K. D., Living under an aquatic freeway: Effects of boats on Irrawaddy dolphins (*Orcaella brevirostris*) in a coastal and riverine environment in Indonesia, 30.3, 363-375.
- Kröger, R. H. H.  
—& Kirschfeld, K., Refractive index in the cornea of a harbor porpoise (*Phocoena phocoena*) measured by two-wavelength laser-interferometry, 20.2, 99-107.
- Kurimoto, M.  
See Dudzinski et al., 29.1, 108-116.
- Kuttin, E. S.  
—& Goldblatt, A., Bait-fishing by dolphins: A documented anecdote, 18.3, 89-90.  
—& Kaller, A., *Cystoisospora delphini* N. sp. causing enteritis in a bottlenosed dolphin (*Tursiops truncatus*), 22.1, 57-59.  
—& Kaller, A., *Cystoisospora israeli* N. sp. causing enteritis in a South African fur seal, 18.3, 79-81.  
—Kaller, A., & Shafir, I., Bisalbuminemia in a dolphin associated with elevated plasma cholesterol, 19.1, 27-29.
- Lacave, G.  
—A survey of management practices for dolphin pregnancy— with two examples of birth complications, 17.1, 37-41.
- LaCommare, K. S.  
See Self-Sullivan et al., 29.3, 341-354.
- Lailson-Brito, Jr., J.  
See Azevedo et al., 29.3, 411-416.
- Lammardo, M. P.  
See Pinedo et al., 28.1, 32-37.
- Lammers, M. O.  
—Occurrence and behavior of Hawaiian spinner dolphins (*Stenella longirostris*) along Oahu's leeward and south shores, 30.2, 237-250.
- Lander, M. E.  
—Gulland, F. M. D., & DeLong, R. L., Satellite tracking a rehabilitated Guadalupe fur seal (*Arctocephalus townsendi*), 26.2, 137-142.
- Lanham, S.  
See Gendron et al., 25.1, 31-34.
- Lapsertis, J. M.  
—Book Review: *Toxicology of marine mammals*, 30.2, 337-338.
- Larkin, P. A.  
See Trites & Larkin, 22.3, 153-166.
- Lavaleije, M. S. S.  
See Kastelein & Lavaleije, 18.2, 40-46.
- Lavalli, K.  
See Spanier et al., 26.3, 196-201.
- Le Boeuf, B. J.  
See Campagna et al., 24.1, 1-11.
- Leatherwood, S.  
—& Reeves, R. R., River dolphins: A review of activities and plans of the Cetacean Specialist Group, 20.3, 137-154.  
See Jefferson et al., 23.3, 145-153.
- Lefebvre, L. W.  
See March & Lefebvre, 20.3, 155-170.
- Leopold, M. F.  
—Food remains in a harp seal, *Phoca groenlandica*, stranded in the Netherlands, 18.1, 19-23.
- Lewis, M. N.  
—& Campagna, C., Flipping sand in elephant seals, 24.3, 85-90.
- Licence, S. T.  
See Hall et al., 25.1, 25-30.
- Lien, J.  
See Nelson & Lien, 20.1, 1-20.  
See Borggaard et al., 25.3, 149-161.
- Lightsey, J. D.  
See Bossart et al., 30.3, 433-440.
- Ligtenberg, C. L.  
See Kastelein et al., 22.2, 81-93.
- Lim, E. H. T.  
See Brook et al., 30.1, 137-148.
- Lima, N. R. W.  
See Ramos et al., 26.1, 65-75.
- Lombardo, D. M.  
See Claver et al., 18.3, 85-88.
- Long, T. R.  
See Chilvers et al., 27.1, 11-15.
- Lucato, S. H. B.  
See Santos et al., 28.1, 38-45.
- Lunneryd, S-G.  
See Wahlberg et al., 28.1, 90-92.
- Lyamin, O. I.  
—Mukhametov, L. M., Siegel, J. M., Manger, P. R., & Shpak, O. V., Resting behavior in a rehabilitating gray whale calf, 27.3, 256-266.  
—Oleksenko, A. I., Sevostiyarov, V. F., Nazarenko, E. A., & Mukhametov, L. M., Behavioral sleep in captive sea otters, 26.2, 132-136.
- Lynn, S. K.  
See Weller et al., 23.1, 49-58.  
See Würsig et al., 24.1, 41-50.
- Mackay, B.  
See Brook et al., 30.1, 137-148.
- Madsen, P. T.  
—Møhl, B., Nielsen, B. K., & Wahlberg, M., Male sperm whale behaviour during exposures to distant seismic survey pulses, 28.3, 231-240.  
See Teilmann et al., 28.3, 275-284.
- Maeda, H.  
—Koido, T., & Takemura, A., Principal component analysis of song units produced by humpback whales (*Megaptera novaeangliae*) in the Ryukyu region of Japan, 26.3, 202-211.
- Magalhães, R.  
See Silva et al., 29.1, 77-83.
- Magalhães, S.  
—Prieto, R., Silva, M. A., Gonçalves, J., Afonso-Dias, M., & Santos, R. S., Short-term reactions of sperm whales (*Physeter macrocephalus*) to whale-watching vessels in the Azores, 28.3, 267-274.

- Maldini, D.  
—Evidence of predation by a tiger shark (*Galeocerdo cuvier*) on a spotted dolphin (*Stenella attenuata*) off O'ahu, Hawaii, 29.1, 84-87.
- Manger, P. R.  
See Lyamin et al., 27.3, 256-266.
- Manire, C. A.  
—Rhinehart, H. L., Barros, N. B., Byrd, L., & Cunningham-Smith, P., An approach to the rehabilitation of *Kogia* spp., 30.2, 257-270.  
See Colbert et al., 27.1, 16-23.
- Maniscalco, J. M.  
—Wynne, K., Pitcher, K. W., Hanson, M. B., Melin, S. R., & Atkinson, S., The occurrence of California sea lions (*Zalophus californianus*) in Alaska, 30.3, 427-433.
- Manton, V. J. A.  
—Book Review: *The pinnipeds—Seals, sea lions and walruses*, 16.2, 41.  
—Editorial, News and views, 16.1, 1-2; 16.2, 37-38.  
—Editorial, 16.3, 89; 17.1, 1; 17.2, 53; 17.3, 99.  
—Erratum, 17.2, 53; 17.3, 99.  
—News and views, 17.1, 2-3; 17.2, 54-56.  
—*Marine mammal sensory systems*—A book review, 20.2, 57-58.
- Marcondes, M. C. C.  
See Vergara-Parente et al., 29.1, 124-130, 131-136.
- Marigo, J.  
See Rosas et al., 28.1, 60-66.
- Marino, L.  
—& Stowe, J., Lateralized behavior in a captive beluga whale (*Delphinapterus leucas*), 23.2, 101-103.
- Marino, L.  
—Brain growth patterns in the La Plata River dolphin (*Pontoporia blainvillei*), 24.3, 111-116.  
—Sudheimer, K., Pabst, D. A., McLellan, W. A., Arshad, S., Naini, G., & Johnson, J. I., Anatomical description of an infant bottlenose dolphin (*Tursiops truncatus*) brain from magnetic resonance images, 30.2, 315-326.
- Markowitz, H.  
See Grigg & Markowitz, 23.3, 163-170.
- Marsh, H.  
—& Lefebvre, L. W., Sirenian status and conservation efforts, 20.3, 155-170.  
See Parra et al., 30.1, 197-206.
- Marten, K.  
—Ultrasonic analysis of pygmy sperm whale (*Kogia breviceps*) and Hubb's beaked whale (*Mesoplodon carlhubbsi*) clicks, 26.1, 45-48.  
—Herzing, D., Poole, M., & Allman, K. N., The acoustic predation hypothesis: Linking underwater observations and recordings during odontocete predation and observing the effects of loud impulsive sounds on fish, 27.1, 56-66.  
See Psarakos et al., 29.3, 390-395.
- Martin, A. R.  
See Chilvers et al., 27.1, 11-15.
- Marwitz, S.  
See Tarpley & Marwitz, 19.2, 93-98.
- Masaki, K.  
See Dudzinski et al., 29.1, 108-116.
- Mase, B.  
See Pitman et al., 29.3, 321-324.
- Mass, A. M.  
—& Supin, A. Ya., Ocular anatomy, retinal ganglion cell distribution, and visual resolution in the gray whale, *Eschrichtius gibbosus*, 23.1, 17-28.  
—& Supin, A. Ya., Visual field organization and retinal resolution of the beluga, *Delphinapterus leucas* (Pallas), 28.3, 241-250.
- Matkin, C.  
See Heise et al., 29.3, 325-334.
- Matsuishi, T.  
See Ohizumi et al., 28.1, 73-77.
- Mayo, C. A.  
See Wiley et al., 27.2, 162-171.
- Maze, K. S.  
—& Würsig, B., Bottlenose dolphins of San Luis Pass, Texas: Occurrence patterns, site-fidelity, and habitat use, 25.2, 91-103.
- Maze-Foley, K.  
See Hubard et al., 30.2, 299-310.
- Mazzoil, M.  
—McCulloch, S. D., Defran, R. H., & Murdoch, M. E., Use of digital photography and analysis of dorsal fins for photo-identification of bottlenose dolphins, 30.2, 209-219.
- Mazzuca, L.  
—Atkinson, S., Keating, B., & Nitta, E., Cetacean mass strandings in the Hawaiian archipelago, 1957-1998, 25.2, 105-114.
- McBain, J. F.  
See Kastelein et al., 19.1, 13-19; 19.2, 99-121; 27.3, 215-221.
- McCowan, B.  
—Reiss, D., & Gubbins, C., Social familiarity influences whistle acoustic structure in adult female bottlenose dolphins (*Tursiops truncatus*), 24.1, 27-40.
- McCulloch, S. D.  
See Mazzoil et al., 30.2, 209-219.
- McFarlane, R. A.  
—Gross pathology of the Weddel seal (*Leptonychotes weddelli*) in the Vestfold Hills, East Antarctica, 22.1, 27-33.
- McKay, D. W.  
See Sanvito et al., 30.2, 251-256.
- McLellan, W. A.  
See Marino et al., 30.2, 315-326.
- Meadows, D. W.  
See Migura & Meadows, 28.3, 294-297.
- Meisner, R. A.  
See Bossart et al., 29.1, 9-17; 30.3, 433-440.
- Melin, S. R.  
See Maniscalco et al., 30.3, 427-433.
- Mellink, E.  
See Olivera-Gómez & Mellink, 28.3, 285-293.
- Mercado III, E.  
—Herman, L. M., & Pack, A. A., Stereotypical sound patterns in humpback whale songs: Usage and function, 29.1, 37-52.  
See Killebrew et al., 27.1, 34-44.
- Meyer, W.  
See Baum et al., 26.1, 7-16.
- Mignucci-Giannoni, A. A.  
—Montoya-Ospina, R. A., Pérez-Zayas, J. J., Rodríguez-López, M. A., & Williams, E. H., New records of Fraser's dolphin (*Lagenodelphis hosei*) for the Caribbean, 25.1, 15-19.  
See Rodríguez-López & Mignucci-Giannoni, 25.2, 119-121.  
See Pérez-Zayas et al., 28.3, 308-311.
- Migura, K. A.  
—& Meadows, D. W., Short-finned pilot whales (*Globicephala macrorhynchus*) interact with melon-headed whales (*Peponocephala electra*) in Hawaii, 28.3, 294-297.
- Miles, J. A.  
—& Herzing, D. L., Underwater analysis of the behavioural development of free-ranging Atlantic spotted dolphin (*Stenella frontalis*) calves (birth to 4 years of age), 29.3, 363-377.

- Miller, E. H.  
See Serrano & Miller, 26.3, 253-259.
- Miller, J. A.  
—& Ronald, K., Ultrastructural aspects of captive hooded seal (*Cystophora cristata*) platelets, 16.3, 129-133.
- Miller, L. A.  
See Rasmussen & Miller 28.1, 78-89.  
See Teilmann et al., 28.3, 275-284.
- Milushev, G.  
See Klissarov et al., 18.2, 47-48.
- Minton, G.  
See Baldwin et al., 30.1, 111-124.
- Miyazaki, N.  
See Amano & Miyazaki, 22.3, 167-174.  
See Tsutsui et al., 27.2, 172-182.
- Mobley, Jr., J. R.  
—Bauer, G. B., & Herman, L. M., Changes over a ten-year interval in the distribution and relative abundance of humpback whales (*Megaptera novaeangliae*) wintering in Hawaiian waters, 25.2, 63-72.
- Moewe, K.  
See Johnson & Moewe, 25.2, 73-77.  
See Herzing et al., 29.3, 335-341.
- Møhl, B.  
See Madsen et al., 28.3, 231-240.
- Mohri, M.  
See Kastelein et al., 19.2, 99-121.
- Molina, D. M.  
—& Oporto, J. A., Comparative study of dentine staining techniques to estimate age in the Chilean dolphin, *Cephalorhynchus eutropia* (Gray, 1846), 19.1, 45-48.
- Monteiro-Filho, E. L. A.  
See Rosas et al., 28.1, 60-66.
- Monteiro-Neto, C.  
—Alves-Júnior, T. T., Capibaribe Ávila, F. J., Campos, A. A., Costa, A. F., Silva, C. P. N., & Furtado-Neto, M. A. A., Impact of fisheries on the tucuxi (*Sotalia fluviatilis*) and rough-toothed dolphin (*Steno bredanensis*) populations off Ceará state, northeastern Brazil, 26.1, 49-56.
- Montoya-Ospina, R. A.  
See Mignucci-Giannoni et al., 25.1, 15-19.
- Mooney, T. A.  
—Nachtigall, P. E., & Au, W. W. L., Target strength of a nylon monofilament and an acoustically enhanced gillnet: Predictions of biosonar detection ranges, 30.2, 220-226.
- Moore, M.  
—Steiner, L., & Jann, B., Cetacean surveys in the Cape Verde Islands and the use of cookiecutter shark bite lesions as a population marker for fin whales, 29.3, 383-389.  
See Wiley et al., 27.2, 162-171.
- Moore, P. W. B.  
See Houser et al., 27.2, 82-91.  
See Thomas et al., 16.1, 28-30.
- Moore, S. E.  
—& Ridgway, S. H., Patterns of dolphin sound production and ovulation, 22.3, 175-184.  
—& Ridgway, S. H., Whistles produced by common dolphins from the Southern California Bight, 21.1, 55-63.
- Moors, H. B.  
—& Terhune, J. M., Repetition patterns within harp seal (*Pagophilus groenlandicus*) underwater calls, 29.2, 278-288.
- Moraga, R.  
See Bernal et al., 29.3, 396-399.
- Morris, R. J.  
—Letters to the Editor, 16.1, 3.
- Mosterd, J.  
See Kastelein & Mosterd, 21.3, 165-169.  
See Kastelein et al., 16.2, 78-87; 26.1, 33-44.
- Mosterd, P.  
See Kastelein et al., 22.2, 81-93.
- Mukhametov, L. M.  
See Lyamin et al., 26.2, 132-136; 27.3, 256-266.
- Müller, M.  
—& Bossley, M., Solitary bottlenose dolphins in comparative perspective, 28.3, 298-307.  
—Battersby, M. Z., Buurman, D., Bossley, M., & Doak, W., Range and sociability of a solitary bottlenose dolphin *Tursiops truncatus* in New Zealand, 24.2, 93-104.
- Mullin, K. D.  
See Hubard et al., 30.2, 299-310.  
See Würsig et al., 24.1, 41-50.
- Murayama, T.  
—Aoki I., & Ishii, T., Measurement of the electroencephalogram of the bottlenose dolphin under different light conditions, 19.3, 171-182.
- Murdoch, M. E.  
See Mazzoil et al., 30.2, 209-219.
- Nachtigall, P. E.  
—Book Review: *Biology of the genus Cephalorhynchus*, 16.3, 92.  
—Book Review: *Encyclopedia of marine mammals*, 28.3, 324.  
—Book Review: *The sensory physiology of aquatic mammals*, 28.2, 218-219.  
—Editorial 18.1, 1.  
—Au, W. W. L., Pawloski, J. L., Andrews, K., & Oliver, C. W., Measurements of the low frequency components of active and passive sounds produced by dolphins, 26.3, 167-174.  
—Pawloski, J. L., Schroeder, J. P., & Sinclair, S., Successful maintenance and research with a formerly stranded Risso's dolphin (*Grampus griseus*), 16.1, 8-13.  
See Mooney et al., 30.2, 220-226.  
See Thomas et al., 16.1, 28-30.
- Naini, G.  
See Marino et al., 30.2, 315-326.
- Nakahara, F.  
—& Takemura, A., A survey on the behavior of captive odontocetes in Japan, 23.3, 135-143.
- Navarro, T.  
—Behavioural traits of a female dolphin (*Tursiops truncatus*) with her calf, 16.2, 65-69.
- Nazarenko, E. A.  
See Lyamin et al., 26.2, 132-136.
- Ndiaye, E.  
See Van Waerebeek et al., 30.1, 56-83.
- Nelson, D. L.  
—& Lien, J., Behaviour patterns of two captive Atlantic white-sided dolphins, *Lagenorhynchus acutus*, 20.1, 1-20.
- Neumann, D. R.  
—The activity budget of free-ranging common dolphins (*Delphinus delphis*) in the northwestern Bay of Plenty, New Zealand, 27.2, 121-136.  
—& Orams, M. B., Feeding behaviours of short-beaked common dolphins, *Delphinus delphis*, in New Zealand, 29.1, 137-149.  
—Russell, K., Orams, M. B., Baker, C. S., & Duignan, P., Identifying sexually mature, male short-beaked common dolphins (*Delphinus delphis*) at sea, based on the presence of a postanal hump, 28.2, 181-187.

- Neurohr, B.  
See Gewalt & Neurohr 18.1, 24-26.  
See Kastelein et al., 19.1, 13-19; 19.2, 99-121; 25.3, 173-18.
- Neves, H. C.  
See Karamanlidis et al., 29.3, 400-403.
- Nielsen, B. K.  
See Madsen et al., 28.3, 231-240.  
See Teilmann et al., 28.3, 275-284.
- Nieuwstraten, S. H.  
See Kastelein et al., 25.3, 173-182; 26.2, 127-131.
- Nitta, E.  
See Mazzuca et al., 25.2, 105-114.
- Noke, W. D.  
—The association of echeneids with bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, USA, 30.2, 296-298.
- Noonan, M.  
See Cox et al., 22.1, 3-10.
- Nutman, A.  
See Duignan et al., 26.2, 143-147.
- O'Sullivan, S.  
See Pitman et al., 29.3, 321-324.
- Odell, D.  
—Book Review: *Dolphins, whales, and manatees of Florida: A guide to sharing their world*, 30.2, 341.  
See Clark & Odell, 25.3, 183-191.  
See Kastelein et al., 26.2, 127-131.
- Oetelaar, M. L.  
—Terhune, J. M., & Burton, H. R., Can the sex of a Weddell seal (*Leptonychotes weddellii*) be identified by its surface call?, 29.2, 261-267.
- Ohizumi, H.  
—& Kishiro, T., Stomach contents of a Cuvier's beaked whale (*Ziphius cavirostris*) stranded on the central Pacific coast of Japan, 29.1, 99-103.  
—Matsuishi, T., & Kishino, H., Winter sightings of humpback and Bryde's whales in tropical waters of the western and central North Pacific, 28.1, 73-77.
- Olavarría, C.  
See Bernal et al., 29.3, 396-399.
- Oleksenko, A. I.  
See Lyamin et al., 26.2, 132-136.
- Oliveira, M. R.  
See Rosas et al., 28.1, 60-66.
- Oliver, C. W.  
See Nachtigall et al., 26.3, 167-174.
- Olivera-Gómez, L. D.  
—& Mellink, E., Spatial and temporal variation in counts of the Antillean manatee (*Trichechus m. manatus*) during distribution surveys at Bahía de Chetumal, Mexico, 28.3, 285-293.
- Oporto, J. A.  
See Molina & Oporto, 19.1, 45-48.
- Orams, M. B.  
—Development and management of a feeding program for wild bottlenose dolphins at Tangalooma, Australia, 21.2, 137-147.  
See Neumann & Orams, 29.1, 137-149.  
See Neumann et al., 28.2, 181-187.
- Orban, A. N.  
See Tremel et al., 24.2, 63-69.
- Ott, P. H.  
—& Danilewicz, S., Southward range extension of *Steno bredanensis* in the Southwest Atlantic and new records of *Stenella coeruleoalba* for Brazilian waters, 22.3, 185-189.
- Pabst, D. A.  
See Marino et al., 30.2, 315-326.
- Pace, D. S.  
—Fluke-made bubble rings as toys in bottlenose dolphin calves (*Tursiops truncatus*), 26.1, 57-64.  
See Triossi et al., 24.3, 75-83.
- Pack, A. A.  
—Herman, L. M., Craig, A. S., Spitz, S. S., & Deakos, M. H., Penis extrusions by humpback whales (*Megaptera novaeangliae*), 28.2, 131-146.  
See Killebrew et al., 27.1, 34-44.  
See Mercado et al., 29.1, 37-52.
- Packard, J. M.  
See Self-Sullivan et al., 29.3, 341-354.
- Palacios, D. M.  
See Capella et al., 28.1, 67-72.
- Pandolfo, L. J.  
See Silva et al., 30.2, 271-274.
- Parente, C. L.  
See Vergara-Parente et al., 29.1, 124-130.
- Parham, D.  
See Andrews et al., 27.3, 209-211.
- Parra, G. J.  
—& Corkeron, P. J., Feasibility of using photo-identification techniques to study the Irrawaddy dolphin, *Orcaella brevirostris* (Owen in Gray 1866), 27.1, 45-49.  
—Corkeron, P. J., & Marsh, H., The Indo-Pacific humpback dolphin, *Sousa chinensis* (Osbeck, 1765), in Australian waters: A summary of current knowledge, 30.1, 197-206.
- Parsons, E. C. M.  
—The behavior and ecology of the Indo-Pacific humpback dolphin (*Sousa chinensis*), 30.1, 38-55.  
—The behaviour of Hong Kong's resident cetaceans: The Indo-Pacific hump-backed dolphin and the finless porpoise, 24.3, 91-110.  
—The potential impacts of pollution on humpback dolphins, with a case study on the Hong Kong population, 30.1, 18-37.  
See Barros et al., 26.1, 2-6; 30.1, 179-188.
- Parsons, K. M.  
—Book Review: *Molecular and cell biology of marine mammals*, 29.3, 417-418.  
—Durban, J. W., & Claridge, D. E., Male-male aggression renders bottlenose dolphin (*Tursiops truncatus*) unconscious, 29.3, 360-362.
- Pawloski, J. L.  
See Nachtigall et al., 16.1, 8-13; 26.3, 167-174.
- Peake, D.  
See Fertl et al., 23.2, 111-112.
- Peddemors, V. M.  
—& Thompson, G., Beaching behaviour during shallow water feeding by humpback dolphins *Sousa plumbea*, 20.2, 65-67.  
See Atkins et al., 30.1, 84-93.
- Peichl, L.  
See Griebel & Peichl, 29.1, 18-30.
- Pérez-Zayas, J. J.  
—Mignucci-Giannoni, A. A., Toyos-González, G. M., Rosario-Delestre, R. J., & Williams, E. H., Incidental predation by a largetooth cookiecutter shark on Cuvier's beaked whale in Puerto Rico, 28.3, 308-311.  
See Mignucci-Giannoni et al., 25.1, 15-19.
- Perryman, W. L.  
See Sumich et al., 27.3, 231-233.
- Pezo Diaz, R.  
See Klishin et al., 16.3, 139-144.

- Pfeiffer, C. J.  
 —Cellular structure of terminal baleen in various Mysticete species, 18.3, 67-73.  
 —Renal cellular and tissue specialization in the bottlenose dolphin (*Tursiops truncatus*) and beluga whale (*Delphinapterus leucas*), 23.2, 75-84.  
 —& Viers, V. S., Cardiac ultrastructure in the ringed seal, *Phoca hispida* and harp seal, *Phoca groenlandica*, 21.2, 109-119.  
 —& Viers, V. S., Microanatomy of the marsupium, juveniles, eggs and cuticle of cyamid ectoparasites (Crustacea, Amphipoda) of whales, 24.2, 83-91.  
 See Jones & Pfeiffer 20.1, 29-34.
- Phillips, A. V.  
 See Goldstein et al., 25.1, 43-51.  
 See Insley et al., 29.2, 181-201.
- Pillay, N.  
 See Atkins et al., 30.1, 84-93.
- Pinedo, M. C.  
 —Barreto, A. S., Lammardo, M. P., Andrade, A. L. V., & Geracitano, L., Northernmost records of the spectacled porpoise, Layard's beaked whale, Commerson's dolphin, and Peale's dolphin in the southwestern Atlantic Ocean, 28.1, 32-37.
- Pires, R.  
 See Karamanlidis et al., 29.3, 400-403.
- Pitcher, K. W.  
 See Maniscalco et al., 30.3, 427-433.
- Pitman, R. L.  
 —O'Sullivan, S., & Mase, B., Killer whales (*Orcinus orca*) attack a school of pantropical spotted dolphins (*Stenella attenuata*) in the Gulf of Mexico, 29.3, 321-324.  
 See Jefferson et al., 23.3, 145-153.
- Pletenko, M. G.  
 See Tarakanov et al., 22.3, 141-152.
- Pomeroy, P. P.  
 See Hall et al., 25.1, 25-30.
- Poole, M.  
 See Marten et al., 27.1, 56-66.
- Popov, V. V.  
 —& Klishin, V. O., EEG study of hearing in the common dolphin, *Delphinus delphis*, 24.1, 13-20.  
 See Supin & Popov, 26.1, 83-94.  
 See Klishin et al., 16.3, 139-144; 26.3, 212-228.
- Postma, J.  
 See Kastelein et al., 22.1, 21-26.
- Prestrud, P.  
 —& Stirling, I., The International Polar Bear Agreement and the current status of polar bear conservation, 20.3, 113-124.
- Prieto, R.  
 See Magalhães et al., 28.3, 267-274.
- Prieto, S.  
 See Silva et al., 29.1, 77-83.
- Prowten, P.  
 See Cox et al., 22.1, 3-10.
- Psarakos, S.  
 —Herzing, D. L., & Marten, K., Mixed-species associations between pantropical spotted dolphins (*Stenella attenuata*) and Hawaiian spinner dolphins (*Stenella longirostris*) off Oahu, Hawaii, 29.3, 390-395.
- Quintana, F.  
 See Campagna et al., 24.1, 1-11.
- Rahadi, K. D.  
 See Krebs & Rahadi, 30.3, 363-375.
- Ramirez, K. T.  
 See Tremel et al., 24.2, 63-69.
- Ramos, R. M. A.  
 —di Benedetto, A. P. M., & Lima, N. R. W., Growth parameters of *Pontoporia blainvillei* and *Sotalia fluviatilis* (Cetacea) in northern Rio de Janeiro, Brazil, 26.1, 65-75.  
 See di Benedetto et al., 27.1, 24-28.
- Ranneft, D. M.  
 —Eaker, H., & Davis, R. W., A guide to the pronunciation and meaning of cetacean taxonomic names, 27.2, 183-195.
- Rasmussen, M. H.  
 —& Miller, L. A., Whistles and clicks from white-beaked dolphins, *Lagenorhynchus albirostris*, recorded in Faxaflói Bay, Iceland, 28.1, 78-89.
- Rautenberg, M.  
 See Rosas et al., 28.1, 60-66.
- Raynal, M.  
 —& Sylvestre, J. P., Cetaceans with two dorsal fins, 17.1, 31-36.
- Razafindrakoto, Y.  
 —Andrianarivelo, N., & Rosenbaum, H. C., Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar, 30.1, 103-110.
- Reddy, M. L.  
 —Kaupp, S. E., Goforth, H., & Ridgway, S. H., Reduction of suspended particulates by mussels and other organisms in dolphin enclosures, 25.2, 115-118.
- Rees, E. I. S.  
 See Bristow & Rees, 27.1, 1-10.
- Reeves, R. R.  
 See Leatherwood & Reeves, 20.3, 137-154.
- Reidarson, T. H.  
 —McBain, J. F., & Yochem, P. K., Medical and nutritional aspects of a rehabilitating California gray whale calf, 27.3, 215-221.
- Reiss, D.  
 See McCowan et al., 24.1, 27-40.
- Renjun, L.  
 —Comparative studies on the behaviour of *Inia geoffrensis* and *Lipotes vexillifer* in artificial environments, 20.1, 39-45.  
 —New advances on population status and protective measures for *Lipotes vexillifer* and *Neophocaena phocaenoides* in the Changjiang River, 17.3, 181-183.
- Renzi, P.  
 See Triossi et al., 24.3, 75-83.
- Reyes, J. C.  
 See Van Waerebeek et al., 19.3, 159-169.
- Reyes, L. M.  
 —& García-Borboroglu, P., Killer whale (*Orcinus orca*) predation on sharks in Patagonia, Argentina: A first report, 30.3, 376-379.
- Reynolds, P. S.  
 See Fish et al., 28.2, 103-112.
- Rhinehart, H. L.  
 See Colbert et al., 27.1, 16-23.  
 See Manire et al., 30.2, 257-270.
- Ridgway, S. H.  
 —Book Review: *Biology of the Phocoenids*, 23.3, 115-117.  
 —& Carder, D. A. Assessing hearing and sound production in cetaceans not available for behavioral audiograms: Experiences with sperm, pygmy sperm, and gray whales, 27.3, 267-276.  
 See Moore & Ridgway, 21.1, 55-63; 22.3, 175-184.  
 See Reddy et al., 25.2, 115-118.
- Ridoux, V.  
 See Vincent et al., 28.2, 121-130.
- Ritter, F.  
 —Behavioural observations of rough-toothed dolphins (*Steno bredanensis*) off La Gomera, Canary Islands (1995-2000), with special reference to their interactions with humans, 28.1, 46-59.

- & Brederlau, B., Behavioural observations of dense beaked whales (*Mesoplodon densirostris*) off La Gomera, Canary Islands (1995-1997), 25.2, 55-61.
- Robertson, W. D.  
See Fothergill et al., 17.2, 71-75.
- Robinson, K.  
See Bruehler et al., 27.3, 222-227.
- Rodríguez-López, M. A.  
—& Mignucci-Giannoni, A. A., A stranded pygmy killer whale (*Feresa attenuata*) in Puerto Rico, 25.2, 119-121.  
See Mignucci-Giannoni et al., 25.1, 15-19.
- Rogers, T. L.  
—Factors influencing the acoustic behaviour of male phocid seals, 29.2, 247-260.
- Romero-Alvarez, R.  
See Di-Méglio et al., 22.1, 11-20.
- Rommel, S. A  
See Bossart et al., 29.1, 9-17; 30.3, 433-440.
- Rompelman, O.  
& Kitney, R. I., Letter to the Editor, 16.2, 39-40.
- Ronald, K.  
See Miller & Ronald, 16.3, 129-133.  
See Seely & Ronald, 17.3, 152-155.
- Rosario-Delestre, R. J.  
See Pérez-Zayas et al., 28.3, 308-311.
- Rosas, F. C. W.  
—Monteiro-Filho, E. L. A., Marigo, J., Santos, R. A., Andrade, A. L. V., Rautenberg, M., Oliveira, M. R., & Bordignon, M. O., The striped dolphin, *Stenella coeruleoalba* (Cetacean: Delphinidae), on the coast of São Paulo State, southeastern Brazil, 28.1, 60-66.  
See Carter et al., 25.2, 79-90.
- Rosen, D. A. S.  
—Williams, L., & Trites, A. W., Effect of ration size and meal frequency on assimilation and digestive efficiency in yearling Steller sea lions, *Eumetopias jubatus*, 26.1, 76-82.
- Rosenbaum, H. C.  
See Razafindrakoto et al., 30.1, 103-110.
- Ross, G. J. B.  
See Hale et al., 26.2, 101-110.
- Ross, S. R.  
—The effect of a simple feeding enrichment strategy on the behaviour of two Asian small-clawed otters (*Aonyx cinerea*), 28.2, 113-120.
- Roszbach, K. A.  
—Cooperative feeding among bottlenose dolphins (*Tursiops truncatus*) near Grand Bahama Island, Bahamas, 25.3, 163-167.
- Rosso, S.  
See Santos et al., 26.3, 260-267; 28.1, 38-45.
- Rowden, A. A.  
See Gregory & Rowden, 27.2, 105-113.
- Russell, K.  
See Neumann et al., 28.2, 181-187.
- Ryan, T  
See Bruehler et al., 27.3, 222-227.
- Saijo, S.  
See Kastelein et al., 19.2, 99-121.
- Sakai, M.  
See Dudzinski et al., 29.1, 108-116.
- Samba Ould Bilal, A. O.  
See Van Waerebeek et al., 30.1, 56-83.
- San Mauro, D.  
See Fernández-Juricic et al., 29.2, 289-296.
- Santos, C.  
See Karamanlidis et al., 29.3, 400-403.
- Santos, M. C. de O.  
—Rosso, S., Aguiar dos Santos, R., Lucato, S. H. B., & Basso, M., Insights on small cetacean feeding habits in southeastern Brazil, 28.1, 38-45.  
—Rosso, S., Siciliano, S., Zerbini, A. N., Zampirolli, E., Vicente, A., & Alvarenga, F., Behavioral observations of the marine tucuxi dolphin (*Sotalia fluviatilis*) in São Paulo estuarine waters, southeastern Brazil, 26.3, 260-267.  
—Zampirolli, É., de Castro, A. F. V., & Alvarenga, F. S. A., Gervais' beaked whale (*Mesoplodon europaeus*) washed ashore in southeastern Brazil: Extra limital record?, 29.3, 404-410.  
See Zerbini & Santos, 23.2, 105-109.
- Santos, R. A.  
See Magalhães et al., 28.3, 267-274.  
See Rosas et al., 28.1, 60-66.  
See Silva et al., 29.1, 77-83.
- Sanvito, S.  
—Galimberti, F., Delahunty, K. M., & McKay, D. W., Blood spots in Pinnipedia hormone studies: Measure of cortisol levels in southern elephant seals (*Mirounga leonina*), 30.2, 251-256.  
See Galimberti & Sanvito, 27.2, 92-104.
- Sauer, W.  
See Cockcroft & Sauer, 16.1, 31-32.
- Saulitis, E.  
See Heise et al., 29.3, 325-334.
- Sazima, I.  
See Silva et al., 30.2, 271-274.  
See Wedekin et al., 30.2, 327-329.
- Schiro, A. J.  
See Fertl & Schiro, 20.1, 53-56.  
See Fertl et al., 23.2, 111-112.
- Schooneman, N. M.  
See Kastelein et al., 26.1, 33-44; 26.3, 175-190.
- Schroeder, J. P.  
See Nachtigall et al., 16.1, 8-13.
- Schroeder, W. W.  
See Hubard et al., 30.2, 299-310.
- Schusterman, R. J.  
—& Van Parijs, S. M., Pinniped vocal communication: An introduction, 30.2, 251-256.  
See Schusterman & Kastak, 29.2, 202-213.
- Schwegman, C. A.  
See Fothergill et al., 17.2, 71-75.
- Scordino, J.  
See Trites & Scordino, 20.2, 73-79.
- Scott, D. W  
See Anderson et al., 16.1, 21-22.
- Secchi, E. R.  
—& Siciliano, S., Comments on the southern range of the spinner dolphin (*Stenella longirostris*) in the Western South Atlantic, 21.2, 105-108.  
—& Vaske, T., Killer whales (*Orcinus orca*) sightings and depredation on tuna and swordfish longline catches in southern Brazil, 24.2, 117-122.  
—& Zarzur, S., Plastic debris ingested by a Blainville's beaked whale, *Mesoplodon densirostris*, washed ashore in Brazil, 25.1, 21-24.  
See Zerbini & Secchi, 27.2, 149-153.
- Seely, A. J.  
—& Ronald, K., Testosterone profiles in male grey seals (*Halichoerus grypus*), 17.3, 152-155.

- Sekiguchi, K.  
—Occurrence, behavior and feeding habits of harbor porpoises (*Phocoena phocoena*) at Pajaro Dunes, Monterey Bay, California, 21.2, 91-103.
- Self-Sullivan, C.  
—Smith, G. W., Packard, J. M., & LaCommare, K. S., Seasonal occurrence of male Antillean manatees (*Trichechus manatus manatus*) on the Belize Barrier Reef, 29.3, 341-354.
- Sequeira, M.  
See Silva & Sequeira, 29.1, 88-98.
- Serrano, A.  
—Plasma testosterone concentrations in captive male harp seals (*Pagophilus groenlandicus*), 27.1, 50-55.  
—& Miller, E. H., How vocal are harp seals (*Pagophilus groenlandicus*)? A captive study of seasonal and diel patterns, 26.3, 253-259.  
—& Terhune, J. M., Stability of the underwater vocal repertoire of harp seals (*Pagophilus groenlandicus*), 28.1, 93-101.
- Sevostyanov, V. F.  
See Lyamin et al., 26.2, 132-136.
- Shafir, I.  
See Kuttin et al., 19.1, 27-29.
- Shane, S.  
—Behavior patterns of pilot whales and Risso's dolphins off Santa Catalina Island, California, 21.3, 195-197.
- Shpak, O. V.  
See Lyamin et al., 27.3, 256-266.
- Siciliano, S.  
See Secchi & Siciliano, 21.2, 105-108.  
See Azevedo et al., 29.3, 411-416.  
See di Benedetto et al., 27.1, 24-28.  
See Santos et al., 26.3, 260-267.
- Siebers, D.  
See Baum et al., 26.1, 7-16.
- Siegel, J. M.  
See Lyamin et al., 27.3, 256-266.
- Silber, G. K.  
—Acoustic signals of the vaquita (*Phocoena sinus*), 17.3, 130-133.  
—& Fertl, D., Intentional beaching by bottlenose dolphins (*Tursiops truncatus*) in the Colorado River Delta, Mexico, 21.3, 183-186.  
See Kamminga et al., 22.1, 45-55.
- Silva, C. P. N.  
See Monteiro-Neto et al., 26.1, 49-56.
- Silva, Jr., J. M.  
—Pandolfo, L. J., & Sazima, I., Vomiting behavior of the spinner dolphin (*Stenella longirostris*) and squid meals, 30.2, 271-274.
- Silva, M. A.  
—& Sequeira, M., Patterns in the mortality of common dolphins (*Delphinus delphis*) on the Portuguese coast, using stranding records, 1975-1998, 29.1, 88-98.  
—Prieto, S., Magalhães, R., Cabecinhas, A., Cruz, A., Gonçalves, J. M., & Santos, R. S., Occurrence and distribution of cetaceans in the waters around the Azores (Portugal), summer and autumn 1999-2000, 29.1, 77-83.  
See Magalhães et al., 28.3, 267-274.
- Simão, S. M.  
See Azevedo & Simão, 28.3, 261-266.
- Simard, P.  
—& Gowans, S., Two calves in echelon: An alloparental association in Atlantic white-sided dolphins (*Lagenorhynchus acutus*)?, 30.2, 330-334.
- Similiä, T.  
—Sonar observations of killer whales (*Orcinus orca*) feeding on herring schools, 23.3, 119-126.
- Simões-Lopes, P. C.  
See Wedekin et al., 30.3, 391-397.
- Sinclair, S.  
See Nachtigall et al., 16.1, 8-13.
- Sjare, B.  
—Stirling, I., & Spencer, C., Structural variation in the songs of Atlantic walrus breeding in the Canadian high Arctic, 29.2, 297-318.
- Skóra, K. E.  
—Notes on cetacea observed in the Polish Baltic Sea: 1979-1990, 17.2, 67-70.
- Skrovan, S.  
See Harvey et al., 27.3, 289-293.
- Smelstoys, J.  
See Fish et al., 28.2, 103-112.
- Smith, G. W.  
See Self-Sullivan et al., 29.3, 341-354.
- Smolker, R. A.  
See Connor & Smolker, 21.3, 213-216.
- Smultea, M. A.  
—& Würsig, B., Behavioral reactions of bottlenose dolphins to the Mega Borg oil spill, Gulf of Mexico 1990, 21.3, 171-181.
- Solntseva, G. C.  
—Development of the auditory organ in terrestrial, semi-aquatic, and aquatic mammals, 25.3, 135-148.
- Solntseva, G. N.  
—Early embryogenesis of the vestibular apparatus in mammals with different ecologies, 28.2, 159-169.
- Southall, B. L.  
—Schusterman, R. J., & Kastak, D., Acoustic communication ranges for northern elephant seals (*Mirounga angustirostris*), 29.2, 202-213.
- Spanier, E.  
—Goffman, O., Kerem, D., & Lavalli, K., Injury of an Indian Ocean bottlenose dolphin (*Tursiops truncatus*) in the Red Sea by a stingray spine, 26.3, 196-201.
- Spekreijse, H.  
See Kastelein et al., 19.2, 61-92.
- Spencer, C.  
See Sjare et al., 29.2, 297-318.
- Spitz, S. S.  
See Pack et al., 28.2, 131-146.
- St. John, P. A.  
—Educating a wild dolphin, 17.1, 5-11.
- Staal, C.  
See Kastelein et al., 29.1, 53-66.
- Stacey, P. J.  
—& Hvenegaard, G. T., Habitat use and behaviour of Irrawaddy dolphins (*Orcaella brevirostris*) in the Mekong River of Laos, 28.1, 1-13.
- Stanzani, L. A.  
See Bortolotto et al., 18.2, 56-60.  
See Bruni et al., 16.1, 23-27.
- Steinberg, H.  
See Anderson et al., 16.1, 21-22.
- Steiner, L.  
See Moore et al., 29.3, 383-389.
- Stelzer, R.  
See Baum et al., 26.1, 7-16.



- Stevens, S.  
See Kastelein et al., 16.2, 78-87.
- Stevick, P.  
See Borggaard et al., 25.3, 149-161.
- Stewart, B. S.  
—Book Review: *Steller sea lion decline: Is it Food II?*, 29.2, 319-320.  
—Facilitation of post-release, long-term recognition of a rehabilitated gray whale calf: Pigmentation and scar patterns of JJ, 27.3, 301-305.  
—Introduction and background to the collected papers on the rescue, rehabilitation, and scientific studies of JJ, an orphaned California gray whale calf, 27.3, 203-208.  
—Harvey, J., & Yochem, P. K., Post-release monitoring and tracking of a rehabilitated California gray whale, 27.3, 294-300.
- Stienessen, S. C.  
See Acevedo-Gutiérrez & Stienessen, 30.3, 357-362.
- Stirling, I.  
—& Thomas, J. A., Relationships between underwater vocalizations and mating systems in phocid seals, 29.2, 227-246.  
See Holst & Stirling, 28.3, 221-230.  
See Prestrud & Stirling, 20.3, 113-124.  
See Sjare et al., 29.2, 297-318.
- Stowe, J.  
See Marino & Stowe, 23.2, 101-103.
- Sturtivant, C. R.  
See Bloom et al., 21.1, 19-42.
- Sudheimer, K.  
See Marino et al., 30.2, 315-326.
- Sumich, J. L.  
—Direct and indirect measures of oxygen extraction, tidal lung volumes and respiratory rates in a rehabilitating gray whale calf, 27.3, 279-283.  
—Growth of baleen of a rehabilitating gray whale calf, 27.3, 234-238.  
—Goff, T., & Perryman, W. L., Growth of two captive gray whale calves, 27.3, 231-233.
- Sun, J.  
See Zhou et al., 24.2, 123-132.
- Supin, A. Ya.  
—& Popov, V. V., Frequency-modulation sensitivity in bottlenose dolphins, *Tursiops truncatus*: Evoked-potential study, 26.1, 83-94.  
See Mass & Supin, 23.1, 17-28; 28.3, 241-250.  
See André et al., 29.1, 3-8.  
See Klishin et al., 16.3, 139-144; 26.3, 212-228.  
See Tarakanov et al., 22.3, 141-152.
- Sutaria, D.  
—& Jefferson, T. A., Records of Indo-Pacific humpback dolphins (*Sousa chinensis*, Osbeck, 1765) along the coasts of India and Sri Lanka: An overview, 30.1, 125-136.
- Sylvestre, J. P.  
See Raynal & Sylvestre, 17.1, 31-36.
- Tagare, H. D.  
See Hillman et al., 29.1, 117-123.
- Takemura, A.  
See Nakahara & Takemura, 23.3, 135-143.  
See Guan et al., 25.1, 35-42.  
See Maeda et al., 26.3, 202-211.  
See Yonezaki et al., 30.2, 284-288.
- Tanaka, M.  
See Tsutsui et al., 27.2, 172-182.
- Tarakanov, M. B.  
—Pletenko, M. G., & Supin, A. Ya., Frequency resolving power of the dolphin's hearing measured by rippled noise, 22.3, 141-152.
- Tarpley, R. J.  
—& Marwitz, S., Plastic debris ingestion by cetaceans along the Texas coast: Two case reports, 19.2, 93-98.
- Taylor, D. C.  
—Book Review: *A colour atlas of dangerous marine animals*, 16.3, 94-95.  
—The First International Conference on Marine Mammals and the Second National Conference on Cetaceans, 16.1, 7.
- Teilmann, J.  
—Miller, L. A., Kirketerp, T., Kastelein, R. A., Madsen, P. T., Nielsen, B. K., & Au, W. W. L., Characteristics of echolocation signals used by a harbour porpoise (*Phocoena phocoena*) in a target detection experiment, 28.3, 275-284.
- Terasawa, F.  
—Yamagami, T., Kitamura, M., & Fujimoto, A., A pygmy killer whale (*Feresa attenuata*) stranded at Sagami Bay, Japan, 23.1, 69-72.
- Terhune, J. M.  
See Jacobs & Terhune, 28.2, 147-158.  
See Moors & Terhune, 29.2, 278-288.  
See Serrano & Terhune, 28.1, 93-101.  
See Abgrall et al., 29.2, 268-277.  
See Oetelaar et al., 29.2, 261-267.
- Terranova, M. L.  
See Triossi et al., 24.3, 75-83.
- Terry, R. P.  
See Kamminga et al., 19.1, 31-43.
- Thomas, J. A.  
—Moore, P. W. B., Nachtigall, P. E., & Gilmartin, W. G., A new sound from a stranded pygmy sperm whale, 16.1, 28-30.  
See Stirling & Thomas, 29.2, 227-246.  
See Tremel et al., 24.2, 63-69.
- Thompson, G.  
See Peddemors & Thompson, 20.2, 65-67.
- Thornton, M.  
See Karczmarski et al., 23.3, 127-133.
- Tougaard, J.  
See Bjerager et al., 29.1, 31-36.
- Tounta, E.  
See Verriopoulou et al., 27.2, 137-139.
- Toyos-González, G. M.  
See Pérez-Zayas et al., 28.3, 308-311.
- Tremel, D. P.  
—Thomas, J. A., Ramirez, K. T., Dye, G. S., Bachman, W. A., Orban, A. N., & Geimm, K. K., Underwater hearing sensitivity of a Pacific white-sided dolphin, *Lagenorhynchus obliquidens*, 24.2, 63-69.
- Triossi, F.  
—Pace, D. S., Terranova, M. L., & Renzi, P., The development of suckling behavior in two captive-born calves of bottlenose dolphins (*Tursiops truncatus*), 24.3, 75-83.
- Trites A. W.  
—Northern fur seals: Why have they declined?, 18.1, 3-18.  
—& Jonker, R. A. H., Morphometric measurements and body condition of healthy and starveling Steller sea lion pups (*Eumetopias jubatus*), 26.2, 151-157.  
—& Larkin, P. A., Changes in the abundance of Stellar sea lions (*Eumetopias jubatus*) in Alaska from 1956 to 1992: How many were there?, 22.3, 153-166.  
—& Scordino, J., Capturing male northern fur seals from haulout sites: Estimates of capture efficiency and escapement, 20.2, 73-79.  
See Ellis & Trites, 18.2, 61-64.

- See Rosen et al., 26.1, 76-82.
- Tsutsui, S.  
—Tanaka, M., Miyazaki, N., & Furuya, T., Pacific white-sided dolphins (*Lagenorhynchus obliquoides*) with anomalous colour patterns in Volcano Bay, Hokkaido, Japan, 27.2, 172-182.
- Ubaldi, A.  
See Bruni et al., 16.1, 23-27.
- Urbán R., J.  
See Guerrero-Ruiz & Urbán R., 26.2, 148-150.
- van Battum, R.  
See Kastelein & van Battum, 16.2, 48-52.
- van Boxsel, M.  
See Kastelein et al., 20.2, 81-97.
- van der Kamp, J. S.  
—Twenty years of seal pathology (1970-1990), 20.2, 69-72.  
—& de Koning, J., Aneurysma aortae congenitale in two seals, 16.2, 73-77.
- van der Toorn, J.  
—Book Review: *Marine mammal research and conversation in Sri Lanka*, 16.3, 92-93.
- van Hove, M. T.  
See Kamminga et al., 19.1, 31-43.
- van Ligtenberg, C. L.  
See Kastelein et al., 19.3, 143-148.
- van Meurs, R.  
See Visser et al., 28.2, 121-130.
- Van Parijs, S. M.  
—Aquatic mating in pinnipeds: A review, 29.2, 214-226.  
See Schusterman & Van Parijs, 30.2, 251-256.
- van Rossum, T.  
See Kastelein et al., 22.1, 21-26.
- Van Waerebeek, K.  
—Preliminary notes on the existence of a dolphin by-catch off French Guiana, 16.2, 71-72.  
—Barnett, L., Camara, A., Cham, A., Diallo, M., Djiba, A., Jallow, A. O., Ndiaye, E., Samba Ould Bilal, A. O., & Bamy, I. L., Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892), 30.1, 56-83.  
—Reyes, J. C., & Alfaro, J., Helminth parasites and phoronts of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from Peru, 19.3, 159-169.  
See Jefferson & Van Waerebeek, 30.1, 3-17.  
See Baldwin et al., 30.1, 111-124.
- Varela, R. A.  
See Bossart et al., 30.3, 433-440.
- Vaske, Jr., T.  
See Secchi & Vaske, 24.2, 117-122.
- Vaughan, N.  
See Kastelein et al., 17.1, 42-51.
- Verboom, W. C.  
See Kastelein et al., 19.3, 143-148; 22.2, 81-93.
- Vergara-Parente, J. E.  
—Costa Sidrim, J. J., da Silva Teixeira, M. F., Marcondes, M. C. C., & Gadelha Rocha, M. F., Salmonellosis in an Antillean manatee (*Trichechus manatus manatus*) calf: A fatal case, 29.1, 131-136.  
—Costa Sidrim, J. J., Gomes de Pinho Pessoa, A. B., Parente, C. L., Marcondes, M. C. C., da Silva Teixeira, M. F., & Gadelha Rocha, M. F., Bacterial flora of upper respiratory tract of captive Antillean manatees, 29.1, 124-130.
- Verriopoulou, A.  
—Tounta, E., & Dendrinos, P., First report of a minke whale (*Balaenoptera acutorostrata* Lacépède, 1804) in Hellenic waters, 27.2, 137-139.
- Vicente, A.  
See Santos et al., 26.3, 260-267.
- Vieregg, M.  
—Book Review: *Biology of marine mammals*, 27.1, 70-71.  
—Book Review: *Hearing by whales and dolphins*, 27.2, 196-198.
- Viers, V. S.  
See Pfeiffer & Viers, 21.2, 109-119; 24.2, 83-91.
- Vincent, C.  
—Ridoux, V., Fedak, M. A., & Hassani, S., Mark-recapture and satellite tracking of rehabilitated juvenile grey seals (*Halichoerus grypus*): Dispersal and potential effects on wild populations, 28.2, 121-130.
- Visser, I. N.  
—Book Review: *Killer whales of the world—Natural history and conservation*, 29.1, 175-176.  
—Killer whale (*Orcinus orca*) interactions with longline fisheries in New Zealand waters, 26.3, 241-252.  
—Prolific body scars and collapsing dorsal fins on killer whales (*Orcinus orca*) in New Zealand waters, 24.2, 71-81.  
—& Bonoccorso, F. J., New observations and a review of killer whale (*Orcinus orca*) sightings in Papua New Guinea waters, 28.2, 121-130.  
—& Fertl, D., Stranding, resighting, and boat strike of a killer whale (*Orcinus orca*) off New Zealand, 28.2, 121-130.  
—Berghan, J., van Meurs, R., & Fertl, D., Killer whale (*Orcinus orca*) predation on a shortfin mako shark (*Isurus oxyrinchus*) in New Zealand waters, 28.2, 121-130.  
See Berghan & Visser, 26.1, 17-25.  
See Duignan et al., 26.2, 143-147.
- von Lawzewitsch, I.  
See Claver et al., 18.3, 85-88.
- Wahlberg, M.  
—Book Review: *Echolocation in bats and dolphins*, 30.2, 339-340.  
—Lunneryd, S.-G., & Westerberg, H., The source level of harbour seal flipper slaps, 28.1, 90-92.  
See Madsen et al., 28.3, 231-240.
- Wakabayashi, I.  
See Kastelein et al., 19.2, 99-121.
- Waller, G. N. H.  
—Ciliary muscles in the eye of the long-finned pilot whale *Globicephala melaena* (Traill, 1809), 18.2, 36-39.
- Walton, S.  
See Kastelein et al., 26.2, 127-131.
- Wang, J. Y.  
—Hung, S. K., & Yang, S. C., Records of Indo-Pacific humpback dolphins, *Sousa chinensis* (Osbeck, 1765), from the waters of western Taiwan, 30.1, 189-196.
- Wang, Y.  
See Gao et al., 21.2, 121-135.
- Waples, K.  
See Gales & Waples, 19.2, 49-59.
- Watson, A.  
—Bahr, R. J., & Alexander, J. W., Thoracolumbar kyphoscoliosis and compression fracture of a thoracic vertebra in a captive bottlenose dolphin (*Tursiops truncatus*), 30.2, 275-278.
- Watts, M.  
—Letter to the Editor: Is *Escherichia coli* a seal pathogen?, 18.1, 2.
- Wedekin, L. L.  
—Daura-Jorge, F., & Simões-Lopes, P. C., An aggressive interaction between bottlenose dolphins (*Tursiops truncatus*) and estuarine dolphins (*Sotalia guianensis*) in Southern Brazil, 30.3, 391-397.  
—Freitas, A., Engel, M. H., & Sazima, I., Rough-toothed dolphins (*Steno bredanensis*) catch diskfishes while interacting

- with humpback whales (*Megaptera novaeangliae*) off Abrolhos bank breeding ground, Southwest Atlantic, 30.2, 327-329.
- Weller, D. W.  
—Cockcroft, V. G., Würsig, B., Lynn, S. K., & Fertl, D., Behavioral responses of bottlenose dolphins to remote biopsy sampling and observations of surgical biopsy wound healing, 23.1, 49-58.  
See Hillman et al., 29.1, 117-123.
- Weltz, F. C.  
See Kastelein & Weltz, 17.2, 91-97.
- Werth, A. J.  
—Functional morphology of the sperm whale (*Physeter macrocephalus*) tongue, with reference to suction feeding, 30.3, 405-418.
- Westerberg, H.  
See Wahlberg et al., 28.1, 90-92.
- Whitehead, H.  
See Jaquet & Whitehead, 25.1, 1-13.
- Wiepkema, P. R.  
See Kastelein & Wiepkema, 16.3, 120-128.  
See Kastelein et al., 17.1, 42-51; 17.2, 76-87; 19.2, 99-121; 20.1, 11-27; 20.2, 81-97; 21.1, 43-53; 22.1, 21-26; 25.3, 173-182; 26.2, 127-131; 26.3, 175-190; 29.1, 53-66; 26.1, 33-44.
- Wiley, D. N.  
—Early, G., Mayo, C. A., & Moore, M. J., Rescue and release of mass stranded cetaceans from beaches on Cape Cod, Massachusetts, USA; 1990-1999: A review of some response actions, 27.2, 162-171.
- Williams, Jr., E. H.  
See Mignucci-Giannoni et al., 25.1, 15-19.  
See Pérez-Zayas et al., 28.3, 308-311
- Williams, L.  
See Rosen et al., 26.1, 76-82.
- Willis, P. M.  
—& Baird, R. W., Sightings and strandings of beaked whales on the west coast of Canada, 24.1, 21-25.
- Wilson, B.  
See Fertl & Wilson, 23.2, 113-114.  
See Grellier & Wilson, 29.3, 378-382.
- Wisdom, S.  
—Bowles, A. E., & Anderson, K. E., Development of behavior and sound repertoire of a rehabilitating gray whale calf, 27.3, 239-255.
- Woodley, T. H.  
See Johnston & Woodley, 24.1, 51-61.
- Worthy, G. A. J.  
See Courbis & Worthy, 29.1, 104-107.
- Würsig, B.  
—Lynn, S. K., Jefferson, T. A., & Mullin, K. D., Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft, 24.1, 41-50.  
See Acevedo & Würsig, 17.3, 148-151.  
See Fertl & Würsig, 21.1, 3-5.  
See Maze & Würsig, 25.2, 91-103.  
See Smultea & Würsig, 21.3, 171-181.  
See Ding et al., 21.1, 65-77.  
See Dudzinski et al., 21.3, 187-193.  
See Hillman et al., 29.1, 117-123.  
See Weller et al., 23.1, 49-58.  
See Zhou et al., 24.2, 123-132.
- Wynne, K.  
See Maniscalco et al., 30.3, 427-433.
- Yamagami, T.  
See Terasawa et al., 23.1, 69-72.
- Yang, S. C.  
See Wang et al., 30.1, 189-196.
- Yazdi, P.  
—A possible hybrid between the dusky dolphin (*Lagenorhynchus obscurus*) and the southern right whale dolphin (*Lissodelphis peronii*), 28.2, 211-217.
- Yochem, P. K.  
See Castellini et al., 27.3, 277-278.  
See Reidarson et al., 27.3, 215-221.  
See Stewart et al., 27.3, 294-300.
- Yonezaki, S.  
—Kiyota, M., Baba, N., Koido, T., & Takemura, A., An enema technique to collect dietary information from northern fur seals (*Callorhinus ursinus*) at sea, 30.2, 284-288.
- Zampirolli, E.  
See Santos et al., 26.3, 260-267; 29.3, 404-410.
- Zarzur, S.  
See Secchi & Zarzur, 25.1, 21-24.
- Zerbini, A. N.  
—& Santos, M. C. de O., First record of the pygmy killer whale *Feresa attenuata* (Gray, 1874) for the Brazilian coast, 23.2, 105-109.  
—& Secchi, E. R., Occurrence of Hector's beaked whale, *Mesoplodon hectori*, in Southern Brazil, 27.2, 149-153.  
See Santos et al., 26.3, 260-267.
- Zhekov, I.  
See Klissarov et al., 18.2, 47-48.
- Zhou, K.  
—Sun, J., Gao, A., & Würsig, B., Baiji (*Lipotes vexillifer*) in the lower Yangtze River: Movements, number threats and conservation needs, 24.2, 123-132.  
See Gao & Zhou, 19.1, 3-12.  
See Gao et al., 21.2, 121-135.
- Zwart, P.  
See Kastelein et al., 16.3, 134-138.
- Zweypfenning, R. C. V. J.  
See Kastelein et al., 19.2, 61-92.