

Aquatic Mammals Author Index

Volumes 31-40 (Alphabetical)

Legend: Each author and co-author are listed separately followed by their publications. — = the author is the main author of the publication, which may or may not have co-authors; & = the author is the first author of a two-author publication; See = the author is a co-author of the publication or the 2nd author of a two-author publication.

- Abarca-Arenas, L. G.
See Morteo et al., 40.4, 375-385.
- Abed, A. S.
See Alfaghi et al., 39.1, 81-84.
- Acevedo, J.
See Olavarria et al., 36.3, 288-293.
- Acevedo-Gutiérrez, A.
—& Cendejes-Zarelli, S., Nocturnal haul-out patterns of harbor seals (*Phoca vitulina*) related to airborne noise levels in Bellingham, Washington, USA, 37.2, 167-174.
See Buzzell et al., 40.2, 150-161.
See Luxa & Acevedo-Gutiérrez, 39.1, 10-22.
- Acquarone, M.
—Born, E. W., & Speakman, J. R., Field metabolic rates of walrus (*Odobenus rosmarus*) measured by the doubly labeled water method, 32.3, 363-369.
See Blanchet et al., 34.1, 9-20.
See Born et al., 31.1, 23-33.
See Desportes et al., 33.3, 286-292.
- Adam, O.
See Lopatka et al., 31.4, 463-467.
- Adamantopoulou, S.
—Androukaki, E., Dendrinis, P., Kotomatas, S., Paravas, V., Psaradellis, M., Tounta, E., & Karamanlidis, A. A., Short Note: Movements of Mediterranean monk seals (*Monachus monachus*) in the Eastern Mediterranean Sea, 37.3, 256-261.
See Dendrinis et al., 34.3, 355-361.
- Adams, G. P.
See Bergfelt et al., 38.4, 354-361.
- Adams, J. D.
—Speakman, T., Zolman, E., & Schwacke, L. H., Automating image matching, cataloging, and analysis for photo-identification research, 32.3, 374-384.
See Fair et al., 32.2, 182-195.
See McFee et al., 38.1, 17-30.
- Adimey, N.
See Cummings et al., 40.2, 126-138.
See Melillo-Sweeting et al., 37.4, 502-505.
- Adulyanukosol, K.
See Ponnampalam et al., 39.4, 401-408.
- Agnesi, S.
See Mo et al., 37.3, 248-255.
- Aguilar, A.
—Book Review: *Marine mammals of India*, 31.4, 483-484.
- Aguirre, A. A.
See Reif et al., 32.2, 157-167.
- Ainley, D. G.
—& Ballard, G., Trophic interactions and population trends of killer whales (*Orcinus orca*) in the Southern Ross Sea, 38.2, 153-160.
—Ballard, G., & Olmastroni, S., An apparent decrease in the prevalence of “Ross sea killer whales” in the Southern Ross Sea, 35.3, 334-346.
- Aizpún, J.
See Gerpe et al., 33.2, 223-228.
- Alarcón, D.
See Alava et al., 39.2, 196-201.
- Alava, J. J.
—Smith, K. J., O’Hern, J., Alarcón, D., Merlen, G., & Denking, J., Short Note: Observations of killer whale (*Orcinus orca*) attacks on Bryde’s whales (*Balaenoptera edeni*) in the Galápagos Islands, 39.2, 196-201.
- Alesna, E. B.
See Aragonés et al., 36.3, 219-233.
- Alfaghi, I. A.
—Abed, A. S., Dendrinis, P., Psaradellis, M., & Karamanlidis, A. A., Short Note: First confirmed sighting of the Mediterranean monk seal (*Monachus monachus*) in Libya since 1972, 39.1, 81-84.
- Aliaga-Rossel, E.
—Beerman, A. S., & Sarmiento, J., Short Note: Stomach content of a juvenile Bolivian River dolphin (*Inia geoffrensis boliviensis*) from the Upper Madeira Basin, Bolivia, 36.3, 284-287.
- Allen, C. S.
See Hauser et al., 34.3, 303-309.
- Allen, J.
See Wenzel et al., 35.4, 502-510.
- Allen, S. G.
See Lowry et al., 40.1, 20-31.
See Neale et al., 35.1, 1-11.
- Allen, T.
See Koski et al., 35.3, 347-357.
- Alonso, J-M.
See André et al., 33.1, 100-109.
- Alsina-Guerrero, M. M.
See Ghim et al., 40.2, 195-200.
- Alstrup, A. K. O.
—Hedayat, A., Jensen, T. H., Hammer, A. S., Munk, O. L., Jensen, H. E., Short Note: Necropsy report of a fin whale (*Balaenoptera physalus*) stranded in Denmark in 2010, 39.4, 385-388.
- Alvarez-Alemán, A.
—Beck, C. A., & Powell, J. A., First report of a Florida manatee (*Trichechus manatus latirostris*) in Cuba, 36.2, 148-153.
- Alves, A. C.
See Miller et al., 38.4, 362-401.
- Alvite, C. M. C.
See Lima et al., 31.4, 420-426.
- Alzueta, J. C.
See Oviedo et al., 34.4, 458-463.
- Amano, M.
See Shirakihara et al., 38.2, 145-152.
- Amaral, R. S.
—Use of alternative matrices to monitor steroid hormones in aquatic mammals: A review, 36.2, 162-171.
- Amundin, M.
See Mello & Amundin, 31.2, 169-175.
See Blomqvist et al., 31.2, 187-194.
- Andersen, S. H.,
—Historical Perspectives: Investigations on the harbor porpoise (*Phocoena phocoena*) in Denmark from 1962 to 1983, 35.3, 394-399.

- Anderson, J. A.
—Historical Perspectives: A conversation with Vic Scheffer, 34.2, 229-230.
- Anderson, R. C.
—Clark, R., Madsen, P. T., Johnson, C., Kiszka, J., & Breyse, O., Observations of Longman's beaked whale (*Indopacetus pacificus*) in the western Indian Ocean, 32.2, 223-231.
See Bowles & Anderson, 38.2, 161-188.
- Anderson-Hansen, K.
See Desportes et al., 33.3, 286-292.
- André, M.
—& Nachtigall, P. E., Electrophysiological measurements of hearing in marine mammals, 33.1, 1-5.
—Delory, E., Degollada, E., Alonso, J.-M., del Rio, J., van der Schaar, M., Castell, J. V., & Morell, M., Identifying cetacean hearing impairment at stranding sites, 33.1, 100-109.
See van der Schaar & André, 32.3, 370-373.
See Delory et al., 33.1, 85-92.
- Andrews, A. G.
See Witteveen et al., 37.2, 101-110.
- Andrews, R. D.
See Baird et al., 37.4, 506-511.
- Androukaki, E.
See Adamantopoulou et al., 37.3, 256-261.
See Pierce et al., 37.3, 284-297.
- Antonelis, G. A.
See Lowry et al., 37.3, 397-419.
See Reif et al., 32.2, 157-167.
- Antunes, R.
See Miller et al., 38.4, 362-401.
- Aragones, L. V.
—Roque, M. A. A., Flores, M. B., Encomienda, R. P., Laule, G. E., Espinos, B. G., Maniago, F. E. M., Diaz, G. C., Alesna, E. B., & Braun, R. C., The Philippine marine mammal strandings from 1998 to 2009: Animals in the Philippines in peril?, 36.3, 219-233.
- Araújo, C. C.
—& Wang, J. Y., Short Note: Botos (*Inia geoffrensis*) in the upper reaches of the Tocantins River (Central Brazil) with observations of unusual behavior, including object carrying, 38.4, 435-440.
- Arbelo, M.
See Martín et al., 37.4, 512-519.
- Arheart, K.
See Bossart et al., 38.4, 412-417.
- Arn, D.
See Mucaro et al., 35.3, 386-393.
- Arronte, J. C.
—Pis-Millán, J. A., & Pérez, C., Injury to an Atlantic white-sided dolphin (*Lagenorhynchus acutus*) caused by needlefish impalement, 31.2, 184-186.
- Arroyo-Salazar, S. A.
See Ortega-Ortiz et al., 40.4, 357-363.
- Aschettino, J. M.
See Baird et al., 39.3, 253-269.
- Ashjian, C. J.
See Cooper et al., 32.1, 98-102.
- Ast, C.
See Blanchet et al., 34.1, 9-20.
- Atem, A. C. G.
—& Monteiro-Filho, E. L. A., Nocturnal activity of the estuarine dolphin (*Sotalia guianensis*) in the region of Cananéia, São Paulo State, Brazil, 32.2, 236-241.
- Atkins, S.
—Cliff, G., & Pillay, N., Short Note: Multiple captures of humpback dolphins (*Sousa plumbea*) in the KwaZulu-Natal Shark Nets, South Africa, 39.4, 397-400.
- Atkinson, S. K.
See Petrauskas & Atkinson, 32.2, 168-174.
See Maniscalco et al., 34.3, 277-287.
See Mellish et al., 32.1, 58-65.
- Attademo, F. L. N.
See Silva et al., 35.2, 253-258.
- Au, W. W. L.
—Historical Perspectives: A short biography, 36.2, 205-212.
—Thomas, J. A., & Ramirez, K. T., Characteristics of the auditory brainstem evoked potential of a Pacific white-sided dolphin (*Lagenorhynchus obliquidens*), 33.1, 76-84.
- Augusto, J. F.
See Kowarski et al., 40.2, 117-125.
- Aurioles-Gamboa, D.
—& Camacho-Ríos, F. J., Diet and feeding overlap of two Otariids, *Zalophus californianus* and *Arctocephalus townsendi*: Implications to survive environmental uncertainty, 33.3, 315-326.
- Bacchus, M.-L. C.
—Dubnar, S. G., & Self-Sullivan, C., Characterization of resting holes and their use by the Antillean manatee (*Trichechus manatus manatus*) in the Drowned Cayes, Belize, 35.1, 62-71.
- Bacon, C. E.
See Smultea et al., 38.1, 92-97.
- Bahr, R. J.
See Watson et al., 34.1, 65-70.
- Baird, R. W.
—Pygmy killer whales (*Feresa attenuata*) or false killer whales (*Pseudorca crassidens*)? Identification of a group of small cetaceans seen off Ecuador in 2003, 36.3, 326-327.
—Schorr, G. S., Webster, D. L., Mahaffy, S. D., McSweeney, D. J., Hanson, M. B., & Andrews, R. D., Short Note: Open-ocean movements of a satellite-tagged Blainville's beaked whale (*Mesoplodon densirostris*): Evidence for an offshore population in Hawai'i?, 37.4, 506-511.
—Webster, D. L., Aschettino, J. M., Schorr, G. S., & McSweeney, D. J., Odontocete cetaceans around the main Hawaiian Islands: Habitat use and relative abundance from small-boat sighting surveys, 39.3, 253-269.
- Baker, C. S.
See Gulland et al., 34.2, 182-191.
See Pimper et al., 35.3, 330-333.
- Baker, I.
See O'Brien et al., 40.2, 191-194.
- Baker, J. D.
See Gilmartin et al., 37.3, 332-341.
See Wilkin et al., 38.3, 301-310.
- Balcomb, K. C.
—Historical Perspectives: Whales in a changing world, 36.4, 400-408.
- Balensiefer, D. C.
—Marcondes, M. C. C., Pretto, D. J., Cypriano-Souza, A. L., & Luna, F. O., Short Note: Antarctic minke whale (*Balaenoptera bonaerensis*, Burmeister, 1867) in the Tapajós River, Amazon Basin, Brazil, 40.2, 201-206.
- Ballard, G.
See Ainley & Ballard, 38.2, 153-160.
See Ainley et al., 35.3, 334-346.
- Balmer, B. C.
—Schwacke, L. H., & Wells, R. S., Linking dive behavior to satellite-linked tag condition for a bottlenose dolphin (*Tursiops truncatus*) along Florida's northern Gulf of Mexico Coast, 36.1, 1-8.

- Wells, R. S., Schwacke, L. H., Rowles, T. K., Hunter, C. H., Zolman, E. S., Townsend, F. I., Danielson, B., Westgate, A. J., McLellan, W. A., & Pabst, D. A., Short Note: Evaluation of a single-pin, satellite-linked transmitter deployed on bottlenose dolphins (*Tursiops truncatus*) along the coast of Georgia, USA, 37.2, 187-192.
- Barco, S. G.
See Cummings et al., 40.2, 126-138.
- Barker, J.
See O'Brien et al., 40.2, 191-194.
- Barley, J.
See Bexton et al., 38.3, 229-240.
- Barlow, J.
See Gulland et al., 34.2, 182-191.
See Oswald et al., 34.3, 288-302.
- Barrett-Lennard, L. G.
See Vergara & Barrett-Lennard, 34.1, 123-143.
See Yurk et al., 36.1, 67-78.
- Barry, J.
See Thomse et al., 37.1, 1-93.
- Bartha, G. B.
—Gowans, S., Simard, P., Tetley, M., & Keith, E. O., Population size and site fidelity of North Atlantic minke whales (*Balaenoptera acutorostrata acutorostrata*) off the Atlantic coast of Nova Scotia, Canada, 37.4, 454-463.
- Bashir, T.
—Khan, A., Gautam, P., & Behera, S. K., Abundance and prey availability assessment of Ganges river dolphin (*Platanista gangetica gangetica*) in a stretch of Upper Ganges River, India, 36.1, 19-26.
- Bastida, R. O.
See Denuncio et al., 39.1, 73-80.
See Gerpe et al., 33.2, 223-228.
- Bastos, B. L.
See Batista et al., 31.4, 434-437.
- Batista, R. L. G.
—Bastos, B. L., Maia-Nogueira, R., & Santos dos Reis, M. d. S., Rescue and release of two estuarine dolphins (*Sotalia fluviatilis*; Gervais, 1853) found confined in a natural pool of the Cachoeira River, Ilhéus, Southern Bahia, Brazil, 31.4, 434-437.
- Battaile, B. C.
See Piercey et al., 39.3, 211-220.
- Bauer, G. B.
See Fellner et al., 32.4, 511-516.
- Bay, K. B.
See Holst et al., 37.2, 139-150.
- Bayed, A.
See Mo et al., 37.3, 248-255.
- Bazairi, H.
See Mo et al., 37.3, 248-255.
- Beasley, I. L.
—& Davidson, P. J. A., Conservation status of marine mammals in Cambodian waters, including seven new cetacean records of occurrence, 33.3, 368-379.
- Bechdel, S. E.
—Mazzoil, M. S., Murdoch, M. E., Howells, E. M., Reif, J. S., McCulloch, S. D., Schaefer, A. M., & Bossart, G. D., Prevalence and impacts of motorized vessels on bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 35.3, 367-377.
See Bossart et al., 33.2, 235-240.
See Howells et al., 35.1, 43-47.
- Beck, C. A.
See Alvarez-Alemán et al., 36.2, 148-153.
- Beedholm, K.
—& Miller, L. A., Automatic gain control in harbor porpoises (*Phocoena phocoena*)? Central versus peripheral mechanisms, 33.1, 69-75.
- Beekman, G. K.
—Type III hiatal hernia in a harbor seal (*Phoca vitulina concolor*), 34.2, 178-181.
See Schofield et al., 34.1, 1-8.
- Beekmans, B. W. P. M.
—Whitehead, H., Huele, R., Steiner, L., & Steenbeek, A. G., Comparison of two computer-assisted photo-identification methods applied to sperm whales (*Physeter macrocephalus*), 31.2, 243-247.
- Beerman, A. S.
See Aliaga-Rossel et al., 36.3, 284-287.
- Begeman, L.
See Ijsseldijk et al., 40.4, 317-320, 394-397
- Behera, S. K.
See Bashir et al., 36.1, 19-26.
- Beirão, L.
—Cantor, M., Flach, L., & Galdino, C. A. B., Short Note: Performance of computer-assisted photographic matching of Guiana dolphins (*Sotalia guianensis*), 40.3, 313-316.
- Belting, T.
—Book Review: *On thin ice: The changing world of the polar bear*, 38.1, 126.
- Beltran, R. S.
See Sadou et al., 40.2, 213-218.
- Bemiss, J. A.
See Greig et al., 33.2, 185-194.
- Benetiz-Nelson, C. R.
See Fire et al., 36.4, 342-350.
- Bennel, J. D.
See Nuutila et al., 39.2, 147-161.
- Berg, E. A.
See Neale et al., 35.1, 1-11.
- Berger, R.
See Lowry et al., 40.1, 20-31.
- Bergfelt, D. R.
—Steinetz, B. G., Reif, J. S., Schaefer, A. M., Bossart, G. D., Mazzoil, M. S., Zolman, E., & Fair, P. A., Evaluation of single-sample analysis of progesterone in combination with relaxin for diagnosis of pregnancy in wild bottlenose dolphins (*Tursiops truncatus*), 39.2, 187-195.
—Thompson, D. L., Brown, J. L., Presley, N. A., West, K. L., Campbell, M., & Adams, G. P., Investigation of an immunoreactive chorionic gonadotropin-like substance in the placenta, serum, and urine of pregnant bottlenose dolphins (*Tursiops truncatus*), 38.4, 354-361.
- Berman, M.
See Fire et al., 36.4, 342-350.
See Wilkin et al., 38.3, 301-310.
- Berman-Kowalewski, M.
—Gulland, F. M. D., Wilkin, S., Calambokidis, J., Mate, B., Cordaro, J., Rotstein, D., St. Leger, J., Collins, P., Fahy, K., & Dover, S., Association between blue whale (*Balaenoptera musculus*) mortality and ship strikes along the California coast, 36.1, 59-66.
- Bermudez, L.
See Oviedo et al., 31.4, 442-446.
- Bernal, J.
See Bossart et al., 31.4, 473-480.
- Berrow, S.
—O'Brien, J., Groth, L., Foley, A., & Voigt, K., Abundance estimate of bottlenose dolphins (*Tursiops truncatus*) in the Lower

- River Shannon candidate special area of conservation, Ireland, 38.2, 136-144.
See Foley et al., 36.4, 372-381.
See O'Brien et al., 40.2, 191-194.
See Wenzel et al., 35.4, 502-510.
- Bexton, S.
—Thompson, D., Brownlow, A., Barley, J., Milne, R., & Bidewell, C., Unusual mortality of pinnipeds in the United Kingdom associated with helical (corkscrew) injuries of anthropogenic origin, 38.3, 229-240.
- Bidewell, C.
See Bexton et al., 38.3, 229-240.
- Biggs, D. C.
See O'Hern & Biggs, 35.3, 358-366.
- Bills, M. L.
—& Keith, E. O., Historical abundance and spatial distribution of the Atlantic bottlenose dolphin (*Tursiops truncatus*) along the southeast coast of the United States, 38.3, 290-300.
- Binedell, V.
See Stockin et al., 34.2, 200-211.
- Bjørge, A.
—Øien, N., & Fagerheim, K-A., Abundance of harbour seals (*Phoca vitulina*) in Norway based on aerial surveys and photographic documentation of hauled-out seals during the moulting season, 1996-1999, 33.3, 269-275.
- Blair, L.
See Latusek-Nabholz et al., 40.3, 293-296.
- Blanchet, M-A.
—Desportes, G., Nance, T., & Vanman, C., Description of the pregnancies, labours, and pre- and post-partum events of two harbour seals (*Phoca vitulina*) in a zoological environment, 32.2, 145-151.
—Nance, T., Ast, C., Wahlberg, M., & Acquarone, M., First case of a monitored pregnancy of a harbour porpoise (*Phocoena phocoena*) under human care, 34.1, 9-20.
—Wahlberg, M., & Ishigami, T., First observation of the parturition and peripartum events in a harbor porpoise (*Phocoena phocoena*), 35.4, 473-480.
See Desportes et al., 33.3, 286-292.
- Blanco, G. S.
See Righi et al., 39.1, 1-9.
- Blanshard, W.
See Eigeland et al., 38.4, 402-411.
- Blix, A. S.
See Kvadsheim et al., 36.3, 239-247.
- Bloch, D.
—Desportes, G., Harvey, P., Lockyer, C., & Mikkelsen B., Life history of Risso's dolphin (*Grampus griseus*) (G. Cuvier, 1812) in the Faroe Islands, 38.3, 250-266.
- Blomqvist, C.
—Book Review: *The encyclopedia of animal behavior*, 32.1, 116-117.
—Mello, I., & Amundin, M., An acoustic play-fight signal in bottlenose dolphins (*Tursiops truncatus*) in human care, 31.2, 187-194.
- Bloom, A.
See Bloom et al., 38.4, 456-457.
- Bloom, K.
See Bloom et al., 38.4, 456-457.
- Bloom, M.
See Bloom et al., 38.4, 456-457.
- Bloom, P.
—Bloom, A., Bloom, K., & Bloom, M., Obituary for Reginald Bloom, 38.4, 456-457.
- Blum, J. E.
See Cummings et al., 40.2, 126-138.
- Bonde, R. K.
See Lanyon et al., 35.2, 187-192; 36.1, 46-58.
See Wong et al., 38.1, 1-16.
- Bonn W. V.
See Dennison et al., 37.2, 161-166.
- Boor, M.
See Dennison et al., 37.2, 161-166.
- Borjesson, D. L.
See Reif et al., 32.2, 157-167.
- Born, E. W.
—Acquarone, M., Knutsen, L. Ø., & Toudal, L., Homing behaviour in an Atlantic walrus (*Odobenus rosmarus rosmarus*), 31.1, 23-33.
See Acquarone et al., 32.3, 363-369.
- Borowska, E. I.
—Nowak, Z., van Elk, C., & Wahlberg, M., Short Note: Determining genotypes from blowhole exhalation samples of harbour porpoises (*Phocoena phocoena*), 40.4, 407-411.
- Bossart, G. D.
—Arheart, K., Hunt, M., Clauss, T., Leppert, L., Roberts, K., McCulloch, S., Goldstein, J. D., Gonzalez, C., Sweeney, J., Stone, R., Fair, P. A., & Cray, C., Protein electrophoresis of serum from healthy Atlantic bottlenose dolphins (*Tursiops truncatus*), 38.4, 412-417.
—Ghim, S-J., Rehtanz, M., Goldstein, J., Varela, R., Ewing, R. Y., Fair, P. A., Lenzi, R., Joseph, B., Hicks, C. L., Schneider, L. S., McKinnie, C. J., Reif, J. S., Sanchez, R., Lopez, A., Novoa, S., Bernal, J., Goretti, M., Rodriguez, M., Defran, R. H., & Johnson, A. B., Orogenital neoplasia in Atlantic bottlenose dolphins (*Tursiops truncatus*), 31.4, 473-480.
—Hansen, L., Goldstein, J. D., Kilpatrick, D., Bechdel, S., Howells, E., Kroell, K., de Sieyes, M., Stolen, M. K., Durden, W. N., Reif, J. S., Defran, R. H., & McCulloch, S. D., Pathological findings in a rare mass stranding of melon-headed whales (*Peponocephala electra*) in Florida, 33.2, 235-240.
—Hensley, G., Goldstein, J. D., Kroell, K., Manire, C. A., Defran, R. H., & Reif, J. S., Cardiomyopathy and myocardial degeneration in stranded pygmy (*Kogia breviceps*) and dwarf (*Kogia sima*) sperm whales, 33.2, 214-222.
—Romano, T. A., Peden-Adams, M. M., Rice, C. D., Fair, P. A., Goldstein, J. D., Kilpatrick, D., Cammen, K., & Reif, J. S., Hematological, biochemical, and immunological findings in Atlantic bottlenose dolphins (*Tursiops truncatus*) with orogenital papillomas, 34.2, 166-177.
See Bechdel et al., 35.3, 367-377.
See Bergfelt et al., 39.2, 187-195.
See Fair et al., 32.2, 182-195.
See Ghim et al., 40.2, 195-200.
See Greig et al., 33.2, 185-194.
See Howells et al., 35.1, 43-47.
See Lewis et al., 39.4, 324-329.
See Mazzoil et al., 34.1, 54-64.
See McFee et al., 38.1, 17-30.
See Schaefer et al., 35.2, 163-170.
- Bossley, M.
—Steiner & Bossley, 34.1, 84-92.
See Filby et al., 36.1, 33-45.
See Wilke et al., 31.4, 427-433.
- Boström, M. K.
—Krog, C., Kindt-Larsen, L., Lunneryd, S-G., & Wahlberg, M., Short Note: Acoustic activity of harbour porpoises (*Phocoena phocoena*) around gill nets, 39.4, 389-396.
- Botero-Acosta, N.
See Félix & Botero-Acosta, 38.3, 311-316.

- Bouquegneau, J-M.
See Fontain et al., 32.3, 301-304.
- Bourne, L.
See Culloch et al., 38.1, 81-85.
- Bouvier, D.
See Tellechea et al., 40.2, 173-184.
- Bowles, A. E.
—& Anderson, R. C., Behavioral responses and habituation of pinnipeds and small cetaceans to novel objects and simulated fishing gear with and without a pinger, 38.2, 161-188.
See Southall et al., 33.4, 411-521.
- Boyd, I. L.
—Historical Perspectives: The history of marine mammal research in the United Kingdom: An exploration of the interaction of human socioeconomics and marine mammal ecology, 35.1, 82-93.
- Brando, S.
See Desportes et al., 33.3, 286-292.
- Branstetter, B. K.
See Deakos et al., 36.2, 121-128.
- Brault, S.
See LaCommare et al., 34.1, 35-43.
- Braun, R. C.
See Aragonés et al., 36.3, 219-233.
See Reif et al., 32.2, 157-167.
- Breese, M.
See Gilmartin et al., 37.3, 332-341.
- Breland, A. D.
See Kleen & Breland, 40.1, 69-80.
- Breyse, O.
See Anderson et al., 32.2, 223-231.
- Brito, C.
See dos Santos et al., 31.4, 453-462.
- Brittain, M.
See Yurk et al., 36.1, 67-78.
- Broderick, A. C.
—Book Review: *Turtles of the world*, 34.1, 144.
- Broderick, D.
See Lanyon et al., 32.2, 196-201; 35.2, 187-192.
- Brodsky, M.
See Wells et al., 39.1, 61-72.
- Bröker, K.
See Nowacek et al., 39.4, 356-377.
- Brook, F. M.
—& Kinoshita, R. E., Controlled unassisted breeding of captive Indo-Pacific bottlenose dolphins, *Tursiops aduncus*, using ultrasonography, 31.1, 89-95.
- Brousseau, P.
See Frouin et al., 36.4, 365-371.
- Brown, E.
—Hughes, G., Watanuki, R., Johanos, T. C., & Wurth, T., The emergence of an important Hawaiian monk seal (*Monachus schauinslandi*) pupping area at Kalaupapa, Moloka'i, in the main Hawaiian Islands, 37.3, 319-325.
- Brown, J. L.
See Bergfelt et al., 38.4, 354-361.
- Brown, M. W.
See Frasier et al., 36.2, 115-120.
- Brown, R. F.
See Elorriaga-Verplancken et al., 40.4, 364-367.
- Brownell, Jr., R. L.
See Mellor et al., 35.2, 193-202.
- Brownlow, A.
See Bexton et al., 38.3, 229-240.
- Buck, G.
See Koski et al., 35.3, 347-357.
- Buckstaff, K. C.
—Wells, R. S., Gannon, J. G., & Nowacek, D. P., Responses to bottlenose dolphins (*Tursiops truncatus*) to construction and demolition of coastal marine structures, 39.2, 174-186.
- Budgell, W. P.
See Olsen et al., 35.3, 313-318.
- Buholzer, L.
See Desportes et al., 33.3, 286-292.
- Bulgakova, T. N.
See Popov et al., 33.1, 24-33.
- Burgess, E. A.
See Stockin & Burgess, 31.1, 120-123.
- Buzzell, B.
—Lance, M. M., & Acevedo-Gutiérrez, A., Spatial and temporal variation in river otter (*Lontra canadensis*) diet and predation on rockfish (Genus *Sebastes*) in the San Juan Islands, Washington, 40.2, 150-161.
- Cabral, M. M. M.
See Silveira et al., 37.2, 208-212.
- Caffery, K. A.
See Yeater et al., 39.4, 344-355.
- Calambokidis, J.
See Berman-Kowalewski et al., 36.1, 59-66.
See Gulland et al., 34.2, 182-191.
- Calkins, D. G.
See Trites & Calkins, 34.1, 25-34.
See Maniscalco et al., 34.3, 277-287.
See Mellish et al., 32.1, 58-65.
- Camacho-Ríos, F. J.
See Aurióles-Gamboa & Camacho-Ríos, 33.3, 315-326.
- Cambon-Tait, D.
See Tellechea et al., 40.2, 173-184.
- Cammareri, A.
See Vermeulen & Cammareri, 35.3, 378-385.
See Vermeulen et al., 38.1, 56-64.
- Cammen, K.
See Bossart et al., 34.2, 166-177.
- Campagna, C.
See Le Boeuf & Campagna, 39.2, 132-146.
See Vila et al., 34.3, 317-330.
- Campbell, M.
See Bergfelt et al., 38.4, 354-361.
See Sweeney et al., 36.3, 248-261.
- Campbell, R. G.
See Cooper et al., 32.1, 98-102.
- Canning, S.
See Weir et al., 34.4, 436-447.
- Cantor, M.
See Beirão et al., 40.3, 313-316.
- Capella, J.
See Olavarría et al., 36.3, 288-293.
- Carlini, R.
—de Francesco, M. C., & Libera, S. D., Biometric measures indicating sexual dimorphism in *Stenella coeruleoalba* (Meyen, 1833) (Delphinidae) in the North-Central Tyrrhenian Sea, 40.1, 59-68.
- Carslake, D.
See Leeney et al., 37.2, 151-160.
- Casalone, C.
See Di Francesco et al., 36.3, 294-297.

- Casper, D.
See Wilkin et al., 38.3, 301-310.
- Casson, C. J.
See Larson & Casson, 33.2, 195-201.
- Castell, J.
See André et al., 33.1, 100-109.
See Delory et al., 33.1, 85-92.
- Castellote, M.
—& Fossa, F., Measuring acoustic activity as a method to evaluate welfare in captive beluga whales (*Delphinapterus leucas*), 32.3, 325-333.
- Castilla, C.
See Díaz-Aguirre et al., 38.1, 76-80.
- Castillo, V.
See Díaz-Aguirre et al., 38.1, 76-80.
- Castro, D. F.
See Lima et al., 31.4, 420-426.
- Ceballos, G.
—Pompa, S., Espinoza, E., & García, A., Extralimital distribution of Galapagos (*Zalophus wollebaeki*) and northern (*Eumetopias jubatus*) sea lions in Mexico, 36.2, 188-194.
- Cendejes-Zarelli, S.
See Acevedo-Gutiérrez & Cendejes-Zarelli., 37.2, 167-174.
- Cesar de Oliveira Santos, M.
—Book Review: *Guia de estudo de cetaceos. Volume 1: Interações com atividades de pesca*, 31.1, 147-148.
- Charlton, L. D.
See Haarr et al., 35.2, 203-211.
- Chase, R.
See Filadelfo et al., 35.4, 445-451.
- Chávez-Comparán, J. C.
See Ortega-Ortiz et al., 40.4, 357-363.
- Chen, R.
See Zhang et al., 40.1, 5-8.
- Cheney, B.
See Marley et al., 39.2, 107-115.
- Cheng, A.
See Mucaro et al., 35.3, 386-393.
- Chomos-Betz, A. E.
See Zoidis et al., 40.1, 44-58.
- Christen, D. R.
See Mellish et al., 32.1, 58-65.
- Clapham, P.
See Mate et al., 31.2, 157-160.
- Clark, L. S.
See Turner et al., 32.1, 46-57.
- Clark, R.
See Anderson et al., 32.2, 223-231.
- Clarke, R.
—Male nipples in blue and fin whales and their absence in sperm whales, 31.1, 124-132.
- Clauss, T.
See Bossart et al., 38.4, 412-417.
- Cliff, G.
See Atkins et al., 39.4, 397-400.
- Clua, E. E.
—Manire, C. A., & Garrigue, C., Biological data of pygmy killer whale (*Feresa attenuata*) from a mass stranding in the New Caledonia (South Pacific) associated with Hurricane Jim in 2006, 40.2, 162-172.
- Cockcroft, V.
—Book Review: *Whales and dolphins of the Southern African subregion*, 34.3, 381.
- Codispoti, L. A.
See Cooper et al., 32.1, 98-102.
- Colbert, D. E.
See Cunningham-Smith et al., 32.3, 346-356.
- Colee, J.
See Wong et al., 38.1, 1-16.
- Colegrove, K. M.
—Greig, D. J., & Gulland, F. M. D., Causes of live strandings of northern elephant seals (*Mirounga angustirostris*) and Pacific harbor seals (*Phoca vitulina*) along the central California coast, 1992-2001, 31.1, 1-10.
See Wilkin et al., 38.3, 301-310.
- Colitz, C. M. H.
See Shofield et al., 37.3, 354-359.
- Collins, P.
See Berman-Kowalewski et al., 36.1, 59-66.
- Compton, J.
See Yoshida et al., 36.2, 154-161.
- Condit, R.
See Le Boeuf et al., 37.4, 486-501.
See Lowry et al., 40.1, 20-31.
- Conlon, S.
See Womble & Conlon, 36.2, 129-137.
- Conrad, P. A.
See Goldstein et al., 33.3, 337-348.
- Coombs, A. P.
See Trites et al., 32.1, 85-97.
- Cooper, A. G.
See Wells et al., 39.1, 61-72.
- Cooper, L. N.
See Mellor et al., 35.2, 193-202.
- Cooper, L. W.
—Ashjian, C. J., Smith, S. L., Codispoti, L. A., Grebmeier, J. M., Campbell, R. G., & Sherr, E. B., Rapid seasonal sea-ice retreat in the Arctic could be affecting Pacific walrus (*Odobenus rosmarus divergens*) recruitment, 32.1, 98-102.
- Cordaro, J.
See Berman-Kowalewski et al., 36.1, 59-66.
See Wilkin et al., 38.3, 301-310.
- Corkeron, P. J.
See van Opzeeland et al., 31.1, 110-119.
- Cornick, L. A.
—Book Review: *The Gulf of Alaska: Biology and oceanography*, 32.3, 390.
See Melillo et al., 35.2, 281-291.
- Corwin, A.
See Fellner et al., 32.1, 66-74.
- Costa Neves, H.
See Pires et al., 33.3, 327-336.
- Couchinho, M.
See dos Santos et al., 31.4, 453-462.
- Couquiaud, L.
—Special Issue: A survey of the environments of cetaceans in human care, 31.3, 279-385.
- Courbis, S.
See Timmel et al., 34.4, 402-411.
- Cowan, D. F.
See Piwetz et al., 37.2, 202-204.
See Turner et al., 32.1, 46-57.
- Cox, T.
See Kovacs & Cox, 40.1, 81-94.

- Cranford, T. W.
—Book Review: *An ocean of inspiration: The John Olguin story*, 39.1, 101-102.
- Cray, C.
See Bossart et al., 38.4, 412-417.
- Crocker, D. E.
See Houser et al., 33.1, 110-121.
- Croft, D. B.
See Stamation et al., 33.2, 165-174.
- Cuevas, L. M.
See Garcia et al., 40.4, 412-422.
- Culloch, R. M.
—Pomeroy, P., Lidstone-Scott, R., Bourne, L., & Twiss, S. D., Short Note: Observations from video footage of red fox (*Vulpes vulpes*) activity within a grey seal (*Halichoerus grypus*) breeding colony in the UK mainland, 38.1, 81-85.
- Cummings, E. W.
—Pabst, D. A., Blum, J. E., Barco, S. G., Davis, S. J., Thayer, V. G., Adimey, N., & McLellan, W. A., Spatial and temporal patterns of habitat use and mortality of the Florida manatee (*Trichechus manatus latirostris*) in the mid-Atlantic states of North Carolina and Virginia from 1991 to 2012, 40.2, 126-138.
- Cunningham, L.
—Using computer-assisted photo-identification and capture-recapture techniques to monitor the conservation status of harbour seals (*Phoca vitulina*), 35.3, 319-329.
- Cunningham-Smith, P.
—Colbert, D. E., Wells, R. S., & Speakman, T., Evaluation of human interactions with a provisioned wild bottlenose dolphin (*Tursiops truncatus*) near Sarasota Bay, Florida, and efforts to curtail the interactions, 32.3, 346-356.
- Curtice, C.
—Schick, R. S., Dunn, D. C., & Halpin, P. N., Home range analysis of Hawaiian monk seals (*Monachus schauinslandi*) based on colony, age, and sex, 37.3, 360-371.
- Cypriano-Souza, A. L.
See Balensiefer et al., 40.2, 201-206.
- D'Amico, A.
—& Pittenger, R., A brief history of active sonar, 35.4, 426-434.
—Gisiner, R. C., Ketten, D. R., Hammock, J. A., Johnson, C., Tyack, P. L., & Mead, J., Beaked whale strandings and naval exercises, 35.4, 452-472.
See Filadelfo et al., 35.4, 435-444; 35.4, 445-451.
- da Fonseca, G. A. B.
See Sousa-Lima et al., 34.1, 109-122.
- Dalebout, M. L.
See Martín et al., 37.4, 512-519.
- Danaher-García, N.
See Dudzinski et al., 39.4, 335-343.
- Daniels, R. L.
—Smith, C. R., & Venn-Watson, S., Effects of freeze-thaw cycle on urine values from bottlenose dolphins (*Tursiops truncatus*), 39.4, 330-334.
- Danielson, B.
See Balmer et al., 37.2, 187-192.
- Danil, K.,
—Maldini, D., & Marten, K., Patterns of use of Maku's Beach, O'ahu, Hawai'i, by spinner dolphins (*Stenella longirostris*) and potential effects of swimmers on their behavior, 31.4, 403-412.
- Danilewicz, D.
See Denuncio et al., 39.1, 73-80.
- Dares, L. E.
—Hoffman, J. M., Yang, S. C., & Wang, J. Y., Short Note: Habitat characteristics of the critically endangered Taiwanese humpback dolphins (*Sousa chinensis*) of the Eastern Taiwan Strait, 40.4, 368-374.
- Davidson, P. J. A.
See Beasley & Davidson, 33.3, 368-379.
- Davis, J. W.
See Walker et al., 34.4, 393-401.
- Davis, L.
See Fellner et al., 32.1, 66-74.
- Davis, R. W.
See Osterrieder & Davis, 35.4, 481-489.
See Pearson & Davis, 31.2, 226-233.
See Finerty et al., 33.3, 349-358.
See Lee et al., 36.4, 351-364.
See Thewissen et al., 36.4, 413-419.
- Davis, S.
See Filadelfo et al., 35.4, 445-451.
- Davis, S. J.
See Cummings et al., 40.2, 126-138.
- Dawson, S. M.
See Webster et al., 35.2, 212-219.
- Day, A. J.
See Zoidis et al., 40.1, 44-58.
- de Francesco, M. C.
See Carlini et al., 40.1, 59-68.
- de Jong, C. A. F.
See Kastelein et al., 39.4, 315-323.
- de la Cueva, H.
See García-Aguilar et al., 39.1, 54-60.
- De Miranda, Jr., M. A.
See Garcia et al., 40.4, 412-422.
- de Sieyes, M.
See Bossart et al., 33.2, 235-240.
- Deakos, M. H.
—Branstetter, B. K., Mazzuca, L., Fertl, D., & Mobley, J. R. Jr., Two unusual interactions between a bottlenose dolphin (*Tursiops truncatus*) and a humpback whale (*Megaptera novaeangliae*) in Hawaiian waters, 36.2, 121-128.
- Deecke, V. B.
—Studying marine mammal cognition in the wild: A review of four decades of playback experiments, 32.4, 461-482.
See Trites et al., 32.1, 85-97.
- Defran, R. H.
—Historical Perspectives: R. H. Defran, 37.2, 213-221.
See Bossart et al., 31.4, 473-480; 33.2, 214-222; 33.2, 235-240.
- Degollada, E.
See André et al., 33.1, 100-109.
- Degraer, S.
See Haelters et al., 38.4, 343-353.
- del Rio, J.
See André et al., 33.1, 100-109.
See Delory et al., 33.1, 85-92.
- Delfour, F.
—Marine mammals in front of the mirror-body experiences to self-recognition: A cognitive ethological methodology combined with phenomenological questioning, 32.4, 517-527.
- Dell' Apa, A.
See Terhune & Dell' Apa, 32.2, 175-181.
- Delory, E.
—del Rio, J., Castell, J., van der Schaar, M., & André, M., OdiSEA: An autonomous portable auditory screening unit for rapid assessment of hearing in cetaceans, 33.1, 85-92.
See André et al., 33.1, 100-109.

- Demarchi, M. W.
—Holst, M., Robichaud, D., Waters, M., & MacGillivray, A. O., Responses of Steller sea lions (*Eumetopias jubatus*) to in-air blast noise from military explosions, 38.3, 279-289.
- DeMaster, D. P.
See Gilmartin et al., 37.3, 326-331.
- Dendrinis, P.
—Karamanlidis, A. A., Kotomatas, S., Paravas, V., & Adamantopoulou, S., Report of a new Mediterranean monk seal (*Monachus monachus*) breeding colony in the Aegean Sea, Greece, 34.3, 355-361.
—Tounta, E., Karamanlidis, A. A., Legakis, A., & Kotomatas, S., A video surveillance system for monitoring the endangered Mediterranean monk seal (*Monachus monachus*), 33.2, 179-184.
See Adamantopoulou et al., 37.3, 256-261.
See Alfaghi et al., 39.1, 81-84.
See Karamanlidis et al., 36.1, 27-32.
See Muñoz et al., 37.3, 262-279.
See Pierce et al., 37.3, 284-297.
See Trivourea et al., 37.3, 305-318.
- Denkinger, J.
See Alava et al., 39.2, 196-201.
- Dennison, S. E.
—Boor, M., Fauquier, D., & Bonn W. V., Foramen ovale and ductus arteriosus patency in neonatal harbor seal (*Phoca vitulina*) pups in rehabilitation, 37.2, 161-166.
—Forrest, L., & Gulland, F. M. D., Normal thoracic radiographic anatomy of immature California sea lions (*Zalophus californianus*) and immature northern elephant seals (*Mirounga angustirostris*), 35.1, 36-42.
- Denuncio, P. E.
—Bastida, R. O., Danilewicz, D., Morón, S., Rodríguez-Heredia, S., & Rodríguez, D. H., Short Note: Calf chronology of the franciscana dolphin (*Pontoporia blainvillei*): Birth, onset of feeding, and duration of lactation in the coastal waters of Argentina, 39.1, 73-80.
- Desportes, G.
—Buholzer, L., Anderson-Hansen, K., Blanchet, M-A., Acquarone, M., Shephard, G., Brando, S., Vossen, A., & Siebert, U., Decrease stress; train your animals: The effect of handling methods on cortisol levels in harbour porpoises (*Phocoena phocoena*) under human care, 33.3, 286-292.
See Blanchet et al., 32.2, 145-151.
See Bloch et al., 38.3, 250-266.
- Deutsch, C. J.
See Wong et al., 38.1, 1-16.
- DeWeerd, J.
See Faria et al., 39.3, 296-305.
- Dezio, K.
—Letter to the Editor: 2014 Alliance of Marine Mammal Parks & Aquariums' annual meeting draws strong attendance and record sponsorships; focuses on international advocacy and ensuring a strong future for public display, 40.2, 222-223.
- Di Francesco, C. E.
—Marsilio, F., Proietto, U., Mignone, W., Casalone, C., & Di Guardo, G., Short Note: Antimorbillivirus antibodies in stranded striped dolphins (*Stenella coeruleoalba*): Time and temperature dependent fluctuations, 36.3, 294-297.
- Di Guardo, G.
—Letter to the Editor: Dolphin morbillivirus in the Mediterranean Sea, 34.4, 514-515.
See Di Francesco et al., 36.3, 294-297.
- Díaz-Aguirre, F.
—Salinas, C., Navarrete, S., Castillo, V., & Castilla, C., Short Note: First record of the commensal barnacle (*Zenobalanus globicipitis*) on common bottlenose dolphins (*Tursiops truncatus*) in Chile, 38.1, 76-80.
- Díaz, G. C.
See Aragonés et al., 36.3, 219-233.
- Dietz, R.
See Siebert et al., 37.4, 443-453.
- DiGiovanni, Jr., R.
See Kretzmann et al., 36.2, 178-187.
- Dillet, J. Z.
See Melillo-Sweeting et al., 37.4, 502-505.
- Dixon, K.
See Gulland et al., 34.2, 182-191.
- Diyan, M. A. A.
See Mansur et al., 34.3, 362-367.
- Doak, W.
See Wilke et al., 31.4, 427-433.
- Doidge, D. W.
See Lockyer et al., 33.3, 293-304.
- Dold, C.
See Wells et al., 39.1, 61-72.
- Domning, D. P.
—Historical Perspectives: The early years of the Amazonian manatee project at INPA, Manaus, Brazil, 38.2, 204-222.
See Mattioli & Domning, 32.3, 273-288.
- Donnelly, D.
See Owen et al., 38.4, 418-422.
- Donovan, G.
—Book Review: *Whaling around the world*, 31.4, 485.
See Nowacek et al., 39.4, 356-377.
- dos Santos, M. E.
—Louro, S., Couchinho, M., & Brito, C., Whistles of bottlenose dolphins (*Tursiops truncatus*) in the Sado Estuary, Portugal: Characteristics, production rates, and long-term contour stability, 31.4, 453-462.
- Douglas, A. B.
See Smultea et al., 38.1, 92-97.
- Douglas, D. C.
See Wells et al., 39.1, 61-72.
- Dover, S.
See Berman-Kowalewski et al., 36.1, 59-66.
- Draper, K.
See Yoshida et al., 36.2, 154-161.
- Drennan, M. P.
See Visser et al., 34.2, 193-199.
- Driver, J.
See Hasselmeier et al., 34.2, 149-156.
- Dubnar, S. G.
See Bacchus et al., 35.1, 62-71.
- Dudok van Heel, W. H.
—Historical Perspectives: *Aquatic Mammals: A journal and an association*, 35.3, 399-411.
- Dudzinski, K. M.
—Danaher-García, N., & Gregg, J. D., Pectoral fin contact between dolphin dyads at Zoo Duisburg, with comparison to other dolphin study populations, 39.4, 335-343.
—Marshall, C. D., & Reidenberg, J. S., Short Note: Air release from the left orbit of an Indo-Pacific bottlenose dolphin (*Tursiops aduncus*): Symptomatic and anatomical aspects, 39.1, 97-100.
—Thomas, J. A., Nachtigall, P. E., & Manton, V., Letters from the Editors, 40.1, 1-4.
See Melillo et al., 35.2, 281-291.

- Duffield, D. A.
See Walker et al., 34.4, 393-401.
- Duley, P.
See Mate et al., 31.2, 157-160.
- Dunkin, R.
See Wilkin et al., 38.3, 301-310.
See Williams et al., 37.3, 372-376.
- Dunlop, R.
See Owen et al., 38.4, 418-422.
- Dunn, D. C.
See Curtice et al., 37.3, 360-371.
- Dunn, J. L.
See Goldstein et al., 33.3, 337-348.
- Dunn, W. L.
See Warren-Smith & Dunn, 32.3, 357-362.
- Durden, W. N.
—Stolen, E. D., & Stolen, M. K., Abundance, distribution, and group composition of Indian River Lagoon bottlenose dolphins (*Tursiops truncatus*), 37.2, 175-186.
See Bossart et al., 33.2, 235-240.
- Durham, K.
See Kretzmann et al., 36.2, 178-187.
- Durrant, B.
See Mucaro et al., 35.3, 386-393.
- Dwyer, S. L.
—& Visser, I. N., Cookie cutter shark (*Isistius* sp.) bites on cetaceans, with particular reference to killer whales (orca) (*Orcinus orca*), 37.2, 111-138.
- Early, G.
See Schofield et al., 34.1, 1-8.
- Eastham, C.
—Book Review: *Marine mammal ecology and conservation: A handbook of techniques*, 38.2, 227.
- Ecott, T.
—Book Review: *Sensuous seas: Tales of a marine biologist*, 33.2, 250.
- Edridge, A.
See Pierce et al., 37.3, 284-297.
- Eigeland, K. A.
—Lanyon, J. M., Trott, D. J., Ouwerkerk, D., Blanshard, W., Milinovich, G. J., Gulino, L. M., Martinez, E., Merson, S., & Klieve, A. V., Bacterial community structure in the hindgut of wild and captive dugongs (*Dugong dugon*), 38.4, 402-411.
- Elasar, M.
See Scheinin et al., 37.3, 241-242.
- Ellison, W. T.
See Southall et al., 33.4, 411-521.
- Elorriaga-Verplancken, F. R.
—Hadrys, L. M-L., Moreno-Sánchez, X. G., & Mendoza-Salas, I., Short Note: Inferences on the diet of the Eastern Pacific harbor seal (*Phoca vitulina richardii*) at the southern end of its distribution: Stable isotopes and scats analyses, 39.4, 415-421.
—Tennis, M. J., & Brown, R. F., Short Note: Unprecedented resighting in Mexico of a male California sea lion (*Zalophus californianus*) from Oregon during the 2014 breeding season, 40.4, 364-367.
See Ortega-Ortiz et al., 40.4, 357-363; 40.4, 386-393.
- Elwen, S. H.
—& Leeney, R. H., Short Note: Injury and subsequent healing of a propeller strike injury to a heaviside dolphin (*Cephalorhynchus heavisidii*), 36.4, 382-387.
See Leeney et al., 37.2, 151-160.
- Encomienda, R. P.
See Aragonés et al., 36.3, 219-233.
- Esperón-Rodríguez, M.
—& Gallo-Reynoso, J. P., Juvenile and subadult feeding preferences of the Guadalupe fur seal (*Arctocephalus townsendi*) at San Benito Archipelago, Mexico, 39.2, 125-131.
- Espinos, B. G.
See Aragonés et al., 36.3, 219-233.
- Espinoza, E.
See Ceballos et al., 36.2, 188-194.
- Esteves, M. A.
—& Oviedo, L. E., A potential morphotype of common dolphin (*Delphinus* spp.) on the northeast coast of Venezuela, 33.2, 229-234.
- Evans, P. G. H.
See Nuutila et al., 39.2, 147-161.
- Evans, W. E.
—Historical Perspectives: A short history of the Navy's Marine Mammal Program, 34.3, 367-380.
- Everaarts, E.
See Haelters & Everaarts, 37.2, 198-201.
See Lucke et al., 33.1, 55-68.
- Ewing, R. Y.
See Bossart et al., 31.4, 473-480.
- Fagerheim, K-A.
See Bjørge et al., 33.3, 269-275.
- Fahy, K.
See Berman-Kowalewski et al., 36.1, 59-66.
- Fair, P. A.
—Hulsey, T. C., Varela, R. A., Goldstein, J. D., Adams, J., Zolman, E. S., & Bossart, G. D., Hematology, serum chemistry, and cytology findings from apparently healthy Atlantic bottlenose dolphins (*Tursiops truncatus*) inhabiting the estuarine waters of Charleston, South Carolina, 32.2, 182-195.
See Bergfelt et al., 39.2, 187-195.
See Bossart et al., 31.4, 473-480; 34.2, 166-177; 38.4, 412-417.
See Greig et al., 33.2, 185-194.
See Lewis et al., 39.4, 324-329.
See McFee et al., 38.1, 17-30.
See Schaefer et al., 35.2, 163-170.
See Vecchione et al., 34.1, 93-101.
- Fairfield-Walsh, C.
—Book Review: *The world of whales, dolphins, & porpoises: Natural history and conservation*, 31.1, 141-142.
- Falabella, V.
See Vila et al., 34.3, 317-330.
- Falcón-Matos, L.
See Ghim et al., 40.2, 195-200.
- Faria, M-A.
—DeWeerd, J., Pace, F., & Mayer, F-X., Short Note: Observation of a humpback whale (*Megaptera novaeangliae*) birth in the coastal waters of Sainte Marie Island, Madagascar, 39.3, 296-305.
- Fauquier, D.
See Dennison et al., 37.2, 161-166.
See Wells et al., 40.3, 252-259.
- Fazioli, K. L.
—Hofmann, S., & Wells, R. S., Use of Gulf of Mexico coastal waters by distinct assemblages of bottlenose dolphins (*Tursiops truncatus*), 32.2, 212-222.
- Félix, F.
—& Botero-Acosta, N., Short Note: Evaluating humpback whale (*Megaptera novaeangliae*) social behaviour through sexing active individuals, 38.3, 311-316.
—& Guzmán, H. M., Satellite tracking and sighting data analyses of Southeast Pacific humpback whales (*Megaptera novaeangliae*): Is the migratory route coastal or oceanic?, 40.4, 329-340.

- Fellner, W.
—Bauer, G. B., & Harley, H. E., Cognitive implications of synchrony in dolphins: A review, 32.4, 511-516.
—Odell, K., Corwin, A., Davis, L., Goonen, C., Larkin, I., & Stamper, M. A., Response to conditioned stimuli by two rehabilitated and released West Indian manatees (*Trichechus manatus latirostris*), 32.1, 66-74.
- Ferguson, S. H.
See Higdon & Ferguson, 40.1, 9-19.
See Luque et al., 33.2, 241-245.
- Ferigolo, J.
See Sanfelice & Ferigolo, 38.1, 98-101.
- Fernandes, D. P.
See Sousa-Lima et al., 39.1, 23-53; 39.2, 205-210.
- Fernández, A.
See Martín et al., 37.4, 512-519.
- Ferrari, S. F.
See Gomes et al., 34.3, 269-276.
- Ferrer, C.
See Latusek-Nabholz et al., 40.3, 293-296.
- Fertl, D.
—Book Review: *Marine conservation biology: The science of maintaining the sea's biodiversity*, 33.2, 252-253.
—Book Review: *Marine mammals: Fisheries, tourism, and management issues*, 31.2, 266-267.
—Book Review: *Marine wildlife and tourism management: Insights from the natural and social sciences*, 35.1, 130-131.
—Book Review: *Polar bears: The natural history of a threatened species*, 39.2, 202.
—Book Review: *The question of animal culture*, 36.4, 409.
See Deakos et al., 36.2, 121-128.
See Latusek-Nabholz et al., 40.3, 293-296.
- Field, C.
See Goldstein et al., 33.3, 337-348.
- Figueiredo, L. D.
—& Simão, S. M., Bryde's whale (*Balaenoptera edeni*) vocalizations from Southeast Brazil, 40.3, 225-231.
- Figueroa-Soltero, N. A.
See Ortega-Ortiz et al., 40.4, 357-363.
- Filadelfo, R.
—Mintz, J., Michlovich, E., D'Amico, A., Tyack, P. L., & Ketten, D. R., Correlating military sonar use with beaked whale mass strandings: What do the historical data show?, 35.4, 435-444.
—Pinelis, Y. K., Davis, S., Chase, R., Mintz, J., Wolfgang, J., Tyack, P. L., Ketten, D. R., & D'Amico, A., Correlating whale strandings with Navy exercises off Southern California, 35.4, 445-451.
- Filatova, O.
See Yurk et al., 36.1, 67-78.
- Filby, N. E.
—Bossley, M., Sanderson, K. J., Martinez, E., & Stockin, K. A., Distribution and population demographics of common dolphins (*Delphinus delphis*) in the Gulf St. Vincent, South Australia, 36.1, 33-45.
- Finerty, S. E.
—Hillman, G. R., & Davis, R. W., Computer-matching of sea otter (*Enhydra lutris*) nose scars: A new method for tracking individual otters, 33.3, 349-358.
- Finneran, J. J.
—Houser, D. S., & Schlundt, C. E., Objective detection of bottlenose dolphin (*Tursiops truncatus*) steady-state auditory evoked potentials in response to AM/FM tones, 33.1, 43-54.
See Hernandez et al., 33.1, 34-42.
See Houser et al., 33.1, 110-121.
See Reichmuth et al., 33.1, 132-150.
See Southall et al., 33.4, 411-521.
- Fire, S. E.
—Wang, Z., Berman, M., Langlois, G. W., Morton, S. L., Sekula-Wood, E., & Benetiz-Nelson, C. R., Trophic transfer of the harmful algal toxin domoic acid as a cause of death in a minke whale (*Balaenoptera acutorostrata*) stranding in southern California, 36.4, 342-350.
See Wilkin et al., 38.3, 301-310.
- Flach, L.
See Beirão et al., 40.3, 313-316.
- Flannery, M.
See Wilkin et al., 38.3, 301-310.
- Flemming, T. M.
—Rattermann, M. J., & Thompson, R. K. R., Differential individual access to and use of reaching tools in social groups of Capuchin monkeys (*Cebus apella*) and human infants (*Homo sapiens*), 32.4, 491-499.
- Flores, M. B.
See Aragonés et al., 36.3, 219-233.
See Olavarría et al., 36.3, 288-293.
See Pérez et al., 32.1, 109-113.
- Flores, P. A. C.
See Kolesnikovas et al., 38.3, 317-321.
- Flórez-González, L.
See Oviedo et al., 34.4, 458-463.
- Floris, A.
See Pennino et al., 39.3, 282-289.
- Fluegger, M.
See Jurczynski et al., 38.1, 43-55.
- Foley, A.
—McGrath, D., Berrow, S., & Gerritsen, H., Social structure within the bottlenose dolphin (*Tursiops truncatus*) population in the Shannon Estuary, Ireland, 36.4, 372-381.
See Berrow et al., 38.2, 136-144.
- Folkens, P.
See Gulland et al., 34.2, 182-191.
- Folkow, L. P.
See Kvadsheim et al., 36.3, 239-247.
- Fonfara, S.
See Hasselmeier et al., 34.2, 149-156.
- Fontain, M. C.
—Galan, M., Bouquegneau, J-M., & Michaux, J. R., Efficiency of fluorescent multiplex polymerase chain reactions (PCRs) for rapid genotyping of harbour porpoises (*Phocoena phocoena*) with 11 microsatellite loci, 32.3, 301-304.
- Forrest, L.
See Dennison et al., 35.1, 36-42.
- Forster, D.
—& Rodriguez, P. F., Social complexity and distributed cognition in Olive baboons (*Papio anubis*): Adding system dynamics to analysis of interaction data, 32.4, 528-543.
- Fossa, F.
See Castellote & Fossa., 32.3, 325-333.
- Fougeres, E. M.
See Wells et al., 39.1, 61-72.
- Fournier M.
See Frouin et al., 36.4, 365-371.
- Foy, R. J.
See Winter et al., 35.2, 145-162.
- Francis, J. M.
See Visser et al., 34.2, 193-199.
- Franco-Trecu, V.
See Katz et al., 39.3, 290-295.
- Franklin, G.
See Yoshida et al., 36.2, 154-161.

- Franklin, J.
See Twiss & Franklin, 36.3, 234-238.
- Frasier, T. R.
—Hamilton, P. K., Brown, M. W., Kraus, S. D., & White, B. N., Reciprocal exchange and subsequent adoption of calves by two North Atlantic right whales (*Eubalaena glacialis*), 36.2, 115-120.
See Kowarski et al., 40.2, 117-125.
- Freitas, R. R.
See Kolesnikovas et al., 38.3, 317-321.
- Freitas, T. R. O.
See Ribeiro et al., 31.2, 234-242.
- Frere, E.
See Righi et al., 39.1, 1-9.
- Frisch, A. J.
See Hobbs et al., 33.2, 175-178.
- Frouin, H.
—Ménard, L., Measures, L., Brousseau, P., & Fournier M., T lymphocyte-proliferative responses of a grey seal (*Halichoerus grypus*) exposed to heavy metals and PCBs in vitro, 36.4, 365-371.
- Fudge, D. S.
—Szewciw, L. J., & Schwalb, A. N., Morphology and development of blue water baleen: An annotated translation of Tycho Tullberg's Classic 1883 paper, 35.2, 226-252.
- Funasaka, N.
—Yoshioka, M., Suzuki, M., Ueda, K., Miyahara, H., & Uchida, S., Seasonal difference of diurnal variations in serum melatonin, cortisol, testosterone, and rectal temperature in Indo-Pacific bottlenose dolphins (*Tursiops aduncus*), 37.4, 433-442.
- Furtado, M. M.
See Silveira et al., 37.2, 208-212.
- Gage, L. J.
See Gulland et al., 34.2, 182-191.
See Zagzebski et al., 32.3, 334-345.
- Gaidzinski, M. C.
See Kolesnikovas et al., 38.3, 317-321.
- Gailey, G.
See Nowacek et al., 39.4, 356-377.
- Galan, M.
See Fontain et al., 32.3, 301-304.
- Galatius, A.
—Bilateral directional asymmetry of the appendicular skeleton of the white-beaked dolphin (*Lagenorhynchus albirostris*), 32.2, 232-235.
- Galdino, C. A. B.
See Beirão et al., 40.3, 313-316.
- Galindo, J. A.
—Serrano, A., Vázquez-Castán, L., González-Gándara, C., & López-Ortega, M., Cetacean diversity, distribution, and abundance in northern Veracruz, Mexico, 35.1, 12-18.
- Gallo-Reynoso, J. P.
See Esperón-Rodríguez et al., 39.2, 125-131.
- Gannier, A.
—& Petiau, E., Environmental variables affecting the residence of spinner dolphins (*Stenella longirostris*) in a Bay of Tahiti (French Polynesia), 32.2, 202-211.
- Gannon, J. G.
See Buckstaff et al., 39.2, 174-186.
- Ganslosser, U.
See von Streit et al., 37.2, 193-197.
- García-Aguilar, M. C.
—Gutiérrez-García, D., & de la Cueva, H., Terrestrial habitat segregation between the Guadalupe fur seal (*Arctocephalus townsendi*) and the California sea lion (*Zalophus californianus*) at Islas San Benito, México, 39.1, 54-60.
- García-Godos, I.
See Guerrero-Ruiz et al., 31.4, 438-441.
- García-Valencia, R. X.
See Ortega-Ortiz et al., 40.4, 357-363.
- García, A.
See Ceballos et al., 36.2, 188-194.
- Garcia, T. M.
—Green, T. L., De Miranda, M. A. Jr., Pearson, L. E., Cuevas, L. M., Larson, A. M., & Kanatous, S. B., Consideration of diet was necessary for the successful isolation and culture of Weddell seal (*Leptonychotes weddellii*) myoblasts, 40.4, 412-422.
- Garrigue, C.
See Clua et al., 40.2, 162-172.
- Gartside, D. F.
See Hawkins & Gartside, 35.2, 171-186; 35.2, 259-268.
- Gautam, P.
See Bashir et al., 36.1, 19-26.
- Gebhard, E.
See Schofield et al., 34.1, 1-8.
- Gee, L. E.
See Watson & Gee, 31.4, 447-452.
- Gelwick, F.
See Lee et al., 36.4, 351-364.
- Gentry, R. L.
—Historical Perspectives: Marine mammal research then and now, 36.4, 388-399.
See Southall et al., 33.4, 411-521.
- George, E. M.
—& Noonan, M., Respiration rates in captive beluga whales (*Delphinapterus leucas*): Effects of season, sex, age, and body size, 40.4, 350-356.
- Gerber, L. R.
See Young & Gerber, 34.1, 102-108.
- Gerpe, M.
—Rodríguez, D., Moreno, V., Bastida, R., & Aizpún, J., Copper, zinc, cadmium, and mercury in southern sea lions (*Otaria flavescens*) from Argentina, 33.2, 223-228.
- Gerritsen, H.
See Foley et al., 36.4, 372-381.
- Ghim, S-J.
—Joh, J., Mignucci-Giannoni, A. A., Rivera-Guzmán, A. L., Falcón-Matos, L., Alsina-Guerrero, M. M., Rodríguez-Villanueva, M., Jenson, A. B., & Bossart, G. D., Short Note: Genital papillomatosis associated with two novel mucosotropic papillomaviruses from a Florida manatee (*Trichechus manatus latirostris*), 40.2, 195-200.
See Bossart et al., 31.4, 473-480.
- Ghoul, A.
—& Reichmuth, C., Hearing in sea otters (*Enhydra lutris*): Audible frequencies determined from a controlled exposure approach, 40.3, 243-251.
- Gibbons, J.
See Olavarría et al., 36.3, 288-293.
- Gilligan, J. J.
See Hobbs et al., 33.2, 175-178.
- Gilmartin, W. G.
—Johanos, T. C., DeMaster, D. P., & Henderson, J. R., Short Note: Hawaiian monk seals (*Monachus schauinslandi*) at Kure Atoll: Some life history effects following effort to enhance pup survival, 37.3, 326-331.
—Sloan, A. C., Harting, A. L., Johanos, T. C., Baker, J. D., Breese, M., & Ragen, T. J., Rehabilitation and relocation of young Hawaiian monk seals (*Monachus schauinslandi*), 37.3, 332-341.
See Lowry et al., 37.3, 397-419.

- Gisiner, R. C.
See D'Amico et al., 35.4, 452-472.
- Gittens, L.
See Melillo-Sweeting et al., 37.4, 502-505.
- Godlove, L. R.
See Piwetz et al., 37.2, 202-204.
- Goffman, O.
See Scheinin et al., 37.3, 241-242.
- Goldstein, J. D.
See Bossart et al., 31.4, 473-480; 34.2, 166-177; 33.2, 214-222; 33.2, 235-240; 38.4, 412-417.
See Fair et al., 32.2, 182-195.
See Schaefer et al., 35.2, 163-170.
- Goldstein, T.
—Stephens, C. A., Jang, S. S., Conrad, P. A., Field, C., Dunn, J. L., & Mellish, J-A. E., Longitudinal health and disease monitoring in juvenile Steller sea lions (*Eumetopias jubatus*) in temporary captivity in Alaska compared with a free-ranging cohort, 33.3, 337-348.
- Gomerčić, H.
See Gomerčić et al., 37.3, 243-247.
- Gomerčić, M. Đ.
See Gomerčić et al., 37.3, 243-247.
- Gomerčić, T.
—Huber, Đ., Gomerčić, M. Đ., & Gomerčić, H., Short Note: Presence of the Mediterranean monk seal (*Monachus monachus*) in the Croatian part of the Adriatic Sea, 37.3, 243-247.
- Gomes, F. F. A.
—Vergara-Parente, J. E., & Ferrari, S. F., Behaviour patterns in captive manatees (*Trichechus manatus manatus*) at Itamaracá Island, Brazil, 34.3, 269-276.
- Gomes, J. K. N.
See Silva et al., 35.2, 253-258.
- Gomez-Salazar, C.
—Trujillo, F., & Whitehead, H., Photo-identification: A reliable and noninvasive tool for studying pink river dolphins (*Inia geoffrensis*), 37.4, 472-485.
- Gonzalez, C.
See Bossart et al., 38.4, 412-417.
- Gonzalez, M.
See Lima et al., 31.4, 420-426.
- González-Gándara, C.
See Galindo et al., 35.1, 12-18.
- Goodall, R. N. P.
See Pimper et al., 35.3, 330-333.
- Goodwin, L.
—Diurnal and tidal variations in habitat use of the harbour porpoise (*Phocoena phocoena*) in southwest Britain, 34.1, 44-53.
- Goonen, C.
See Fellner et al., 32.1, 66-74.
- Goretti, M.
See Bossart et al., 31.4, 473-480.
- Gowans, S.
See Simard & Gowans, 34.3, 331-337.
See Bartha et al., 37.4, 454-463.
See Simard et al., 34.4, 464-470.
- Graham, M. A.
—& Noonan, M., Call types and acoustic features associated with aggressive chase in the killer whale (*Orcinus orca*), 36.1, 9-18.
- Gransier, R.
See Kastelein et al., 39.2, 162-173; 39.4, 315-323; 40.3, 232-242.
- Grebmeier, J. M.
See Cooper et al., 32.1, 98-102.
- Green, S. R.
—Mercado III, E., Pack, A. A., & Herman, L. M., Characterizing patterns within humpback whale (*Megaptera novaeangliae*) songs, 33.2, 202-213.
- Green, T. L.
See Garcia et al., 40.4, 412-422.
- Greene, Jr., C. R.
See Holst et al., 37.2, 139-150.
See Southall et al., 33.4, 411-521.
- Greenwald, R.
See Jurczynski et al., 38.1, 43-55.
- Greenwood, A.
—Obituary for David Conrad Taylor, BVMS FRCVS FZS, 39.2, 203-204.
- Gregg, J. D.
—Book Review: *Rational animals?*, 33.2, 246.
See Dudzinski et al., 39.4, 335-343.
- Greig, D. J.
—Gulland, F. M. D., & Kreuder, C., A decade of live California sea lion (*Zalophus californianus*) strandings along the central California coast: Causes and trends, 1991-2000, 31.1, 11-22.
See Colegrove et al., 31.1, 1-10.
See Serran et al., 34.2, 157-165.
See Zagzebski et al., 32.3, 334-345.
- Greig, T. W.
—Bemiss, J. A., Lyon, B. R., Bossart, G. D., & Fair, P. A., Prevalence and diversity of antibiotic resistant *Escherichia coli* in bottlenose dolphins (*Tursiops truncatus*) from the Indian River Lagoon, Florida, and Charleston Harbor Area, South Carolina, 33.2, 185-194.
- Grigg, E. K.
See Neale et al., 35.1, 1-11.
- Groch, K. R.
See Kolesnikovas et al., 38.3, 317-321.
- Gröne, A.
See Ijsseldijk et al., 40.4, 317-320; 40.4, 394-397.
- Gross, T. S.
See Larkin et al., 31.1, 52-61.
- Groth, L.
See Berrow et al., 38.2, 136-144.
- Guerrero-Ruiz, M.
—García-Godos, I., & Urbán R., J., Photographic match of a killer whale (*Orcinus orca*) between Peruvian and Mexican waters, 31.4, 438-441.
—Pérez-Cortés, M. H., Salinas, Z. M., & Urbán R. J., First mass stranding of killer whales (*Orcinus orca*) in the Gulf of California, Mexico, 32.3, 265-272.
- Gulino, L. M.
See Eigeland et al., 38.4, 402-411.
- Gulland, F. M. D.
—Nutter, F. B., Dixon, K., Calambokidis, J., Schorr, G., Barlow, J., Rowles, T., Wilkin, S., Spradlin, T., Gage, L., Mulsow, J., Reichmuth, C., Moore, M., Smith, J., Folkens, P., Hanser, S. F., Jang, S., & Baker, C. S., Health assessment, antibiotic treatment, and behavioral responses to herding efforts of a cow-calf pair of humpback whales (*Megaptera novaeangliae*) in the Sacramento River Delta, California, 34.2, 182-191.
See Berman-Kowalewski et al., 36.1, 59-66.
See Colegrove et al., 31.1, 1-10.
See Dennison et al., 35.1, 36-42.
See Greig et al., 31.1, 11-22.
See Lynn et al., 36.1, 79-83.
See Norris et al., 37.3, 342-353.
See Serran et al., 34.2, 157-165.
See Shofield et al., 37.3, 354-359.

- See Wilkin et al., 38.3, 301-310.
See Zagzebski et al., 32.3, 334-345.
- Guterres-Pazin, M. G.
—Marmontel, M., Rosas, F. C. W., Pazin, V. F. V., & Venticinque, E. M., Feeding ecology of the Amazonian manatee (*Trichechus inunguis*) in the Mamirauá and Amanã sustainable development reserves, Brazil, 40.2, 139-149.
—Rosas, F. C. W., & Marmontel, M., Short Note: Ingestion of invertebrates, seeds, and plastic by the Amazonian manatee (*Trichechus inunguis*) (Mammalia, Sirenia), 38.3, 322-324.
- Gutiérrez-García, D.
See García-Aguilar et al., 39.1, 54-60.
- Guzman, H. M.
See Félix & Guzmán, 40.4, 329-340.
See Oviedo et al., 34.4, 458-463.
- Guzmán, J.
See Retana et al., 39.3, 233-240.
- Haarr, M. L.
—Charlton, L. D., Terhune, J. M., & Trippel, E. A., Harbour porpoise (*Phocoena phocoena*) presence patterns at an aquaculture cage site in the Bay of Fundy, Canada, 35.2, 203-211.
- Hadrys, L. M-L.
See Elorriaga-Verplancken et al., 39.4, 415-421.
- Haelters, J.
—& Everaarts, E., Short Note: Two cases of physical interaction between white-beaked dolphins (*Lagenorhynchus albirostris*) and juvenile harbour porpoises (*Phocoena phocoena*) in the southern North Sea, 37.2, 198-201.
—Kerckhof, F., Jauniaux, T., & Degraer, S., The grey seal (*Halichoerus grypus*) as a predator of harbour porpoises (*Phocoena phocoena*), 38.4, 343-353.
- Hale, R.
—Pires, R., Santos, P., & Karamanlidis, A. A., Mediterranean monk seal (*Monachus monachus*): Fishery interactions in the archipelago of Madeira, 37.3, 298-304.
- Halick, M. A.
See Koski et al., 35.3, 347-357.
- Halpin, P. N.
See Curtice et al., 37.3, 360-371.
- Halvorsen, K. M.
—& Keith, E. O., Immunosuppression cascade in the Florida manatee (*Trichechus manatus latirostris*), 34.4, 412-419.
- Hamilton, P. K.
See Frasier et al., 36.2, 115-120.
- Hammer, A. S.
See Alstrup et al., 39.4, 385-388.
- Hammill, M. O.
See Schreer et al., 36.3, 270-277.
- Hammock, J. A.
See D'Amico et al., 35.4, 452-472.
- Han, J.
See Zhang et al., 40.1, 5-8.
- Hansen, K. A.
See Siebert et al., 37.4, 443-453.
- Hansen, L.
See Bossart et al., 33.2, 235-240.
- Hanser, S. F.
See Gulland et al., 34.2, 182-191.
- Hanson, M. B.
—& Walker, W. A., Trans-Pacific consumption of cephalopods by North Pacific killer whales (*Orcinus orca*), 40.3, 274-284.
See Baird et al., 37.4, 506-511.
See Zagzebski et al., 32.3, 334-345.
- Hardigan, P. C.
See Rappucci et al., 38.1, 31-42.
- Harley, H. E.
See Fellner et al., 32.4, 511-516.
- Harlin-Cognato, A. D.
See Merriman et al., 35.4, 511-522.
- Harr, K. E.
See Wong et al., 38.1, 1-16.
- Harris, H. S.
—Oates, S. C., Staedler, M. M., Tinker, M. T., Jessup, D. A., Harvey, J. T., & Miller, M. A., Lesions and behavior associated with forced copulation of juvenile Pacific harbor seals (*Phoca vitulina richardsi*) by southern sea otters (*Enhydra lutris nereis*), 36.4, 331-341.
- Harting, A. L.
See Gilmartin et al., 37.3, 332-341.
- Harvey, J. T.
See Harris et al., 36.4, 331-341.
See Neale et al., 35.1, 1-11.
- Harvey, P.
See Bloch et al., 38.3, 250-266.
- Hasselberg, B. A.
—& Thomas, J. A., Using an infrared temperature sensor to study microhabitat selection in captive California sea lions (*Zalophus californianus*), 34.2, 212-228.
- Hasselmeier, I.
—Fonfara, S., Driver, J., & Siebert, U., Differential hematology profiles of free-ranging, rehabilitated, and captive harbor seals (*Phoca vitulina*) of the German North Sea, 34.2, 149-156.
- Hatfield, B.
See Lowry et al., 40.1, 20-31.
- Haubold, E. M.
See Turner et al., 32.1, 46-57.
- Haulena, M.
See Zagzebski et al., 32.3, 334-345.
- Hauser, D. D. W.
—Allen, C. S., Rich, H. B., Jr., & Quinn, T. P., Resident harbor seals (*Phoca vitulina*) in Iliamna Lake, Alaska: Summer diet and partial consumption of adult sockeye salmon (*Oncorhynchus nerka*), 34.3, 303-309.
- Hawkins, E. R.
—& Gartside, D. F., Interactive behaviours of bottlenose dolphins (*Tursiops aduncus*) during encounters with vessels, 35.2, 259-268.
—& Gartside, D. F., Patterns of whistles emitted by wild Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) during a provisioning program, 35.2, 171-186.
- Hayes, V. J.
—& Terhune, J. M., Underwater call sequences of Weddell seals (*Leptonychotes weddellii*) at the Vestfold Hills, Antarctica, 33.3, 305-314.
- Hazevoet, C. J.
See Wenzel et al., 35.4, 502-510.
- Head, E.
See Olsen et al., 35.3, 313-318.
- Hedayat, A.
See Alstrup et al., 39.4, 385-388.
- Heide-Jørgensen, M. P.
See Lockyer et al., 33.3, 293-304.
- Hemmingsson, M. M. B.
See Königson et al., 32.2, 152-156.
- Hender, J.
See Hobbs et al., 33.2, 175-178.

- Henderson, J. R.
See Gilmartin et al., 37.3, 326-331.
- Henningsen, T.
See McGuire & Henningsen, 33.3, 359-367.
- Hensley, G.
See Bossart et al., 33.2, 214-222.
- Hepworth, K.
See Weir et al., 34.4, 436-447.
- Herman, L. M.
—Historical Perspectives: Birthing a dolphin research laboratory: The early history of the Kewalo Basin Marine Mammal Laboratory, 38.1, 102-125.
See Pack & Herman, 32.4, 443-460.
See Green et al., 33.2, 202-213.
- Hernandez, E. N.
—Kuczaj II, S., Houser, D. S., & Finneran, J. J., Middle- and long-latency auditory evoked potentials in bottlenose dolphins (*Tursiops truncatus*) resulting from frequent and oddball stimuli, 33.1, 34-42.
- Hernandez-Milian, G.
See Pierce et al., 37.3, 284-297.
- Herzing, D. L.
—The currency of cognition: Assessing tools, techniques, and media for complex behavioral analysis, 32.4, 544-553.
—& Johnson, C. M., Conclusions and possibilities of new frameworks and techniques for research on marine mammal cognition, 32.4, 554-557.
See Johnson & Herzing, 32.4, 409-412.
- Hicks, C. L.
See Bossart et al., 31.4, 473-480.
- Hiddink, J. G.
See Nuutila et al., 39.2, 147-161.
- Hiemstra, S.
See Ijsseldijk et al., 40.4, 317-320; 40.4, 394-397.
- Higashi, N.
See Yoshida et al., 36.3, 278-283.
- Higdon, J. W.
—& Ferguson, S. H., Inuit recollections of a 1950s killer whale (*Orcinus orca*) ice entrapment in Foxe Basin, Nunavut, Canada, 40.1, 9-19.
See Luque et al., 33.2, 241-245.
- Highfill, L. E.
—& Kuczaj II, S. A., Do bottlenose dolphins (*Tursiops truncatus*) have distinct and stable personalities?, 33.3, 380-389.
- Hildebrand, J. A.
See Wiggins et al., 31.2, 161-168.
- Hillman, G. R.
See Finerty et al., 33.3, 349-358.
- Hines, E. M.
See Ponnampalam et al., 39.4, 401-408.
- Hirons, A. C.
See Witteveen et al., 37.2, 101-110.
- Hobbs, J-P., A.
—Frisch, A. J., Hender, J., & Gilligan, J. J., Long-distance oceanic movement of a solitary dugong (*Dugong dugon*) to the Cocos (Keeling) Islands, 33.2, 175-178.
- Hoek, L.
See Kastelein et al., 39.2, 162-173.
- Hoekendijk, J.
See Ijsseldijk et al., 40.4, 394-397.
- Hoelzel, A. R.
See Olavarría et al., 36.3, 288-293.
- Hoeve, B.
See Lucke et al., 33.1, 55-68.
- Hoffman, J. M.
See Dares et al., 40.4, 368-374.
- Hofman, R. J.
—Historical Perspectives: The continuing legacies of the Marine Mammal Commission and its Committee of Scientific Advisors on Marine Mammals, 35.1, 94-129.
- Hofmann, S.
See Fazioli et al., 32.2, 212-222.
- Hohn, A. A.
See Lockyer et al., 33.3, 293-304.
- Holsbeek, L.
See Vermeulen et al., 38.1, 56-64.
- Holst, M.
—Greene, C. R. Jr., Richardson, W. J., McDonald, T. L., Bay, K. B., Schwartz, S. J., & Smith, G., Responses of pinnipeds to Navy missile launches at San Nicolas Island, California, 37.2, 139-150.
See Demarchi et al., 38.3, 279-289.
- Holt, S.
—Historical Perspectives: Science, politics, and economics in the International Whaling Commission, 37.3, 420-430.
- Horback, K. M.
—Muraco, H., & Kuczaj II, S. A., Short Note: Variations in interspecific behavior throughout the estrous cycle of a killer whale (*Orcinus orca*), 38.4, 428-434.
- Horning, M.
See Mellish et al., 32.1, 58-65.
- Hoson, O.
—Kawada, S-I., & Oda, S-I., Ossification patterns of cranial sutures in the Florida manatee (*Trichechus manatus latirostris*) (Sirenia, Trichechidae), 35.1, 72-81.
- Houser, D. S.
—Crocker, D. E., Reichmuth, C., Mulsow, J., & Finneran, J. J., Auditory evoked potentials in northern elephant seals (*Mirounga angustirostris*), 33.1, 110-121.
See Finneran et al., 33.1, 43-54.
See Hernandez et al., 33.1, 34-42.
See Reichmuth et al., 33.1, 132-150.
- Howells, E. M.
—Reif, J. S., Bechdel, S. E., Murdoch, M. E., Bossart, G. D., McCulloch, S. D., & Mazzoil, M. S., A novel case of non-offspring adoption in a free-ranging Atlantic bottlenose dolphin (*Tursiops truncatus*) inhabiting the Indian River Lagoon, Florida, 35.1, 43-47.
See Bechdel et al., 35.3, 367-377.
See Bossart et al., 33.2, 235-240.
- Huber, D.
See Gomerčič et al., 37.3, 243-247.
- Hucke-Gaete, R.
See Olavarría et al., 36.3, 288-293.
- Hudson, J.
See Mucaro et al., 35.3, 386-393.
- Huele, R.
See Beekmans et al., 31.2, 243-247.
- Hughes, G.
See Brown et al., 37.3, 319-325.
- Hulsey, T. C.
See Fair et al., 32.2, 182-195.
- Hung, S. K.
See Jefferson & Hung, 34.3, 310-316.
See Piwetz et al., 38.3, 325-331.
- Hunt, M.
See Bossart et al., 38.4, 412-417.
- Hunter, C. H.
See Balmer et al., 37.2, 187-192.

- Iida, T.
See Shirakihara et al., 38.2, 145-152.
- Ijsseldijk, L. L.
—Gröne, A., Hiemstra, S., Hoekendijk, J., & Begeman, L., Short Note: A record of twin fetuses in a harbor porpoise (*Phocoena phocoena*) stranded on the Dutch coast, 40.4, 394-397.
—Steenbergen, J., Gröne, A., Hiemstra, S., Kik, M. J. L., & Begeman, L., Short Note: Apparent emergence of bow-caught fin whales (*Balaenoptera physalus*) found in the Netherlands, 40.4, 317-320.
- Ilangakoon, A. D.
See Ponnampalam et al., 39.4, 401-408.
- Iñíguez, M. A.
—& Tossenberger, V. P., Commerson's dolphins (*Cephalorhynchus commersonii*) off Ría Deseado, Patagonia, Argentina, 33.3, 276-285.
See Vila et al., 34.3, 317-330.
- Ireland, D.
See Koski et al., 35.3, 347-357.
- Iriarte, V.
—& Marmontel, M., River dolphin (*Inia geoffrensis*, *Sotalia fluviatilis*) mortality events attributed to artisanal fisheries in the Western Brazilian Amazon, 39.2, 116-124.
- Irwin, L. J.
—Marine toxins: adverse health effects and biomonitoring with resident coastal dolphins, 31.2, 195-225.
- Ishigami, T.
See Blanchet et al., 35.4, 473-480.
- Iwata, T.
—Yonezaki, S., Kohyama, K., & Mitani, Y., Detection of grooming behaviours with an acceleration data logger in a captive northern fur seal (*Callorhinus ursinus*), 39.4, 378-384.
- Izumizawa, Y.
See Ueda et al., 40.2, 185-190.
- Jácomo, A. T. A.
See Silveira et al., 37.2, 208-212.
- Jang, S. S.
See Goldstein et al., 33.3, 337-348.
See Gulland et al., 34.2, 182-191.
- Jann, B.
See Wenzel et al., 35.4, 502-510.
- Jauniaux, T.
See Haelters et al., 38.4, 343-353.
- Jefferson, T. A.
—& Hung, S. K., Effects of biopsy sampling on Indo-Pacific humpback dolphins (*Sousa chinensis*) in a polluted coastal environment, 34.3, 310-316.
See Smultea & Jefferson, 40.1, 32-43
See Nanayakkara et al., 40.4, 398-406.
See Smultea et al., 38.1, 92-97.
- Jeglinski, J. W. E.
—Mueller, B., Pörschmann, U., & Trillmich, F., Field-based age estimation of juvenile Galapagos sea lions (*Zalophus wollebaeki*) using morphometric measurements, 36.3, 262-269.
- Jennings, N.
See Kastelein et al., 40.3, 232-242.
- Jensen, E.
See Sweeney et al., 36.3, 248-261.
- Jensen, H. E.
See Alstrup et al., 39.4, 385-388.
- Jensen, T. H.
See Alstrup et al., 39.4, 385-388.
- Jenson, A. B.
See Ghim et al., 40.2, 195-200.
- Jessop, T.
See Lanyon et al., 32.2, 196-201.
- Jessup, D. A.
See Harris et al., 36.4, 331-341.
- Jiang, W.
See Xian et al., 38.2, 127-135.
- Joh, J.
See Ghim et al., 40.2, 195-200.
- Johanos, T. C.
See Brown et al., 37.3, 319-325.
See Gilmartin et al., 37.3, 326-331; 37.3, 332-341.
- Johnson, A. B.
See Bossart et al., 31.4, 473-480.
- Johnson, C. M.
—& Herzing, D. L., Primate, cetacean, and pinniped cognition compared: An introduction, 32.4, 409-412.
—& Karin-D'Arcy, M. R., Social attention in nonhuman primates: A behavioral review, 32.4, 423-442.
See Herzing & Johnson, 32.4, 554-557.
See Anderson et al., 32.2, 223-231.
See D'Amico et al., 35.4, 452-472.
- Johnson, M.
—Book Review: *Tagging and tracking of marine animals with electronic devices*, 37.2, 222-224.
- Joseph, B.
See Bossart et al., 31.4, 473-480.
- Juárez-Ruiz, A. E.
See Ortega-Ortiz et al., 40.4, 357-363.
- Junchompoo, C.
See Ponnampalam et al., 39.4, 401-408.
- Jurczynski, K.
—Lyashchenko, K. P., Scharpegge, J., Fluegger, M., Lacave, G., Moser, I., Tortschanoff, S., & Greenwald, R., Use of multiple diagnostic tests to detect *Mycobacterium pinnipedii* infections in a large group of South American sea lions (*Otaria flavescens*), 38.1, 43-55.
- Kanatous, S. B.
See Garcia et al., 40.4, 412-422.
- Karamanlidis, A. A.
—& Schofield, T. D., Foreword, 37.3, 225.
—Paravas, V., Trillmich, F., & Dendrinis, P., First observations of parturition and postpartum behavior in the Mediterranean monk seal (*Monachus monachus*) in the Eastern Mediterranean, 36.1, 27-32.
See Adamantopoulou et al., 37.3, 256-261.
See Alfaghi et al., 39.1, 81-84.
See Dendrinis et al., 33.2, 179-184; 34.3, 355-361.
See Hale et al., 37.3, 298-304.
See Muñoz et al., 37.3, 262-279.
See Pires et al., 33.3, 327-336.
See Trivourea et al., 37.3, 305-318.
- Karin-D'Arcy, M. R.
See Johnson & Karin-D'Arcy, 32.4, 423-442.
- Kashinsky, L.
See Reif et al., 32.2, 157-167.
- Kastak, D.
See Southall et al., 33.4, 411-521.
- Kastelein, R. A.
—& Wensveen, P. J., Effect of two levels of masking noise on the hearing threshold of a harbor porpoise (*Phocoena phocoena*) for a 4.0 kHz signal, 34.4, 420-425.
—Gransier, R., van den Hoogen, M., & Hoek, L., Brief behavioral response threshold levels of a harbor porpoise (*Phocoena phocoena*) to five helicopter dipping sonar signals, 39.2, 162-173.

- Schop, J., Gransier, R., Steen, N., & Jennings, N., Effect of series of 1 to 2 kHz and 6 to 7 kHz up-sweeps and down-sweeps on the behavior of a harbor porpoise (*Phocoena phocoena*), 40.3, 232-242.
- Staal, C., & Wiepkema, P. R., Food consumption and body mass of captive harbor seals (*Phoca vitulina*), 31.1, 34-42.
- Steen, N., Gransier, R., & de Jong, C. A. F., Brief behavioral response threshold levels of a harbor porpoise (*Phocoena phocoena*) to an impulsive sound, 39.4, 315-323.
- van Dooren, M. F., & Tibboel, D., A case study of congenital diaphragmatic hernia in a juvenile striped dolphin (*Stenella coeruleoalba*), 35.1, 32-35.
- Kato, H.
See Yoshida et al., 36.2, 154-161.
- Kato, K.
See Murayama et al., 38.4, 333-342.
- Katz, H.
—Pessina, P., & Franco-Trecu, V., Short Note: Serum progesterone concentration in female South American fur seals (*Arctophoca australis*) during the breeding season, 39.3, 290-295.
- Kaufman, G. D.
See Silva et al., 39.4, 409-414.
- Kawada, S-I.
See Hoson et al., 35.1, 72-81.
- Keith, E. O.
See Bills & Keith, 38.3, 290-300.
See Halvorsen & Keith, 34.4, 412-419.
See Bartha et al., 37.4, 454-463.
See Rappucci et al., 38.1, 31-42.
- Keledjian, A. J.
—& Mesnick, S., The impacts of El Niño conditions on California sea lion (*Zalophus californianus*) fisheries interactions: Predicting spatial and temporal hotspots along the California coast, 39.3, 221-232.
- Kendall, T.
See Williams et al., 37.3, 372-376.
- Kenney, R. D.
—Book Review: *Marine mammals of the North Atlantic*, 31.1, 144-146.
- Kerckhof, F.
See Haelters et al., 38.4, 343-353.
- Kerem, D. H.
See Scheinin et al., 37.3, 241-242.
- Ketten, D. R.
See D'Amico et al., 35.4, 452-472.
See Filadelfo et al., 35.4, 435-444; 35.4, 445-451.
See Southall et al., 33.4, 411-521.
- Khan, A.
See Bashir et al., 36.1, 19-26.
- Kik, M. J. L.
See Ijsseldijk et al., 40.4, 317-320.
- Kilpatrick, D. S.
See Bossart et al., 33.2, 235-240; 34.2, 166-177.
See Mazzoil et al., 34.1, 54-64.
- Kindt-Larsen, L.
See Boström et al., 39.4, 389-396.
- Kinoshita, R. E.
See Brook & Kinoshita, 31.1, 89-95.
- Kirchner, T.
See Orbach & Kirchner, 40.3, 285-292.
- Kirkwood, J. M.
See Lanyon et al., 32.2, 196-201.
- Kiszka, J.
See Anderson et al., 32.2, 223-231.
- Kjeld, M.
—Ólafsson, Ö., Víkingsson, G. A., & Sigurjónsson, J., Sex hormones and reproductive status of the North Atlantic fin whales (*Balaenoptera physalus*) during the feeding season, 32.1, 75-84.
- Kleen, J. M.
—& Breland, A. D., Increases in seasonal manatee (*Trichechus manatus latirostris*) abundance within Citrus County, Florida, 40.1, 69-80.
- Kleivane, L.
See Miller et al., 38.4, 362-401.
See Olsen et al., 35.3, 313-318.
- Klieve, A. V.
See Eigeland et al., 38.4, 402-411.
- Kliks, M. M.
See Reif et al., 32.2, 157-167.
- Klishin, V. O.
See Popov et al., 33.1, 24-33.
- Knutsen, L. Ø.
See Born et al., 31.1, 23-33.
- Kohyama, K.
See Iwata et al., 39.4, 378-384.
- Kolesnikovas, C. K. M.
—Groch, K. R., Nunes de Moraes, A., Flores, P. A. C., Pretto, D. J., Freitas, R. R., Gaidzinski, M. C., Moreira, L. M. P., & Rocha, M. E. C., Short Note: Euthanasia of an adult southern right whale (*Eubalaena australis*) in Brazil, 38.3, 317-321.
- Königson, S. J.
—Lundström, K. E., Hemmingsson, M. M. B., Lunneryd, S-G., & Westerberg, H., Feeding preferences of harbour seals (*Phoca vitulina*) specialised in raiding fishing gear, 32.2, 152-156.
- Kooyman, G. L.
See Kooyman & Kooyman, 35.4, 523-556.
- Kooyman, M. M.
—& Kooyman, G. L., Historical Perspectives: The history of pinniped studies in Antarctica, 35.4, 523-556.
- Koski, W. R.
—Allen, T., Ireland, D., Buck, G., Smith, P. R., Macrander, A. M., Halick, M. A., Rushing, C., Sliwa, D. J., & McDonald, T. L., Evaluation of an unmanned airborne system for monitoring marine mammals, 35.3, 347-357.
- Kot, B. W.
—Morisaka, T., Sears, R., Samuelson, D., & Marshall, C. D., Short Note: Low prevalence of visual impairment in a coastal population of gray seals (*Halichoerus grypus*) in the Gulf of St. Lawrence, Canada, 38.4, 423-427.
- Kotomatas, S
See Adamantopoulou et al., 37.3, 256-261.
See Dendrinou et al., 33.2, 179-184; 34.3, 355-361.
See Trivourea et al., 37.3, 305-318.
- Kouba, A.
See Silveira et al., 37.2, 208-212.
- Kovacs, C.
—& Cox, T., Quantification of interactions between common bottlenose dolphins (*Tursiops truncatus*) and a commercial shrimp trawler near Savannah, Georgia, 40.1, 81-94.
- Kowarski, K. A.
—Augusto, J. F., Frasier, T. R., & Whitehead, H., Effects of remote biopsy sampling on long-finned pilot whales (*Globicephala melas*) in Nova Scotia, 40.2, 117-125.
- Kraus, S. D.
—Book Review: *Right whales: Natural history and conservation*, 31.1, 143.
See Frasier et al., 36.2, 115-120.
See Zani et al., 34.1, 21-24.

- Krause, J.
See Wilson & Krause, 39.1, 89-96.
- Kretzmann, M.
—Rohrbach, L., Durham, K., DiGiovanni, R., Jr., & Sañudo-Wilhelmy, S., Trace metal burdens in stranded seals from Long Island, New York: Potential evidence for species differences in foraging, 36.2, 178-187.
- Kreuder, C.
See Greig et al., 31.1, 11-22.
- Kroell, K.
See Bossart et al., 33.2, 214-222; 33.2, 235-240.
- Krog, C.
See Boström et al., 39.4, 389-396.
- Kubo, N.
See Yatabe et al., 36.2, 172-177.
- Kubodera, T.
See Yatabe et al., 36.2, 172-177.
- Kuczaj II, S. A.
& Yeater, D. B., Dolphin imitation: Who, what, when, and why?, 32.4, 413-422.
See Highfill & Kuczaj II, 33.3, 380-389.
See Hernandez et al., 33.1, 34-42.
See Horback et al., 38.4, 428-434.
See Yeater et al., 39.4, 344-355.
- Kügler, A.
—& Orbach, D. N., Sources of notch and scar patterns on the dorsal fins of dusky dolphins (*Lagenorhynchus obscurus*), 40.3, 260-273.
- Kurihara, N.
—& Oda, S-I., Cranial variation and taxonomic revision of bottlenose dolphins (*Tursiops* spp.) from Japanese waters, 32.3, 289-300.
- Kusuminda, T.
See Nanayakkara et al., 40.4, 398-406.
- Kvadsheim, P. H.
—Sevaldsen, E. M., Folklow, L. P., & Blix, A. S., Behavioural and physiological responses of hooded seals (*Cystophora cristata*) to 1 to 7 kHz sonar signals, 36.3, 239-247.
See Miller et al., 38.4, 362-401.
- Lacave, G.
See Jurczynski et al., 38.1, 43-55.
- Lacker, Jr., T. E.
See McFadden et al., 32.1, 31-40.
- LaCommare, K. S.
—Self-Sullivan, C., & Brault, S., Distribution and habitat use of Antillean manatees (*Trichechus manatus manatus*) in the Drowned Cayes Area of Belize, Central America, 34.1, 35-43.
- Lagerquist, B.
See Mate et al., 31.2, 157-160.
- Lagerstrom, L. C.
See Visser et al., 34.2, 193-199.
- Lair, S.
See Larrat et al., 38.1, 86-91.
- Laist, D. W.
See Lowry et al., 37.3, 397-419.
- Lam, F. P. A.
See Miller et al., 38.4, 362-401.
- Lamb, S. V.
See Lewis et al., 39.4, 324-329.
- Lance, M. M.
See Buzzell et al., 40.2, 150-161.
- Lander, M. E.
See Zagzebski et al., 32.3, 334-345.
- Langan, J.
See Wells et al., 40.3, 252-259.
- Langlois, G. W.
See Fire et al., 36.4, 342-350.
- Lanyon, J. M.
—Newgrain, K., & Syah Alli, T. S., Estimation of water turnover rate in captive dugongs (*Dugong dugon*), 32.1, 103-108.
—Slade, R. W., Sneath, H. L., Broderick, D., Kirkwood, J. M., Limpus, D., Limpus, C. J., & Jessop, T., A method for capturing dugongs (*Dugong dugon*) in open water, 32.2, 196-201.
—Sneath, H. L., & Long, T., Short Note: Three skin sampling methods for molecular characterization of free-ranging dugong (*Dugong dugon*) populations, 36.3, 298-306.
—Sneath, H. L., Long, T., & Bonde, R. K., Physiological response of wild dugongs (*Dugong dugon*) to out-of-water sampling for health assessment, 36.1, 46-58.
—Sneath, H. L., Ovenden, J. R., Broderick, D., & Bonde, R. K., Sexing sirenians: Validation of visual and molecular sex determination in both wild dugongs (*Dugong dugon*) and Florida manatees (*Trichechus manatus latirostris*), 35.2, 187-192.
See Eigeland et al., 38.4, 402-411.
- Lapierre, J. L.
See Schreer et al., 36.3, 270-277.
- Laplanche, C.
See Lopatka et al., 31.4, 463-467.
- Larkin, I. L. V.
—Gross, T. S., & Reep, R. L., Use of faecal testosterone concentrations to monitor male Florida manatee (*Trichechus manatus latirostris*) reproductive status, 31.1, 52-61.
See Fellner et al., 32.1, 66-74.
- Larrat, S.
—Measures, L. N., & Lair, S. Short Note: Rake marks on a harbor porpoise (*Phocoena phocoena*) calf suggestive of a fatal interaction with an Atlantic white-sided dolphin (*Lagenorhynchus acutus*), 38.1, 86-91.
- Larson, A. M.
See Garcia et al., 40.4, 412-422.
- Larson, S.
—& Casson, C. J., Reproductive hormone levels within captive female northern fur seals (*Callorhinus ursinus*) with and without chemical contraceptives, 33.2, 195-201.
- Latusek-Nabholz, J.
—Fertl, D., Blair, L., & Ferrer, C., Short Note: A rare observation of bottlenose dolphins (*Tursiops truncatus*) with a whale shark (*Rhincodon typus*) off the Florida panhandle, Gulf of Mexico, 40.3, 293-296.
- Laule, G. E.
See Aragonés et al., 36.3, 219-233.
- Law, R. J.
See Thomse et al., 37.1, 1-93.
- Le Boeuf B. J.
& Campagna, C., Wildlife viewing spectacles: Best practices from elephant seal (*Mirounga* sp.) colonies, 39.2, 132-146.
—Condit, R., Morris, P. R., & Reiter, J., The northern elephant seal (*Mirounga angustirostris*) rookery at Año Nuevo: A case study in colonization, 37.4, 486-501.
See Lowry et al., 40.1, 20-31.
- Lee, O. A.
—Gelwick, F., & Davis, R. W., Summer foraging tactics in sea otters (*Enhydra lutris*): Maintaining foraging efficiencies in a stable population in Alaska, 36.4, 351-364.
- Leeney, R. H.
—Carslake, D., & Elwen, S. H., Using static acoustic monitoring to describe echolocation behaviour of Heaviside's dolphins (*Cephalorhynchus heavisidii*) in Namibia, 37.2, 151-160.
See Elwen et al., 36.4, 382-387.

- Legakis, A.
See Dendrinou et al., 33.2, 179-184.
- Lenzi, R.
See Bossart et al., 31.4, 473-480.
- Lepper, P. A.
See Lucke et al., 33.1, 55-68.
- Leppert, L.
See Bossart et al., 38.4, 412-417.
- Lescrauwaet, A-K.
See Viddi & Lescrauwaet, 31.2, 176-183.
- Levine, G.
See Shofield et al., 37.3, 354-359.
- Lewis, L.
—Lamb, S. V., Schaefer, A. M., Reif, J. S., Bossart, G. D., & Fair, P. A., Influence of collection and storage conditions on adrenocorticotrophic hormone (ACTH) measurements in bottlenose dolphins (*Tursiops truncatus*), 39.4, 324-329.
- Lewis, M. N.
See Retana et al., 39.3, 233-240.
- Leyssen, T.
See van Opzeeland et al., 31.1, 110-119.
- Libera, S. D.
See Carlini et al., 40.1, 59-68.
- Lidstone-Scott, R.
See Culloch et al., 38.1, 81-85.
- Lima, R. P.
—Alvite, C. M. C., Vergara-Parente, D. F., Castro, D. F., Paszkiewicz, E., & Gonzalez, M., Reproductive behavior in a captive-released manatee (*Trichechus manatus manatus*) along the northeastern coast of Brazil and the life history of her first born calf in the wild, 31.4, 420-426.
- Limpus, C. J.
See Lanyon et al., 32.2, 196-201.
- Limpus, D.
See Lanyon et al., 32.2, 196-201.
- Liñán-Cabello, M. A.
See Ortega-Ortiz et al., 40.4, 357-363; 40.4, 386-393.
- Lindemann, K. L.
—Reichmuth Kastak, C., & Schusterman, R. J., The role of learning in the production and comprehension of auditory signals by pinnipeds, 32.4, 483-490.
- Lingenfelser, R.
See Wells et al., 39.1, 61-72.
- Littnan, C. L.
See Norris et al., 37.3, 342-353.
See Shofield et al., 37.3, 354-359.
- Lockyer, C.
—Hohn, A. A., Doidge, D. W., Heide-Jørgensen, M. P., & Suydam, R., Age determination in belugas (*Delphinapterus leucas*): A quest for validation of dentinal layering, 33.3, 293-304.
See Bloch et al., 38.3, 250-266.
- Logerwell, E. A.
—& Schaufler, L. E., New data on proximate composition and energy density of Steller sea lion (*Eumetopias jubatus*) prey fills seasonal and geographic gaps in existing information, 31.1, 62-82.
- Lomac-MacNair, K. S.
See Zoidis et al., 40.1, 44-58.
- Long, T.
See Lanyon et al., 36.1, 46-58; 36.3, 298-306.
- Lopatka, M.
—Adam, O., Laplanche, C., Zarzycki, J., & Motsch, J-F., An attractive alternative for sperm whale click detection using the wavelet transform in comparison to the fourier spectrogram, 31.4, 463-467.
- Lopez, A.
See Bossart et al., 31.4, 473-480.
- López, B. D.
—Bottlenose dolphin (*Tursiops truncatus*) predation on a marine fin fish farm: Some underwater observations, 32.3, 305-310.
- López-Ortega, M.
See Galindo et al., 35.1, 12-18.
- Louro, S.
See dos Santos et al., 31.4, 453-462.
- Lovell, T.
See Yoshida et al., 36.2, 154-161.
- Lowry, L. F.
—Book Review: *Caribbean monk seals: Lost seals of the Gulf of Mexico and Caribbean Sea*, 37.3, 431-432.
—Laist, D. W., Gilmartin, W. G., & Antonelis, G. A., Recovery of the Hawaiian monk seal (*Monachus schauinslandi*): A review of conservation efforts, 1972 to 2010, and thoughts for the future, 37.3, 397-419.
- Lowry, M. S.
—Condit, R., Hatfield, B., Allen, S. G., Berger, R., Morris, P. A., Le Boeuf, B. J., & Reiter, J., Abundance, distribution, and population growth of the northern elephant seal (*Mirounga angustirostris*) in the United States from 1991 to 2010, 40.1, 20-31.
- Lu, Z.
See Zhang et al., 40.1, 5-8.
- Lucke, K.
—Lepper, P. A., Hoeve, B., Everaarts, E., van Elk, N., & Siebert, U., Perception of low-frequency acoustic signals by a harbour porpoise (*Phocoena phocoena*) in the presence of simulated offshore wind turbine noise, 33.1, 55-68.
- Luna, F. O.
See Balensiefer et al., 40.2, 201-206.
- Lundquist, D.
See Piwetz et al., 38.3, 325-331.
- Lundström, K. E.
See Königson et al., 32.2, 152-156.
- Lunneryd, S-G.
See Boström et al., 39.4, 389-396.
See Königson et al., 32.2, 152-156.
- Luque, S. P.
—Higdon, J. W., & Ferguson, S. H., Dentine deposition rates in belugas (*Delphinapterus leucas*): An analysis of the evidence, 33.2, 241-245.
- Luxa, K.
—& Acevedo-Gutiérrez, A., Food habits of harbor seals (*Phoca vitulina*) in two estuaries in the Central Salish Sea, 39.1, 10-22.
- Lyashchenko, K. P.
See Jurczynski et al., 38.1, 43-55.
- Lynn, B. L.
—Reichmuth, C., Schusterman, R. J., & Gulland, F. M. D., Filial imprinting on a Steller sea lion (*Eumetopias jubatus*), 36.1, 79-83.
- Lyon, B. R.
See Greig et al., 33.2, 185-194.
- MacGillivray, A. O.
See Demarchi et al., 38.3, 279-289.
- MacLean, S. F.
See Visser et al., 34.2, 193-199.
- Macrander, A. M.
See Koski et al., 35.3, 347-357.
- Madsen, P. T.
See Anderson et al., 32.2, 223-231.
- Maejima, K.
See Murayama et al., 38.4, 333-342.

- Mahaffy, S. D.
See Baird et al., 37.4, 506-511.
- Maia-Nogueira, R.
See Batista et al., 31.4, 434-437.
- Mair, J. M.
See Oviedo et al., 34.4, 458-463.
- Maldini, D.
See Danil et al., 31.4, 403-412.
See Silva et al., 39.4, 409-414.
- Maniago, F. E. M.
See Aragones et al., 36.3, 219-233.
- Manire, C. A.
See Bossart et al., 33.2, 214-222.
See Clua et al., 40.2, 162-172.
- Maniscalco, J. M.
—Calkins, D. G., Parker, P., & Atkinson, S., Causes and extent of natural mortality among Steller sea lion (*Eumetopias jubatus*) pups, 34.3, 277-287.
- Mann, D. A.
See Simard et al., 34.4, 464-470.
- Mansur, E. F.
—Smith, B. D., Mowgli, R. M., & Diyan, M. A. A., Two incidents of fishing gear entanglement of Ganges river dolphins (*Platanista gangetica gangetica*) in waterways of the Sundarbans Mangrove forest, Bangladesh, 34.3, 362-367.
- Manton, V.
See Dudzinski et al., 40.1, 1-4.
- Marcondes, M. C. C.
See Balensiefer et al., 40.2, 201-206.
- Marcotte, M. L.
See Trites et al., 32.1, 85-97.
- Markel, R. W.
See Witteveen et al., 37.2, 101-110.
- Markowitz, H.
See Timmel et al., 34.4, 402-411.
- Markowitz, T. M.
See Merriman et al., 35.4, 511-522.
- Marley, S. A.
—Cheney, B., & Thompson, P. M., Using tooth rakes to monitor population and sex differences in aggressive behaviour in bottlenose dolphins (*Tursiops truncatus*), 39.2, 107-115.
- Marmontel, M.
See Iriarte & Marmontel, 39.2, 116-124.
See Guterres-Pazin et al., 38.3, 322-324; 40.2, 139-149.
- Marshall, C. D.
See Dudzinski et al., 39.1, 97-100.
See Kot et al., 38.4, 423-427.
- Marsilio, F.
See Di Francesco et al., 36.3, 294-297.
- Marten, K.
See Danil et al., 31.4, 403-412.
- Martín, V.
—Tejedor, M., Pérez-Gil, M., Dalebout, M. L., Arbelo, M., & Fernández, A., Short Note: A Sowerby's beaked whale (*Mesoplodon bidens*) stranded in the Canary Islands: The most southern record in the Eastern North Atlantic, 37.4, 512-519.
- Martinez, E.
See Eigeland et al., 38.4, 402-411.
See Filby et al., 36.1, 33-45.
- Mase-Guthrie, B.
See Mazzoil et al., 34.1, 54-64.
- Mass, A. M.
—& Supin, A. Ya., Ganglion cell topography and retinal resolution of the Steller sea lion (*Eumetopias jubatus*), 31.4, 393-402.
- Matassa, K.
See Schofield et al., 34.1, 1-8.
- Mate, B.
—Duley, P., Lagerquist, B., Wenzel, F., Stimpert, A., & Clapham, P., Observations of a female North Atlantic right whale (*Eubalaena glacialis*) in simultaneous copulation with two males: Supporting evidence for sperm competition, 31.2, 157-160.
See Berman-Kowalewski et al., 36.1, 59-66.
- Matheson, T.
See Watson et al., 34.1, 65-70.
- Matkin, C. O.
See Yurk et al., 36.1, 67-78.
- Mattioli, S.
—& Domning, D. P., An annotated list of extant skeletal material of Steller's sea cow (*Hydrodamalis gigas*) (Sirenia: Dugongidae) from the Commander Islands, 32.3, 273-288.
- Mattson, M. C.
—Thomas, J. A., & St. Aubin, D., Effects of boat activity on the behavior of bottlenose dolphins (*Tursiops truncatus*) in waters surrounding Hilton Head Island, South Carolina, 31.1, 133-140.
- Mayer, F-X.
See Faria et al., 39.3, 296-305.
- Mazzoil, M. S.
—McCulloch, S. D., Youngbluth, M. J., Kilpatrick, D. S., Murdoch, M. E., Mase-Guthrie, B., Odell, D. K., & Bossart, G. D., Radio-tracking and survivorship of two rehabilitated bottlenose dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 34.1, 54-64.
See Bechdel et al., 35.3, 367-377.
See Bergfelt et al., 39.2, 187-195.
See Howells et al., 35.1, 43-47.
- Mazzuca, L.
See Deakos et al., 36.2, 121-128.
See Smultea et al., 38.1, 92-97.
- McBain, J.
See Sweeney et al., 36.3, 248-261.
- McCafferty, D. J.
—& Parsons, E. C. M., Short Note: Marine mammal ecotypes: Implications for otter conservation and management, 37.2, 205-207.
- McCreery, L.
—& Thomas, J. A., Acoustic analysis of underwater vocalizations from crabeater seals (*Lobodon carcinophagus*): Not so monotonous, 35.4, 490-501.
- McCulloch, S. D.
See Bechdel et al., 35.3, 367-377.
See Bossart et al., 38.4, 412-417.
See Howells et al., 35.1, 43-47.
See Mazzoil et al., 34.1, 54-64.
- McCully, S. R.
See Thomse et al., 37.1, 1-93.
- McDonald, M. A.
See Wiggins et al., 31.2, 161-168.
- McDonald, T. L.
See Holst et al., 37.2, 139-150.
See Koski et al., 35.3, 347-357.
- McFadden, K. W.
—Worthy, G. A. J., & Lacker, Jr., T. E., Photogrammetric estimates of size and mass in Hawaiian monk seals (*Monachus schauinslandi*), 32.1, 31-40.

- McFarland, A. S.
See Zoidis et al., 40.1, 44-58.
- McFee, W. E.
—Adams, J. D., Fair, P. A., & Bossart, G. D., Age distribution and growth of two bottlenose dolphin (*Tursiops truncatus*) populations from capture-release studies in the Southeastern United States, 38.1, 17-30.
- McGrath, D.
See Foley et al., 36.4, 372-381.
- McGuire, T. L.
—& Henningsen, T., Movement patterns and site fidelity of river dolphins (*Inia geoffrensis* and *Sotalia fluviatilis*) in the Peruvian Amazon as determined by photo-identification, 33.3, 359-367.
- McKinnie, C. J.
See Bossart et al., 31.4, 473-480.
- McLellan, W. A.
See Balmer et al., 37.2, 187-192.
See Cummings et al., 40.2, 126-138.
- McSweeney, D. J.
See Baird et al., 37.4, 506-511; 39.3, 253-269.
- Mead, J.
See D'Amico et al., 35.4, 452-472.
- Measures, L. N.
See Frouin et al., 36.4, 365-371.
See Larrat et al., 38.1, 86-91.
- Meier, R.
See Nuuttila et al., 39.2, 147-161.
- Melillo, K. E.
—Dudzinski, K. M., & Cornick, L. A., Interactions between Atlantic spotted (*Stenella frontalis*) and bottlenose (*Tursiops truncatus*) dolphins off Bimini, The Bahamas, 2003-2007, 35.2, 281-291.
- Melillo-Sweeting, K.
—Reid, J. P., Gittens, L., Adimey, N., & Dillet, J. Z., Short Note: Observations and relocation of a West Indian manatee (*Trichechus manatus*) off Bimini, The Bahamas, 37.4, 502-505.
- Mellink, E.
—& Orozco-Meyer, A., Abundance, distribution, and residence of bottlenose dolphins (*Tursiops truncatus*) in the Bahía San Jorge Area, Northern Gulf of California, México, 32.2, 133-139.
- Mellish, J.-A. E.
—Calkins, D. G., Christen, D. R., Horning, M., Rea, L. D., & Atkinson, S. K., Temporary captivity as a research tool: Comprehensive study of wild pinnipeds under controlled conditions, 32.1, 58-65.
See Goldstein et al., 33.3, 337-348.
- Mello, I.
—& Amundin, M., Whistle production pre- and post-partum in bottlenose dolphins (*Tursiops truncatus*) in human care, 31.2, 169-175.
See Blomqvist et al., 31.2, 187-194.
- Mellor, L.
—Cooper, L. N., Torre, J., & Brownell, R. L., Jr., Paedomorphic ossification in porpoises with an emphasis on the Vaquita (*Phocoena sinus*), 35.2, 193-202.
- Ménard, L.
See Frouin et al., 36.4, 365-371.
- Mendoza, M.
See Pennino et al., 39.3, 282-289.
- Mendoza-Salas, I.
See Elorriaga-Verplancken et al., 39.4, 415-421.
- Mercado III, E.
—Short Note: Tubercles: What sense is there?, 40.1, 95-103.
See Green et al., 33.2, 202-213.
- Merlen, G.
See Alava et al., 39.2, 196-201.
- Merriman, M. G.
—Markowitz, T. M., Harlin-Cognato, A. D., & Stockin, K. A., Bottlenose dolphin (*Tursiops truncatus*) abundance, site fidelity, and group dynamics in the Marlborough Sounds, New Zealand, 35.4, 511-522.
- Merson, S.
See Eigeland et al., 38.4, 402-411.
- Mesnick, S.
See Keledjian & Mesnick, 39.3, 221-232.
- Michaux, J. R.
See Fontain et al., 32.3, 301-304.
- Michlovich, E.
See Filadelfo et al., 35.4, 435-444.
- Mignone, W.
See Di Francesco et al., 36.3, 294-297.
- Mignucci-Giannoni, A. A.
—Rosario-Delestre, R. J., Alsina-Guerrero, M. M., Falcón-Matos, L., Guzmán-Ramírez, L., Williams, E. H., Jr., Bossart, G. D., & Reidenberg, J. S., Asphyxiation in a bottlenose dolphin (*Tursiops truncatus*) from Puerto Rico due to choking on a Black Margate (*Anisotremus surinamensis*), 35.1, 48-54.
See Ghim et al., 40.2, 195-200.
- Mikkelsen, B.
See Bloch et al., 38.3, 250-266.
- Miksis-Olds, J. L.
—& Parks, S. E., Seasonal trends in acoustic detection of ribbon seal (*Histriophoca fasciata*) vocalizations in the Bering Sea, 37.4, 464-471.
- Milnovich, G. J.
See Eigeland et al., 38.4, 402-411.
- Miller, J. H.
See Southall et al., 33.4, 411-521.
- Miller, L. A.
See Beedholm & Miller, 33.1, 69-75.
- Miller, L. E.
See Yeater et al., 39.4, 344-355.
- Miller, M. A.
See Harris et al., 36.4, 331-341.
- Miller, P. J. O.
—Kvadsheim, P. H., Lam, F. P. A., Wensveen, P. J., Antunes, R., Alves, A. C., Visser, F., Kleivane, L., Tyack, P. L., & Sivle, L. D., The severity of behavioral changes observed during experimental exposures of killer (*Orcinus orca*), long-finned pilot (*Globicephala melas*), and sperm (*Physeter macrocephalus*) whales to naval sonar, 38.4, 362-401.
- Milne, R.
See Bexton et al., 38.3, 229-240.
- Mintz, J.
See Filadelfo et al., 35.4, 435-444; 35.4, 445-451.
- Mitani, Y.
See Iwata et al., 39.4, 378-384.
- Miyahara, H.
See Funasaka et al., 37.4, 433-442.
See Ueda et al., 40.2, 185-190.
- Miyazaki, N.
—Historical Perspectives: Seal survey in Eurasian waters in collaboration with Russian scientists, 38.2, 189-203.
- Mo, G.
—Mediterranean monk seal (*Monachus monachus*) sightings in Italy (1998-2010) and implications for conservation, 37.3, 236-240.

- Bazairi, H., Bayed, A., & Agnesi, S., Survey on Mediterranean monk seal (*Monachus monachus*) sightings in Mediterranean Morocco, 37.3, 248-255.
- Mobley, Jr., J. R.
See Deakos et al., 36.2, 121-128.
- Monanunsap, S.
See Ponnampalam et al., 39.4, 401-408.
- Monteiro-Filho, E. L. A.
See Atem & Monteiro-Filho, 32.2, 236-241.
- Mooney, T. A.
See Nachtigall et al., 33.1, 6-13.
See Taylor et al., 33.1, 93-99.
- Moore, M.
See Gulland et al., 34.2, 182-191.
- Moore, M. J.
—Book Review: *Whale*, 32.2, 244-245.
- Moraga, R.
See Pérez et al., 32.1, 109-113.
- Moreira, L. M. P.
See Kolesnikovas et al., 38.3, 317-321.
- Morell, M.
See André et al., 33.1, 100-109.
- Moreno-Sánchez, X. G.
See Elorriaga-Verplancken et al., 39.4, 415-421.
- Moreno, V.
See Gerpe et al., 33.2, 223-228.
- Morisaka, T.
—Shinohara, M., & Taki, M., Underwater sounds produced by neonatal bottlenose dolphins (*Tursiops truncatus*): I. Acoustic characteristics, 31.2, 248-257.
—Shinohara, M., & Taki, M., Underwater sounds produced by neonatal bottlenose dolphins (*Tursiops truncatus*): II. Potential function, 31.2, 258-265.
See Kot et al., 38.4, 423-427.
- Morón, S.
See Denuncio et al., 39.1, 73-80.
- Morris, A. M.
—& Terhune, J. M., Short Note: Incomplete detection of echolocation click train patterns compromises the use of single porpoise detectors in studying harbour porpoise (*Phocoena phocoena*) behaviour, 40.3, 305-312.
- Morris, P. A.
See Lowry et al., 40.1, 20-31.
- Morris, P. R.
See Le Boeuf et al., 37.4, 486-501.
- Morse, L. J.
See Ponnampalam et al., 39.4, 401-408.
- Morteo, E.
—Rocha-Olivares, A., & Abarca-Arenas, L. G., Sexual segregation of coastal bottlenose dolphins (*Tursiops truncatus*) in the Southwestern Gulf of Mexico, 40.4, 375-385.
- Morton, S. L.
See Fire et al., 36.4, 342-350.
- Moser, I.
See Jurczynski et al., 38.1, 43-55.
- Motsch, J-F.
See Lopatka et al., 31.4, 463-467.
- Moulton, V. D.
See Williams et al., 32.3, 311-324.
- Mowgli, R. M.
See Mansur et al., 34.3, 362-367.
- Mucaro, H.
—Cheng, A., Ravida, N., Arn, D., Hudson, J., & Durrant, B., Conditioning for conservation—A new approach to detection of luteinizing hormone in a bottlenose dolphin (*Tursiops truncatus*), 35.3, 386-393.
- Mueller, B.
See Jeglinski et al., 36.3, 262-269.
- Mulsow, J.
& Reichmuth, C., Electrophysiological assessment of temporal resolution in pinnipeds, 33.1, 122-131.
See Gulland et al., 34.2, 182-191.
See Houser et al., 33.1, 110-121.
See Reichmuth et al., 33.1, 132-150.
- Munk, O. L.
See Alstrup et al., 39.4, 385-388.
- Muñoz, G.
—Karamanlidis, A. A., Dendrinis, P., & Thomas, J. A., Aerial vocalizations by wild and rehabilitating Mediterranean monk seals (*Monachus monachus*) in Greece, 37.3, 262-279.
- Muraco, H.
See Horback et al., 38.4, 428-434.
- Murayama, T.
—Usui, A., Takeda, E., Kato, K., & Maejima, K., Relative size discrimination and perception of the ebbinghaus illusion in a bottlenose dolphin (*Tursiops truncatus*), 38.4, 333-342.
- Murdoch, M. E.
See Bechdel et al., 35.3, 367-377.
See Howells et al., 35.1, 43-47.
See Mazzoil et al., 34.1, 54-64.
- Nachtigall, P. E.
—Book Review: *Encyclopedia of marine mammals* (2nd ed.), 35.3, 412-413.
—Mooney, T. A., Taylor, K. A., & Yuen, M. M. L., Hearing and auditory evoked potential methods applied to Odontocete cetaceans, 33.1, 6-13.
See André & Nachtigall, 33.1, 1-5.
See Dudzinski et al., 40.1, 1-4.
See Southall et al., 33.4, 411-521.
See Taylor et al., 33.1, 93-99.
- Naito, Y.
—Historical Perspectives: What is “bio-logging”?, 36.3, 307-322.
- Nanayakkara, R. P.
—Kusuminda, T., & Jefferson, T. A., Can the Indian Ocean hump-back dolphin (*Sousa plumbea*) survive in Sri Lanka? Occurrence of a relict population in Puttalam Lagoon, 40.4, 398-406.
- Nance, T.
See Blanchet et al., 32.2, 145-151; 34.1, 9-20.
- Nations, C. S.
See Williams et al., 32.3, 311-324.
- Navarrete, S.
See Díaz-Aguirre et al., 38.1, 76-80.
- Nawojchik, R.
—Book Review: *Marine Protected Areas for whales, dolphins and porpoises: A world handbook for cetacean habitat conservation*, 31.4, 481-482.
- Neale, J. C. C.
—Schmelzer, K. R., Harvey, J. T., Berg, E. A., Small, R. J., Grigg, E. K., Allen, S. G., & Tjeerdema, R. S., PCB and DDE contamination in harbor seals (*Phoca vitulina*) from North-Central California and Bristol Bay, Alaska, 35.1, 1-11.
- Neumann, D. R.
—& Orams, M. B., Impacts of ecotourism on short-beaked common dolphins (*Delphinus delphis*) in Mercury Bay, New Zealand, 32.1, 1-9.

- Newcombe, E.
See Olavarria et al., 36.3, 288-293.
- Newgrain, K.
See Lanyon et al., 32.1, 103-108.
- Nicolson, I.
See Weir & Nicolson, 40.3, 297-304.
- Nilson, E. M.
See St. Leger & Nilson, 40.2, 207-212.
- Nishiyama, M.
See Shirakihara et al., 38.2, 145-152.
- Noke, W. D.
—The harmful effects of inadvertently conditioning a wild bottlenose dolphin (*Tursiops truncatus*) to interact with fishing vessels in the Indian River Lagoon, Florida, USA, 31.4, 413-419.
—& Stolen, M. K., Book Review: *Marine mammals ashore: A field guide for strandings*, 32.3, 388-389.
- Noonan, M.
See George & Noonan, 40.4, 350-356.
See Graham & Noonan, 36.1, 9-18.
- Norbis, W.
See Tellechea et al., 40.2, 173-184.
- Nordstrom, G.
See Siebert et al., 37.4, 443-453.
- Norris, J. C.
See Thewissen et al., 36.4, 413-419.
- Norris, N.
See Yoshida et al., 36.2, 154-161.
- Norris, T. A.
—Littnan, C. L., & Gulland, F. M. D., Evaluation of the captive care and post-release behavior and survival of seven juvenile female Hawaiian monk seals (*Monachus schauinslandi*), 37.3, 342-353.
- Norris, T. F.
See Sousa-Lima et al., 39.1, 23-53; 39.2, 205-210.
- Notarbartolo di Sciara, G.
—Historical Perspectives: Ancient waves, recent concerns: The budding of marine mammal conservation science in Italy, 38.4, 441-455.
- Nøttestad, L.
See Olsen et al., 35.3, 313-318.
- Novoa, S.
See Bossart et al., 31.4, 473-480.
- Nowacek, D. P.
—Bröker, K., Donovan, G., Gailey, G., Racca, R., Reeves, R. R., Vedenev, A. I., Weller, D. W., & Southall, B. L., Responsible practices for minimizing and monitoring environmental impacts of marine seismic surveys with an emphasis on marine mammals, 39.4, 356-377.
See Buckstaff et al., 39.2, 174-186.
- Nowak, Z.
See Borowska et al., 40.4, 407-411.
- Nunes de Moraes, A.
See Kolesnikovas et al., 38.3, 317-321.
- Nutter, F. B.
See Gulland et al., 34.2, 182-191.
- Nuuttila, H. K.
—Meier, R., Evans, P. G. H., Turner, J. R., Bennel, J. D., & Hiddink, J. G., Identifying foraging behaviour of wild bottlenose dolphins (*Tursiops truncatus*) and harbour porpoises (*Phocoena phocoena*) with static acoustic dataloggers, 39.2, 147-161.
- O'Brien, J.
—Baker, I., Barker, J., Berrow, S., Ryan, C., O'Connell, M., & O'Donoghue, B., Short Note: The first confirmed successful refloat of a stranded bottlenose dolphin (*Tursiops truncatus*) in Ireland and subsequent resighting with a neonate, 40.2, 191-194.
See Berrow et al., 38.2, 136-144.
- O'Connell, M.
See O'Brien et al., 40.2, 191-194.
- O'Donnell, N.
—Book Review: *Gulf of Mexico origin, waters, and biota: Biodiversity*, 38.2, 223.
- O'Donoghue, B.
See O'Brien et al., 40.2, 191-194.
- O'Hern, J. E.
—& Biggs, D. C., Sperm whale (*Physeter macrocephalus*) habitat in the Gulf of Mexico: Satellite observed ocean color and altimetry applied to small-scale variability in distribution, 35.3, 358-366.
See Alava et al., 39.2, 196-201.
- Oates, S. C.
See Harris et al., 36.4, 331-341.
- Oda, S-I.
See Kurihara & Oda, 32.3, 289-300.
See Hoson et al., 35.1, 72-81.
- Odell, D. K.
See Mazzoil et al., 34.1, 54-64.
See Oviedo et al., 31.4, 442-446.
- Odell, K.
See Fellner et al., 32.1, 66-74.
- Øien, N.
See Bjørge et al., 33.3, 269-275.
See Olsen et al., 35.3, 313-318.
- Ólafsson, Ö.
See Kjeld et al., 32.1, 75-84.
- Olavarria, C.
—Acevedo, J., Vester H. I., Zamorano-Abramson, J., Vididi, F. A., Gibbons, J., Newcombe, E., Capella, J., Hoelzel, A. R., Flores, M., Hucke-Gaete, R., & Torres-Flórez, J. P., Short Note: Southernmost distribution of common bottlenose dolphins (*Tursiops truncatus*) in the eastern South Pacific, 36.3, 288-293.
- Oleson, E. M.
See Wiggins et al., 31.2, 161-168.
- Olivos-Ortiz, A.
See Ortega-Ortiz et al., 40.4, 386-393.
- Olmastroni, S.
See Ainley et al., 35.3, 334-346.
- Olsen, E.
—Budgell, W. P., Head, E., Kleivane, L., Nøttestad, L., Prieto, R., Silva, M. A., Skov, H., Vikingsson, G. A., Waring, G., & Øien, N., First satellite-tracked long-distance movement of a Sei whale (*Balaenoptera borealis*) in the North Atlantic, 35.3, 313-318.
- Ono, H.
See Yoshida et al., 36.3, 278-283.
- Orams, M. B.
See Neumann & Orams, 32.1, 1-9.
See Stockin et al., 34.2, 200-211.
- Orbach, D. N.
—& Kirchner, T., Armed escorts: Dusky dolphin (*Lagenorhynchus obscurus*) interactions with octopuses (*Pinnoctopus cordiformis*) in New Zealand, 40.3, 285-292.
See Kügler & Orbach, 40.3, 260-273.
- Orozco-Meyer, A.
See Mellink & Orozco-Meyer, 32.2, 133-139.
- Ortega-Ortiz, C. D.
—Elorriaga-Verplancken, F. R. E., Arroyo-Salazar, S. A., García-Valencia, R. X., Juárez-Ruiz, A. E., Figueroa-Soltero, N. A., Liñán-Cabello, M. A., & Chávez-Comparán, J. C., Short Note: Foraging behavior of the rough-toothed dolphin

- (*Steno bredanensis*) in coastal waters of the Mexican Central Pacific, 40.4, 357-363.
—Elorriaga-Verplancken, F. R. E., Olivos-Ortiz, A., Liñán-Cabello, M. A., & Vargas-Bravo, M. H., Insights into the feeding habits of false killer whales (*Pseudorca crassidens*) in the Mexican Central Pacific, 40.4, 386-393.
- Ortiz, R. M.
—& Worthy, G. A. J., Body composition and water turnover rates of bottle-fed West Indian manatee (*Trichechus manatus*) calves, 32.1, 41-45.
- Osinga, N.
—& 't Hart, P., Book Review: *Whales, dolphins and seals: A field guide to the marine mammals of the world*, 34.2, 255-256.
—& 't Hart, P., Fish-hook ingestion in seals (*Phoca vitulina* and *Halichoerus grypus*): The scale of the problem and a non-invasive method for removing fish-hooks, 32.3, 261-264.
- Osterrieder, S. K.
—& Davis, R. W., Summer foraging behaviour of female sea otters (*Enhydra lutris*) with pups in Simpson Bay, Alaska, 35.4, 481-489.
- Oswald, J. N.
—Rankin, S., & Barlow, J., To whistle or not to whistle? Geographic variation in the whistling behavior of small odontocetes, 34.3, 288-302.
See Sousa-Lima et al., 39.1, 23-53; 39.2, 205-210.
- Otsuka, M.
See Yatabe et al., 36.2, 172-177.
- Ouwerkerk, D.
See Eigeland et al., 38.4, 402-411.
- Ovenden, J. R.
See Lanyon et al., 35.2, 187-192.
- Oviedo, L.
—Guzman, H. M., Flórez-González, L., Alzueta, J. C., & Mair, J. M., The song of the Southeast Pacific humpback whale (*Megaptera novaeangliae*) off Las Perlas Archipelago, Panama: Preliminary characterization, 34.4, 458-463.
—Silva, N., Bermudez, L., & Odell, D. K., Distribution of bottlenose dolphins (*Tursiops truncatus*) on the east coast of Isla Margarita and the Los Frailes Archipelago, Venezuela, 31.4, 442-446.
See Esteves & Oviedo, 33.2, 229-234.
- Owen, K.
—Dunlop, R., & Donnelly, D., Short Note: Seaweed interactions by humpback whales (*Megaptera novaeangliae*): A form of object play?, 38.4, 418-422.
- Pabst, D. A.
See Balmer et al., 37.2, 187-192.
See Cummings et al., 40.2, 126-138.
- Pace, F.
See Faria et al., 39.3, 296-305.
- Pack, A. A.
—& Herman, L. M., Dolphin social cognition and joint attention: Our current understanding, 32.4, 443-460.
See Green et al., 33.2, 202-213.
- Paglia A. P.
See Sousa-Lima et al., 34.1, 109-122.
- Paravas, V.
See Adamantopoulou et al., 37.3, 256-261.
See Dendrinis et al., 34.3, 355-361.
See Karamanlidis et al., 36.1, 27-32.
- Parker, P.
See Maniscalco et al., 34.3, 277-287.
- Parks, S. E.
See Miksis-Olds & Parks, 37.4, 464-471.
- Parsons, E. C. M.
See McCafferty & Parsons, 37.2, 205-207.
See Scott & Parsons, 31.1, 104-109.
- Paszkievicz, E.
See Lima et al., 31.4, 420-426.
- Pazin, V. F. V.
See Guterres-Pazin et al., 40.2, 139-149.
- Pearson, H. C.
—& Davis, R. W., Behavior of territorial male sea otters (*Enhydra lutris*) in Prince William Sound, Alaska, 31.2, 226-233.
- Pearson, L. E.
See Garcia et al., 40.4, 412-422.
- Peden-Adams, M. M.
See Bossart et al., 34.2, 166-177.
See Vecchione et al., 34.1, 93-101.
- Pennino, M. G.
—Mendoza, M., Pira, A., Floris, A., & Rotta, A., Assessing foraging tradition in wild bottlenose dolphins (*Tursiops truncatus*), 39.3, 282-289.
- Pereire, J. N. D. S. G.
—Field notes on Risso's dolphin (*Grampus griseus*) distribution, social ecology, behaviour, and occurrence in the Azores, 34.4, 426-435.
- Perelberg, A.
See Scheinin et al., 37.3, 241-242.
- Pérez, C.
See Arronte et al., 31.2, 184-186.
- Pérez, M. J.
—Thomas, F., Uribe, F., Sepúlveda, M., Flores, M., & Moraga, R., Fin whales (*Balaenoptera physalus*) feeding on *Euphausia mucronata* in nearshore waters off North-Central Chile, 32.1, 109-113.
- Pérez-Cortés, M. H.
See Guerrero-Ruiz et al., 32.3, 265-272.
- Pérez-Gil, M.
See Martín et al., 37.4, 512-519.
- Perham, C. J.
See Williams et al., 32.3, 311-324.
- Perrin, W. F.
—Historical Perspectives: Early days of the tuna/dolphin problem, 35.2, 292-305.
- Perry, C.
See Schofield et al., 34.1, 1-8.
- Pessina, P.
See Katz et al., 39.3, 290-295.
- Petiau, E.
See Gannier & Petiau, 32.2, 202-211.
- Petrauskas, L. R.
—& Atkinson, S. K., Variation of fecal corticosterone concentrations in captive Steller sea lions (*Eumetopias jubatus*) in relation to season and behavior, 32.2, 168-174.
- Phillip, P.
See Yoshida et al., 36.2, 154-161.
- Pierce, G. J.
—Hernandez-Milian, G., Santos, M. B., Dendrinis, P., Psaradellis, M., Tounta, E., Androukaki, E., & Edridge, A., Diet of the monk seal (*Monachus monachus*) in Greek waters, 37.3, 284-297.
See Stockin et al., 34.2, 200-211.
- Piercey, R. S.
—Rechsteiner, E. U., Battaile, B. C., & Trites, A. W., Seasonal changes in the food intake of captive Pacific white-sided dolphins (*Lagenorhynchus obliquidens*), 39.3, 211-220.

- Pillay, N.
See Atkins et al., 39.4, 397-400.
- Pimper, L. E.
—Remis, M. I., Goodall, R. N. P., & Baker, C. S., Teeth and bones as sources of DNA for genetic diversity and sex identification of Commerson's dolphins (*Cephalorhynchus commersonii*) from Tierra del Fuego, Argentina, 35.3, 330-333.
- Pinelis, Y. K.
See Filadelfo et al., 35.4, 445-451.
- Pira, A.
See Pennino et al., 39.3, 282-289.
- Pires, R.
—Costa Neves, H., & Karamanlidis, A. A., Activity patterns of the Mediterranean monk seal (*Monachus monachus*) in the Archipelago of Madeira, 33.3, 327-336.
See Hale et al., 37.3, 298-304.
- Pis-Millán, J. A.
See Arronte et al., 31.2, 184-186.
- Pittenger, R.
See D'Amico & Pittenger, 35.4, 426-434.
- Piwetz, S.
—Hung, S., Wang, J., Lundquist, D., & Würsig, B., Short Note: Influence of vessel traffic on movements of Indo-Pacific humpback dolphins (*Sousa chinensis*) off Lantau Island, Hong Kong, 38.3, 325-331.
—Whitehead, H., Godlove, L. R., & Cowan, D. F., Short Note: An underwater recording stethoscope based on an omnidirectional hydrophone for use in dolphin rehabilitation and diagnosis, 37.2, 202-204.
- Pletenko, M. G.
See Popov et al., 33.1, 24-33.
- Pomeroy, P.
See Culloch et al., 38.1, 81-85.
- Pompa, S.
See Ceballos et al., 36.2, 188-194.
- Ponnampalam, L. S.
—Hines, E. M., Monanunsap, S., Ilangakoon, A. D., Junchompoo, C., Adulyanukosol, K., & Morse, L. J., Short Note: Behavioral observations of coastal Irrawaddy dolphins (*Orcaella brevirostris*) in Trat Province, Eastern Gulf of Thailand, 39.4, 401-408.
- Pool, M.
—Book Review: *A little less Arctic: Top predators in the world's largest northern inland sea, Hudson Bay*, 39.1, 104-105.
- Popov, V. V.
—Supin, A. Ya., Pletenko, M. G., Tarakanov, M. B., Klishin, V. O., Bulgakova, T. N., & Rosanova, E. I., Audiogram variability in normal bottlenose dolphins (*Tursiops truncatus*), 33.1, 24-33.
See Supin & Popov, 33.1, 14-23.
- Pörschmann, U.
See Jeglinski et al., 36.3, 262-269.
- Porter, B. P.
See Trites et al., 32.1, 85-97.
- Potter, Jr., F. M.
See Ray & Potter, 37.4, 520-552.
- Powell, J. A.
See Alvarez-Alemán et al., 36.2, 148-153.
See Wong et al., 38.1, 1-16.
- Pozniak, B.
See Siebert et al., 37.4, 443-453.
- Praderi, R.
See Trimble & Praderi, 34.3, 338-348.
- Presley, N. A.
See Bergfelt et al., 38.4, 354-361.
- Pretto, D. J.
See Balensiefer et al., 40.2, 201-206.
See Kolesnikovas et al., 38.3, 317-321.
- Price, S.
—Book Review: *Horns, tusks, and flippers: The evolution of hoofed mammals*, 33.2, 254.
- Prieto, R.
See Olsen et al., 35.3, 313-318.
- Proietto, U.
See Di Francesco et al., 36.3, 294-297.
- Prothero, D. R.
—Book Review: *Neptune's ark: From ichthyosaurs to orcas*, 33.3, 392-393.
- Pryor, K.
—Historical Perspectives: A dolphin journey, 40.1, 104-115.
- Psaradellis, M.
See Adamantopoulou et al., 37.3, 256-261.
See Alfaghi et al., 39.1, 81-84.
See Pierce et al., 37.3, 284-297.
- Psarakos, S.
—Obituary for Kenneth Lee Marten, Ph.D., 36.3, 323-325.
- Psuty, I.
—Records of harbour porpoises (*Phocoena phocoena*) in fishing nets during the interwar period of Poland: Verification of archival materials, 39.3, 270-281.
- Punnett, S.
See Yoshida et al., 36.2, 154-161.
- Qian, Z.
See Wu et al., 40.4, 341-349.
- Quinn, T. P.
See Hauser et al., 34.3, 303-309.
- Racca, R.
See Nowacek et al., 39.4, 356-377.
- Ragen, T. J.
See Gilmartin et al., 37.3, 332-341.
- Ramirez, K. T.
See Au et al., 33.1, 76-84.
- Rankin, R. W.
See Silva et al., 39.4, 409-414.
- Rankin, S.
See Oswald et al., 34.3, 288-302.
- Rappucci, G. M.
—Keith, E. O., & Hardigan, P. C., Tidal cycle effects on the occurrence of the Florida manatee (*Trichechus manatus latirostris*) at the Port Everglades power plant, 38.1, 31-42.
- Rattermann, M. J.
See Flemming et al., 32.4, 491-499.
- Ravida, N.
See Mucaro et al., 35.3, 386-393.
- Ray, G. C.
—& Potter, F. M., Jr., Historical Perspectives: The making of the Marine Mammal Protection Act of 1972, 37.4, 520-552.
- Rea, L. D.
See Mellish et al., 32.1, 58-65.
- Rechsteiner, E. U.
—Rosen, D. A. S., & Trites, A. W., Seasonal resting metabolic rate and food intake of captive Pacific white-sided dolphins (*Lagenorhynchus obliquidens*), 39.3, 241-252.
See Piercey et al., 39.3, 211-220.
- Reep, R. L.
See Larkin et al., 31.1, 52-61.
- Reeves, R. R.
See Nowacek et al., 39.4, 356-377.

- Rehtanz, M.
See Bossart et al., 31.4, 473-480.
- Reichmuth, C.
—Mulsow, J., Finneran, J. J., Houser, D. S., & Supin, A. Ya., Measurement and response characteristics of auditory brainstem responses in pinnipeds, 33.1, 132-150.
See Ghoull & Reichmuth, 40.3, 243-251.
See Mulsow & Reichmuth, 33.1, 122-131.
See Gulland et al., 34.2, 182-191.
See Houser et al., 33.1, 110-121.
See Lynn et al., 36.1, 79-83.
See Sadou et al., 40.2, 213-218.
- Reichmuth Kastak, C.
See Lindemann et al., 32.4, 483-490.
- Reid, J. P.
See Melillo-Sweeting et al., 37.4, 502-505.
See Wong et al., 38.1, 1-16.
- Reidenberg, J. S.
See Dudzinski et al., 39.1, 97-100.
- Reif, J. S.
—Kliks, M. M., Aguirre, A. A., Borjesson, D. L., Kashinsky, L., Braun, R. C., & Antonelis, G. A., Gastrointestinal helminths in the Hawaiian monk seal (*Monachus schauinslandi*): Associations with body size, hematology, and serum chemistry, 32.2, 157-167.
See Bechdel et al., 35.3, 367-377.
See Bergfelt et al., 39.2, 187-195.
See Bossart et al., 31.4, 473-480; 33.2, 214-222; 33.2, 235-240; 34.2, 166-177.
See Howells et al., 35.1, 43-47.
See Lewis et al., 39.4, 324-329.
See Schaefer et al., 35.2, 163-170.
- Reiter, J.
See Le Boeuf et al., 37.4, 486-501.
See Lowry et al., 40.1, 20-31.
- Reitsma, F.
See Sagnol & Reitsma, 40.4, 321-328.
- Rendell, L.
—Book Review: *The biology of traditions: Models and evidence*, 31.2, 268-270.
- Retana, M. V.
—Guzmán, J., & Lewis, M. N., Fine-scale breeding habitat preferences of southern elephant seals (*Mirounga leonina*) on Península Valdés, 39.3, 233-240.
- Reyes, L. M.
—Cetaceans of Central Patagonia, Argentina, 32.1, 20-30.
- Reynolds, J. E.
—Book Review: *The Florida manatee: Biology and conservation*, 33.2, 251.
- Ribeiro, S.
—Viddi, F. A., & Freitas, T. R. O., Behavioural responses of Chilean dolphins (*Cephalorhynchus eutropia*) to boats in Yaldad Bay, southern Chile, 31.2, 234-242.
- Rice, C. D.
See Bossart et al., 34.2, 166-177.
- Rich, Jr., H. B.
See Hauser et al., 34.3, 303-309.
- Richardson, W. J.
See Holst et al., 37.2, 139-150.
See Southall et al., 33.4, 411-521.
- Richlen, M. F.
—& Thomas, J. A., Acoustic behavior of Antarctic killer whales (*Orcinus orca*) recorded near the ice edge of McMurdo Sound, Antarctica, 34.4, 448-457.
- Richmond, J. P.
—& Zinn, S. A., Validation of heterologous radioimmunoassays (RIA) for growth hormone (GH) and insulin-like growth factor (IGF)-I in phocid, otariid, and cetacean species, 35.1, 19-31.
- Richter, B.
See Williams et al., 37.3, 372-376.
- Ridgway, S. H.
—Historical Perspectives: History of veterinary medicine and marine mammals: A personal perspective, 34.4, 471-513.
See Sweeney et al., 36.3, 248-261.
See Thewissen et al., 36.4, 413-419.
- Righi, C. F.
—Blanco, G. S., & Frere, E., Abundance and spacial distribution of Commerson's dolphin (*Cephalorhynchus commersonii*) at a breeding site: Ría Deseado, Patagonia, Argentina, 39.1, 1-9.
- Rios, C. A.
See Serran et al., 34.2, 157-165.
- Ritter, F.
—Book Review: *The encyclopedia of tourism and recreation in marine environments*, 36.2, 203.
- Rivamonte, L. A.
—Bottlenose dolphin (*Tursiops truncatus*) double-slit pupil asymmetries enhance vision, 35.2, 269-280.
- Rivas, M.
—& Trimble, M., Aggregation behaviour in South American sea lion (*Otaria flavescens*) pups at Isla de Lobos, Uruguay, 35.1, 55-61.
- Rivera-Guzmán, A. L.
See Ghim et al., 40.2, 195-200.
- Roberts, K.
See Bossart et al., 38.4, 412-417.
- Robichaud, D.
See Demarchi et al., 38.3, 279-289.
- Rocha, M. E. C.
See Kolesnikovas et al., 38.3, 317-321.
- Rocha-Olivares, A.
See Morteo et al., 40.4, 375-385.
- Rodríguez, D. H.
See Denuncio et al., 39.1, 73-80.
See Gerpe et al., 33.2, 223-228.
- Rodríguez, M.
See Bossart et al., 31.4, 473-480.
- Rodríguez, P. F.
See Forster & Rodríguez, 32.4, 528-543.
- Rodríguez-Heredia, S.
See Denuncio et al., 39.1, 73-80.
- Rodríguez-Villanueva, M.
See Ghim et al., 40.2, 195-200.
- Rogers, T. L.
—Influences of female pupping habitat and maternal care on the vocal repertoire size of male phocid seals, 31.1, 96-103.
- Rohrbach, L.
See Kretzmann et al., 36.2, 178-187.
- Romano, T. A.
See Bossart et al., 34.2, 166-177.
- Roos, A.
—Book Review: *Grey seals in the North Atlantic and the Baltic*, 39.1, 103.
- Roque, M. A. A.
See Aragonés et al., 36.3, 219-233.
- Rosanova, E. I.
See Popov et al., 33.1, 24-33.

- Rosas, F. C. W.
 See Guterres-Pazin et al., 38.3, 322-324; 40.2, 139-149.
 See Silveira et al., 37.2, 208-212.
- Rosen, D. A. S.
 — & Trites, A. W., Short Note: Resting metabolic rate of a mature male beluga whale (*Delphinapterus leucas*), 39.1, 85-88.
 See Rechsteiner et al., 39.3, 241-252.
 See Trites et al., 32.1, 85-97.
- Rossi-Santos, M. R.
 — & Wedekin, L. L., Evidence of bottom contact behavior by estuarine dolphins (*Sotalia guianensis*) on the eastern coast of Brazil, 32.2, 140-144.
- Rotstein, D.
 See Berman-Kowalewski et al., 36.1, 59-66.
- Rotta, A.
 See Pennino et al., 39.3, 282-289.
- Rowles, T. K.
 See Balmer et al., 37.2, 187-192.
 See Gulland et al., 34.2, 182-191.
 See Wells et al., 40.3, 252-259.
- Rowntree, V. J.
 See Valenzuela et al., 36.2, 138-147.
- Rushing, C.
 See Koski et al., 35.3, 347-357.
- Russon, A. E.
 — Acquisition of complex foraging skills in juvenile and adolescent orangutans (*Pongo pygmaeus*): Developmental influences, 32.4, 500-510.
- Ryan, C. N.
 See O'Brien et al., 40.2, 191-194.
 See Schaefer et al., 35.2, 163-170.
- Sadou, M. C.
 — Beltran, R. S., & Reichmuth, C., Short Note: A calibration procedure for measuring pinniped vibrissae using photogrammetry, 40.2, 213-218.
- Sagnol, O.
 — & Reitsma, F., A spatio-temporal model to track individuals from a shore-based station: A case study for sperm whales (*Physeter macrocephalus*) off Kaikoura, New Zealand, 40.4, 321-328.
- Salinas, C.
 See Díaz-Aguirre et al., 38.1, 76-80.
- Salinas, Z. M.
 See Guerrero-Ruiz et al., 32.3, 265-272.
- Samuelson, D.
 See Kot et al., 38.4, 423-427.
- Sanchez, R.
 See Bossart et al., 31.4, 473-480.
- Sanderson, K. J.
 See Filby et al., 36.1, 33-45.
- Sanfelice, D.
 — & Ferigolo, J., Short Note: Skull fracture in a Bryde's whale (*Balaenoptera edeni*) specimen from Southern Brazil, 38.1, 98-101.
- Santos dos Reis, M. d. S.
 See Batista et al., 31.4, 434-437.
- Santos, M. B.
 See Pierce et al., 37.3, 284-297.
- Santos, P.
 See Hale et al., 37.3, 298-304.
- Sañudo-Wilhelmy, S.
 See Kretzmann et al., 36.2, 178-187.
- Sargeant-Green, H.
 See Timmel et al., 34.4, 402-411.
- Sarmiento, J.
 See Aliaga-Rossel et al., 36.3, 284-287.
- Sazima, I.
 See Silva-Jr. et al., 31.4, 468-472.
- Scarpaci, C.
 See Stafford-Bell et al., 38.3, 241-249.
- Scarr, M.
 See Stafford-Bell et al., 38.3, 241-249.
- Schaefer, A. M.
 — Reif, J. S., Goldstein, J. D., Ryan, C. N., Fair, P. A., & Bossart, G. D., Serological evidence of exposure to selected viral, bacterial, and protozoal pathogens in free-ranging Atlantic bottlenose dolphins (*Tursiops truncatus*) from the Indian River Lagoon, Florida, and Charleston, South Carolina, 35.2, 163-170.
 See Bechdel et al., 35.3, 367-377.
 See Bergfelt et al., 39.2, 187-195.
 See Lewis et al., 39.4, 324-329.
- Scharpegge, J.
 See Jurczynski et al., 38.1, 43-55.
- Schaufler, L. E.
 See Logerwell & Schaufler, 31.1, 62-82.
- Scheer, M.
 — Short Note: Call vocalizations recorded among short-finned pilot whales (*Globicephala macrorhynchus*) off Tenerife, Canary Islands, 39.3, 306-313.
- Scheffer, V. A.
 — Historical Perspectives: Reflections on the human condition, 34.2, 231-254.
 — Obituary for Victor B. Scheffer, Ph.D., 37.4, 553-554.
- Scheinin, A. P.
 — Goffman, O., Elasar, M., Perelberg, A., & Kerem, D. H., Short Note: Mediterranean monk seal (*Monachus monachus*) resighted along the Israeli coastline after more than half a century, 37.3, 241-242.
- Schick, R. S.
 See Curtice et al., 37.3, 360-371.
- Schlundt, C. E.
 See Finneran et al., 33.1, 43-54.
- Schmelzer, K. R.
 See Neale et al., 35.1, 1-11.
- Schneider, L. S.
 See Bossart et al., 31.4, 473-480.
- Schofield, T. D.
 — Early, G., Wenzel, F. W., Matassa, K., Perry, C., Beekman, G., Whitaker, B., Gebhard, E., Walton, W., & Swingle, M., Rehabilitation and homing behavior of a satellite-tracked harbor porpoise (*Phocoena phocoena*), 34.1, 1-8.
 See Karamanlidis & Schofield, 37.3, 225.
- Schop, J.
 See Kastelein et al., 40.3, 232-242.
- Schorr, G.
 See Baird et al., 37.4, 506-511; 39.3, 253-269.
 See Gulland et al., 34.2, 182-191.
- Schotten, M.
 — Book Review: *The dusky dolphin: Master acrobat off different shores*, 36.4, 410-412.
- Schreer, J. F.
 — Lapierre, J. L., & Hammill, M. O., Stomach temperature telemetry reveals that harbor seal (*Phoca vitulina*) pups primarily nurse in the water, 36.3, 270-277.
- Schultz, J. K.
 — Population genetics of the monk seals (genus *Monachus*): A review, 37.3, 227-235.

- Schusterman, R. J.
 —Book Review: *Entanglements: The intertwined fates of whales and fishermen*, 32.1, 114-115.
 —Historical Perspectives: Pinniped psychobiology: The early years, 36.1, 84-110.
 See Lindemann et al., 32.4, 483-490.
 See Lynn et al., 36.1, 79-83.
- Schwacke, L. H.
 See Adams et al., 32.3, 374-384.
 See Balmer et al., 36.1, 1-8; 37.2, 187-192.
 See Wells et al., 40.3, 252-259.
- Schwalb, A. N.
 See Fudge et al., 35.2, 226-252.
- Schwartz, S. J.
 See Holst et al., 37.2, 139-150.
- Scott, N. J.
 —& Parsons, E. C. M., A survey of public opinion on seal management in southwestern Scotland, 31.1, 104-109.
- Sears, R.
 See Kot et al., 38.4, 423-427.
- Sekula-Wood, E.
 See Fire et al., 36.4, 342-350.
- Self-Sullivan, C.
 See Bacchus et al., 35.1, 62-71.
 See LaCommare et al., 34.1, 35-43.
- Sepúlveda, M.
 See Pérez et al., 32.1, 109-113.
- Serran, D.
 —Greig, D. J., Rios, C. A., Zabka, T. S., & Gulland, F. M. D., Evaluation of aqueous humor as a surrogate for serum biochemistry in California sea lions (*Zalophus californianus*), 34.2, 157-165.
- Serrano, A.
 See Galindo et al., 35.1, 12-18.
- Seton, R. E.
 See Wenzel et al., 35.4, 502-510.
- Sevaldsen, E. M.
 See Kvadsheim et al., 36.3, 239-247.
- Shaughnessy, P. D.
 See Stamation et al., 33.2, 165-174.
- Shephard, G.
 See Desportes et al., 33.3, 286-292.
- Sherr, E. B.
 See Cooper et al., 32.1, 98-102.
- Shima, S.
 See Yatabe et al., 36.2, 172-177.
- Shinohara, M.
 See Morisaka et al., 31.2, 248-257; 31.2, 258-265.
- Shirakihara, K.
 See Shirakihara et al., 38.2, 145-152.
- Shirakihara, M.
 —Shirakihara, K., Nishiyama, M., Iida, T., & Amano, M., Long-distance movements of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) and habitat preference of two species of bottlenose dolphins in Eastern Kyushu, Japan, 38.2, 145-152.
- Shofield, T. D.
 —Levine, G., Gulland, F. M. D., Littnan, C. L., Colitz, C. M. H., Short Note: The first successful hand-rearing of a neonate Hawaiian monk seal (*Monachus schauinslandi*) and post-release management challenges, 37.3, 354-359.
- Siebert, U.
 —Pozniak, B., Hansen, K. A., Nordstrom, G., Teilmann, J., van Elk, N., Vossen, A., & Dietz, R., Investigations of thyroid and stress hormones in free-ranging and captive harbor porpoises (*Phocoena phocoena*): A pilot study, 37.4, 443-453.
 See Desportes et al., 33.3, 286-292
 See Hasselmeier et al., 34.2, 149-156.
 See Lucke et al., 33.1, 55-68.
- Siegal-Willott, J.
 See Wong et al., 38.1, 1-16.
- Sigler, T.
 See Wilkin et al., 38.3, 301-310.
- Sigurjónsson, J.
 See Kjeld et al., 32.1, 75-84.
- Silva, F. J. L.
 See Silva-Jr. et al., 31.4, 468-472.
- Silva, F. M. O.
 —Vergara-Parente, J. E., Gomes, J. K. N., Teixeira, M. N., Attademo, F. L. N., & Silva, J. C. R., Blood chemistry of Antillean manatees (*Trichechus manatus manatus*): Age variations, 35.2, 253-258.
- Silva, I. F.
 —Kaufman, G. D., Rankin, R. W., & Maldini, D., Short Note: Presence and distribution of Hawaiian false killer whales (*Pseudorca crassidens*) in Maui County waters: A historical perspective, 39.4, 409-414.
- Silva, J. C. R.
 See Silva et al., 35.2, 253-258.
- Silva, L. C. L. C.
 See Silveira et al., 37.2, 208-212.
- Silva, M. A.
 See Olsen et al., 35.3, 313-318.
- Silva, N.
 See Oviedo et al., 31.4, 442-446.
- Silva-Jr., J. M.
 —Silva, F. J. L., & Sazima, I., Two presumed interspecific hybrids in the genus *Stenella* (Delphinidae) in the tropical West Atlantic, 31.4, 468-472.
- Silveira, L.
 —Furtado, M. M., Rosas, F. C. W., Silva, L. C. L. C., Cabral, M. M. M., Tôrres, N. M., Sollmann, R., Kouba, A., & Jácómo, A. T. A., Short Note: Tagging giant oysters (*Pteronura brasiliensis*) (Carnivora, Mustelidae) for radio-telemetry studies, 37.2, 208-212.
- Sim, I.
 See Weir et al., 34.4, 436-447.
- Simão, S. M.
 See Figueiredo & Simão, 40.3, 225-231.
- Simard, P.
 —& Gowans, S., Group movements of white-beaked dolphins (*Lagenorhynchus albirostris*) near Halifax, Canada, 34.3, 331-337.
 —Mann, D. A., & Gowans, S., Burst-pulse sounds recorded from white-beaked dolphins (*Lagenorhynchus albirostris*), 34.4, 464-470.
 See Bartha et al., 37.4, 454-463.
- Similiä, T.
 See van Opzeeland et al., 31.1, 110-119.
- Simmonds, M.
 —Book Review: *A guide to the identification of the whales and dolphins of Ireland*, 33.2, 248-249.
 —Book Review: *In defense of dolphins: The new moral frontier*, 34.2, 257-258.
 Book Review: *Whales, whaling and ecosystems*, 33.3, 390-391.

- Sironi, M.
See Valenzuela et al., 36.2, 138-147.
- Sivle, L. D.
See Miller et al., 38.4, 362-401.
- Skov, H.
See Olsen et al., 35.3, 313-318.
- Slade, R. W.
See Lanyon et al., 32.2, 196-201.
- Sliwa, D. J.
See Koski et al., 35.3, 347-357.
- Sloan, A. C.
See Gilmartin et al., 37.3, 332-341.
- Slooten, E.
See Webster et al., 35.2, 212-219.
- Small, R. J.
See Neale et al., 35.1, 1-11.
- Smith, B. D.
See Mansur et al., 34.3, 362-367.
- Smith, C. R.
See Daniels et al., 39.4, 330-334.
See Wells et al., 40.3, 252-259.
- Smith, G.
See Holst et al., 37.2, 139-150.
- Smith, J.
See Gulland et al., 34.2, 182-191.
- Smith, K. J.
See Alava et al., 39.2, 196-201.
- Smith, P. R.
See Koski et al., 35.3, 347-357.
- Smith, S. L.
See Cooper et al., 32.1, 98-102.
- Smith, T. G.
See Williams et al., 32.3, 311-324.
- Smultea, M. A.
—& Jefferson, T. A., Changes in relative occurrence of cetaceans in the Southern California Bight: A comparison of recent aerial survey results with historical data sources, 40.1, 32-43.
—Douglas, A. B., Bacon, C. E., Jefferson, T. A., & Mazzuca, L., Short Note: Bryde's whale (*Balaenoptera brydeiedeni*) sightings in the Southern California Bight, 38.1, 92-97.
- Sneath, H. L.
See Lanyon et al., 32.2, 196-201; 35.2, 187-192; 36.1, 46-58; 36.3, 298-306.
- Sogorb, A.
—Letter to the Editor: The 42nd annual EAAM symposium 2014 scientific program, 40.2, 219-221.
- Sollmann, R.
See Silveira et al., 37.2, 208-212.
- Solntseva, G. N.
—Book Review: Reply to J. G. M. Thewissen's review of the *Book morphology of the auditory and vestibular organs in mammals, with emphasis on marine species*, 34.1, 145-146.
- Sousa-Lima, R. S.
—Norris, T. F., Oswald, J. N., & Fernandes, D. P., Errata: *Aquatic Mammals*, 39(1), 2013, pp. 23-53: A review and inventory of fixed autonomous recorders for passive acoustic monitoring of marine mammals, 39.2, 205-210.
—Norris, T. F., Oswald, J. N., & Fernandes, D. P., A review and inventory of fixed autonomous recorders for passive acoustic monitoring of marine mammals, 39.1, 23-53.
—Paglia A. P., & da Fonseca, G. A. B., Gender, age, and identity in the isolation calls of Antillean manatees (*Trichechus manatus manatus*), 34.1, 109-122.
- Southall, B. L.
—Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Greene, C. R., Jr., Kastak, D., Ketten, D. R., Miller, J. H., Nachtigall, P. E., Richardson, W. J., Thomas, J. A., & Tyack, P. L., Marine mammal noise exposure criteria: Initial scientific recommendations, 33.4, 411-521.
See Nowacek et al., 39.4, 356-377.
- Speakman, J. R.
See Acquarone et al., 32.3, 363-369.
- Speakman, T.
See Adams et al., 32.3, 374-384.
See Cunningham-Smith et al., 32.3, 346-356.
- Spoelstra, J. L.
—Foreword, 35.4, 425.
- Spradlin, T.
See Gulland et al., 34.2, 182-191.
- St. Aubin, D.
See Mattson et al., 31.1, 133-140.
- St. Leger, J.
—& Nilson, E. M., Short Note: Intestinal atresia in a harbor seal (*Phoca vitulina*) and a review of congenital conditions of the species, 40.2, 207-212.
See Berman-Kowalewski et al., 36.1, 59-66.
See Sweeney et al., 36.3, 248-261.
- Staal, C.
See Kastelein et al., 31.1, 34-42.
- Stacey, R.
See Therrien et al., 38.1, 65-75.
- Staedler, M. M.
See Harris et al., 36.4, 331-341.
- Stafford-Bell, R.
—Scarr, M., & Scarpaci, C., Behavioural responses of the Australian fur seal (*Arctocephalus pusillus doriferus*) to vessel traffic and presence of swimmers in Port Phillip Bay, Victoria, Australia, 38.3, 241-249.
- Stamation, K. A.
—Croft, D. B., Shaughnessy, P. D., & Waples, K. A., Observations of humpback whales (*Megaptera novaeangliae*) feeding during their southward migration along the coast of southeastern New South Wales, Australia: Identification of a possible supplemental feeding ground, 33.2, 165-174.
- Stamper, M. A.
See Fellner et al., 32.1, 66-74.
See Wong et al., 38.1, 1-16.
- Steen, N.
See Kastelein et al., 39.4, 315-323; 40.3, 232-242.
- Steenbeek, A. G.
See Beekmans et al., 31.2, 243-247.
- Steenbergen, J.
See Ijsseldijk et al., 40.4, 317-320.
- Steiner, A.
—Temporal determinants of Indo-Pacific bottlenose dolphin (*Tursiops aduncus*) activity in the Port River Estuary (Adelaide, South Australia), 38.3, 267-278.
—& Bossley, M., Some reproductive parameters of an estuarine population of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*), 34.1, 84-92.
- Steiner, L.
See Beekmans et al., 31.2, 243-247.
See Wenzel et al., 35.4, 502-510.
- Steinetz, B. G.
See Bergfelt et al., 39.2, 187-195.
- Stephens, C. A.
See Goldstein et al., 33.3, 337-348.

- Stevens, R. O.
See Wells et al., 39.1, 61-72.
- Stevick, P.
See Wenzel et al., 35.4, 502-510.
- Stewart, B. S.
See Zagzebski et al., 32.3, 334-345.
- Stimpert, A.
See Mate et al., 31.2, 157-160.
- Stockin, K. A.
—& Burgess, E. A., Opportunistic feeding of an adult humpback whale (*Megaptera novaeangliae*) migrating along the coast of southeastern Queensland, Australia, 31.1, 120-123.
—& Visser, I. N., Anomalous pigmented common dolphins (*Delphinus* sp.) off Northern New Zealand, 31.1, 43-51.
—Pierce, G. J., Binedell, V., Wiseman, N., & Orams, M. B., Factors affecting the occurrence and demographics of common dolphins (*Delphinus* sp.) in the Hauraki Gulf, New Zealand, 34.2, 200-211.
See Filby et al., 36.1, 33-45.
See Merriman et al., 35.4, 511-522.
See Weir et al., 34.4, 436-447.
- Stolen, E. D.
See Durden et al., 37.2, 175-186.
- Stolen, M. K.
See Noke & Stolen, 32.3, 388-389.
See Bossart et al., 33.2, 235-240.
See Durden et al., 37.2, 175-186.
- Stone, R.
See Bossart et al., 38.4, 412-417.
See Sweeney et al., 36.3, 248-261.
See Wells et al., 40.3, 252-259.
- Suárez, P. L.
See Wenzel et al., 35.4, 502-510.
- Sun, Y.
See Yu et al., 35.2, 220-225.
- Supin, A. Ya.
& Popov, V. V., Improved techniques of evoked-potential audiometry in odontocetes, 33.1, 14-23.
See Mass & Supin, 31.4, 393-402.
See Popov et al., 33.1, 24-33.
See Reichmuth et al., 33.1, 132-150.
See Taylor et al., 33.1, 93-99.
- Suydam, R.
See Lockyer et al., 33.3, 293-304.
- Suzuki, M.
See Funasaka et al., 37.4, 433-442.
- Sweeney, J. C.
—Stone, R., Campbell, M., McBain, J., St. Leger, J., Xitco, M., Jensen, E., & Ridgway, S., Comparative survivability of *Tursiops* neonates from three U.S. institutions for the decades 1990-1999 and 2000-2009, 36.3, 248-261.
See Bossart et al., 38.4, 412-417.
See Wells et al., 40.3, 252-259.
- Swingle, M.
See Schofield et al., 34.1, 1-8.
- Syah Alli, T. S.
See Lanyon et al., 32.1, 103-108.
- Szewciw, L. J.
See Fudge et al., 35.2, 226-252.
- 't Hart, P.
See Osinga & 't Hart, 32.3, 261-264; 34.2, 255-256.
- Takeda, E.
See Murayama et al., 38.4, 333-342.
- Taki, M.
See Morisaka et al., 31.2, 248-257; 31.2, 258-265.
- Tarakanov, M. B.
See Popov et al., 33.1, 24-33.
- Taylor, J. K. D.
See Zani et al., 34.1, 21-24.
- Taylor, K. A.
—Nachtigall, P. E., Mooney, T. A., Supin, A. Ya., & Yuen, M. M. L., A portable system for the evaluation of the auditory capabilities of marine mammals, 33.1, 93-99.
See Nachtigall et al., 33.1, 6-13.
- Teilmann, J.
See Siebert et al., 37.4, 443-453.
- Teixeira, M. N.
See Silva et al., 35.2, 253-258.
- Tejedor, M.
See Martín et al., 37.4, 512-519.
- Tellechea, J. S.
—Bouvier, D., Cambon-Tait, D., & Norbis, W., Passive acoustic monitoring of bottlenose dolphins (*Tursiops truncatus*) on the Uruguayan coast: Vocal characteristics and seasonal cycles, 40.2, 173-184.
- Tennis, M. J.
See Elorriaga-Verplancken et al., 40.4, 364-367.
- Terhune, J.
—Historical Perspectives: From switches to menus and students to HQPs—The evolving world of marine mammal bioacoustics, 37.1, 94-100.
& Dell' Apa, A., Stereotyped calling patterns of a male Weddell seal (*Leptonychotes weddellii*), 32.2, 175-181.
See Hayes & Terhune, 33.3, 305-314.
See Morris & Terhune, 40.3, 305-312..
See Haarr et al., 35.2, 203-211.
- Tetley, M.
See Bartha et al., 37.4, 454-463.
- Thayer, V. G.
See Cummings et al., 40.2, 126-138.
- Therrien, R. E.
See Therrien et al., 38.1, 65-75.
- Therrien, S. C.
—Thomas, J. A., Therrien, R. E., & Stacey, R., Time of day and social change affect underwater sound production by bottlenose dolphins (*Tursiops truncatus*) at the Brookfield Zoo, 38.1, 65-75.
- Thewissen, J. G. M.
—Book Review: *Morphology of the auditory and vestibular organs in mammals, with emphasis on marine species*, 33.3, 394-395.
- Thomas, F.
See Pérez et al., 32.1, 109-113.
- Thomas, J. A.
—Ridgway, S. H., Würsig, B., Norris, J. C., & Davis, R., Obituary and tributes to William Eugene Evans, 36.4, 413-419.
See Hasselberg & Thomas, 34.2, 212-228.
See McCreery & Thomas, 35.4, 490-501.
See Richlen & Thomas, 34.4, 448-457.
See Au et al., 33.1, 76-84.
See Dudzinski et al., 40.1, 1-4.
See Mattson et al., 31.1, 133-140.
See Muñoz et al., 37.3, 262-279.
See Southall et al., 33.4, 411-521.
See Therrien et al., 38.1, 65-75.
- Thompson, D. L.
See Bergfelt et al., 38.4, 354-361.
See Bexton et al., 38.3, 229-240.
- Thompson, P. M.
See Marley et al., 39.2, 107-115.

- Thompson, R. K. R.
See Flemming et al., 32.4, 491-499.
- Thomsen, F.
—McCully, S. R., Weiss, L. R., Wood, D. T., Warr, K. J., Barry, J., & Law, R. J., Cetacean stock assessments in relation to exploration and production industry activity and other human pressures: Review and data needs, 37.1, 1-93.
- Tibboel, D.
See Kastelein et al., 35.1, 32-35.
- Timmel, G.
—Courbis, S., Sargeant-Green, H., & Markowitz, H., Effects of human traffic on the movement patterns of Hawaiian spinner dolphins (*Stenella longirostris*) in Kealakekua Bay, Hawaii, 34.4, 402-411.
- Tinker, M. T.
See Harris et al., 36.4, 331-341.
- Tjeerdema, R. S.
See Neale et al., 35.1, 1-11.
- Tomano, T. A.
See Vecchione et al., 34.1, 93-101.
- Torre, J.
See Mellor et al., 35.2, 193-202.
- Törres, N. M.
See Silveira et al., 37.2, 208-212.
- Torres-Flórez, J. P.
See Olavarría et al., 36.3, 288-293.
- Tortschanoff, S.
See Jurczynski et al., 38.1, 43-55.
- Tossenberger, V. P.
See Iñiguez & Tossenberger, 33.3, 276-285.
- Toudal, L.
See Born et al., 31.1, 23-33.
- Tounta, E.
See Adamantopoulou et al., 37.3, 256-261.
See Dendrinou et al., 33.2, 179-184.
See Pierce et al., 37.3, 284-297.
See Trivourea et al., 37.3, 305-318.
- Townsend, F. I.
See Balmer et al., 37.2, 187-192.
See Wells et al., 40.3, 252-259.
- Trillmich, F.
See Jeglinski et al., 36.3, 262-269.
See Karamanlidis et al., 36.1, 27-32.
- Trimble, M.
—& Praderi, R., Assessment of nonmetric skull characters of the Franciscana (*Pontoporia blainvillei*) in determining population differences, 34.3, 338-348.
See Rivas & Trimble, 35.1, 55-61.
- Trippel, E. A.
See Haarr et al., 35.2, 203-211.
- Trites, A. W.
—& Calkins, D. G., Diets of mature male and female Steller sea lions (*Eumetopias jubatus*) differ and cannot be used as proxies for each other, 34.1, 25-34.
—Porter, B. P., Deecke, V. B., Coombs, A. P., Marcotte, M. L., & Rosen, D. A. S., Insights into the timing of weaning and the attendance patterns of lactating Steller sea lions (*Eumetopias jubatus*) in Alaska during winter, spring, and summer, 32.1, 85-97.
See Piercey et al., 39.3, 211-220.
See Rechsteiner et al., 39.3, 241-252.
See Rosen & Trites, 39.1, 85-88.
- Trivourea, M. N.
—Karamanlidis, A. A., Tounta, E., Dendrinou, P., & Kotomatas, S., People and the Mediterranean monk seal (*Monachus monachus*): A study of the socioeconomic impacts of the National Marine Park of Alonissos, Northern Sporades, Greece, 37.3, 305-318.
- Trott, D. J.
See Eigeland et al., 38.4, 402-411.
- Trujillo, F.
See Gomez-Salazar et al., 37.4, 472-485.
- Tucker, T.
—Book Review: *Sea turtles: A complete guide to their biology, behavior, and conservation*, 32.3, 385-387.
- Turner, J. P.
—Clark, L. S., Haubold, E. M., Worthy, G. A. J., & Cowan, D. F., Organ weights and growth profiles in bottlenose dolphins (*Tursiops truncatus*) from the Northwestern Gulf of Mexico, 32.1, 46-57.
- Turner, J. R.
See Nuutila et al., 39.2, 147-161.
- Twiss, S. D.
—& Franklin, J., Individually consistent behavioural patterns in wild, breeding male grey seals (*Halichoerus grypus*), 36.3, 234-238.
See Culloch et al., 38.1, 81-85.
- Tyack, P. L.
See D'Amico et al., 35.4, 452-472.
See Filadelfo et al., 35.4, 435-444; 35.4, 445-451.
See Miller et al., 38.4, 362-401.
See Southall et al., 33.4, 411-521.
- Uchida, S.
See Funasaka et al., 37.4, 433-442.
See Yoshida et al., 36.3, 278-283.
- Ueda, K.
—Izumisawa, Y., & Miyahara, H., Surgical treatment of dolphins (*Tursiops aduncus*, *Tursiops truncatus*, *Pseudorca crassidens*, and *Steno bredanensis*) in an aquarium, 40.2, 185-190.
See Funasaka et al., 37.4, 433-442.
- Urbán R., J.
See Guerrero-Ruiz et al., 31.4, 438-441; 32.3, 265-272.
- Uribe, F.
See Pérez et al., 32.1, 109-113.
- Usui, A.
See Murayama et al., 38.4, 333-342.
- Valenzuela, L. O.
—Sironi, M., & Rowntree, V. J., Interannual variation in the stable isotope differences between mother and their calves in southern right whales, 36.2, 138-147.
- van den Hoogen, M.
See Kastelein et al., 39.2, 162-173.
- van der Schaar, M.
—& André, M., An alternative sperm whale (*Physeter macrocephalus*) coda naming protocol, 32.3, 370-373.
See André et al., 33.1, 100-109.
See Delory et al., 33.1, 85-92.
- van Dooren, M. F.
See Kastelein et al., 35.1, 32-35.
- van Elk, C.
See Borowska et al., 40.4, 407-411.
See Lucke et al., 33.1, 55-68.
See Siebert et al., 37.4, 443-453.
- van Opzeeland, I. C.
—Corkeron, P. J., Leyssen, T., Similiä, T., & van Parijs, S. M., Acoustic behaviour of Norwegian killer whales, *Orcinus orca*, during carousel and seiner foraging on spring-spawning herring, 31.1, 110-119.
- van Parijs, S. M.
See van Opzeeland et al., 31.1, 110-119.

- Vanman, C.
See Blanchet et al., 32.2, 145-151.
- Varela, R. A.
See Bossart et al., 31.4, 473-480.
See Fair et al., 32.2, 182-195.
- Vargas-Bravo, M. H.
See Ortega-Ortiz et al., 40.4, 386-393.
- Vázquez-Castán, L.
See Galindo et al., 35.1, 12-18.
- Vecchione, A.
—Peden-Adams, M. M., Tomano, T. A., & Fair, P. A., Recent cytokine findings and implications toward health assessment of the bottlenose dolphin (*Tursiops truncatus*), 34.1, 93-101.
- Vedenev, A. I.
See Nowacek et al., 39.4, 356-377.
- Venn-Watson, S.
See Daniels et al., 39.4, 330-334.
- Venticinque, E. M.
See Guterres-Pazin et al., 40.2, 139-149.
- Vergara-Parente, D. F.
See Lima et al., 31.4, 420-426.
- Vergara-Parente, J. E.
See Gomes et al., 34.3, 269-276.
See Silva et al., 35.2, 253-258.
- Vergara, V.
—& Barrett-Lennard, L. G., Vocal development in a beluga calf (*Delphinapterus leucas*), 34.1, 123-143.
- Vermeulen, E.
—& Cammareri, A., Residency patterns, abundance, and social composition of bottlenose dolphins (*Tursiops truncatus*) in Bahía San Antonio, Patagonia, Argentina, 35.3, 378-385.
—Cammareri, A., & Holsbeek, L., Alteration of southern right whale (*Eubalaena australis*) behaviour by human-induced disturbance in Bahía San Antonio, Patagonia, Argentina, 38.1, 56-64.
- Vester H. I.
See Olavarría et al., 36.3, 288-293.
- Viddi, F. A.
—& Lescrauwaet, A-K., Insights on habitat selection and behavioural patterns of Peale's dolphins (*Lagenorhynchus australis*) in the Strait of Magellan, Southern Chile, 31.2, 176-183.
See Olavarría et al., 36.3, 288-293.
See Ribeiro et al., 31.2, 234-242.
- Víkingsson, G. A.
See Kjeld et al., 32.1, 75-84.
See Olsen et al., 35.3, 313-318.
- Vila, A. R.
—Campagna, C., Iñiguez, M., & Falabella, V., South American sea lions (*Otaria flavescens*) avoid killer whale (*Orcinus orca*) predation, 34.3, 317-330.
- Visser, F.
See Miller et al., 38.4, 362-401.
- Visser, I. N.
—Book Review: *Orca: Visions of the killer whale*, 31.1, 149.
—First observations of feeding on thresher (*Alopias vulpinus*) and hammerhead (*Sphyrna zygaena*) sharks by killer whales (*Orcinus orca*) specialising on Elasmobranch prey, 31.1, 83-88.
—Drennan, M. P., White, R. W., MacLean, S. F., Lagerstrom, L. C., & Francis, J. M., Antarctic fur seals (*Arctocephalus gazella*) observed preying on Adélie (*Pygoscelis adeliae*) and Chinstrap penguins (*P. antarctica*), Antarctic Peninsula, 34.2, 193-199.
—Zaeschar, J., Halliday, J., Abraham, A., Ball, P., Bradley, R., Daly, S., Hatwell, T., Johnson, T., Johnson, W., Kay, L., Maessen, T., McKay, V., Peters, T., Turner, N., Umuroa, B., & Pace, D. S., First record of predation on false killer whales (*Pseudorca crassidens*) by killer whales (*Orcinus orca*), 36.2, 195-204.
See Dwyer & Visser, 37.2, 111-138.
See Stockin & Visser, 31.1, 43-51.
- Voigt, K.
See Berrow et al., 38.2, 136-144.
- von Ferson, L.
See von Streit et al., 37.2, 193-197.
- von Streit, C.
—Ganslosser, U., & von Ferson, L., Short Note: Ethogram of two captive mother-calf dyads of bottlenose dolphins (*Tursiops truncatus*): Comparison with field ethograms, 37.2, 193-197.
- Vossen, A.
See Desportes et al., 33.3, 286-292.
See Siebert et al., 37.4, 443-453.
- Wahlberg, M.
See Blanchet et al., 34.1, 9-20; 35.4, 473-480.
See Borowska et al., 40.4, 407-411.
See Boström et al., 39.4, 389-396.
- Walker, K. A.
—Davis, J. W., & Duffield, D. A., Activity budgets and prey consumption of sea otters (*Enhydra lutris kenyoni*) in Washington, 34.4, 393-401.
- Walker, W. A.
See Hanson & Walker, 40.3, 274-284.
- Walton, W.
See Schofield et al., 34.1, 1-8.
- Wang, D.
See Xian et al., 38.2, 127-135.
- Wang, J. Y.
See Araújo & Wang, 38.4, 435-440.
See Dares et al., 40.4, 368-374.
See Piwetz et al., 38.3, 325-331.
- Wang, K.
See Xian et al., 38.2, 127-135.
- Wang, Z.
See Fire et al., 36.4, 342-350.
See Wilkin et al., 38.3, 301-310.
- Waples, K. A.
See Stamation et al., 33.2, 165-174.
- Waring, G.
See Olsen et al., 35.3, 313-318.
- Warr, K. J.
See Thomse et al., 37.1, 1-93.
- Warren-Smith, Á. B.
—& Dunn, W. L., Epimeletic behaviour toward a seriously injured juvenile bottlenose dolphin (*Tursiops* sp.) in Port Phillip, Victoria, Australia, 32.3, 357-362.
- Watanuki, R.
See Brown et al., 37.3, 319-325.
- Waters, M.
See Demarchi et al., 38.3, 279-289.
- Watson, A.
—& Gee, L. E., Laryngeal displacement and asphyxiation by a beheaded sheephead (*Archosargus probatocephalus*) in a bottlenose dolphin (*Tursiops truncatus*), 31.4, 447-452.
—Bahr, R. J., & Matheson, T., Metacarpo-phalangeal anomalies in bottlenose dolphins (*Tursiops truncatus*), 34.1, 65-70.
- Webster, D. L.
See Baird et al., 37.4, 506-511; 39.3, 253-269.
- Webster, T. A.
—Dawson, S. M., & Sloaten, E., Evidence of sex segregation in Hector's dolphin (*Cephalorhynchus hectori*), 35.2, 212-219.

- Wedekin, L. L.
See Rossi-Santos & Wedekin, 32.2, 140-144.
- Weir, C. R.
—Overt responses of humpback whales (*Megaptera novaeangliae*), sperm whales (*Physeter macrocephalus*), and Atlantic spotted dolphins (*Stenella frontalis*) to seismic exploration off Angola, 34.1, 71-83.
—Short-finned pilot whales (*Globicephala macrorhynchus*) respond to an airgun ramp-up procedure off Gabon, 34.3, 349-354.
—& Nicolson, I., Short Note: Depredation of a sport fishing tournament by rough-toothed dolphin (*Steno bredanensis*) off Angola, 40.3, 297-304.
—Canning, S., Hepworth, K., Sim, I., & Stockin, K. A., A long-term opportunistic photo-identification study of bottlenose dolphins (*Tursiops truncatus*) off Aberdeen, United Kingdom: Conservation value and limitations, 34.4, 436-447.
- Weiss, J.
—Foraging habitats and associated preferential foraging specializations of bottlenose dolphin (*Tursiops truncatus*) mother-calf pairs, 32.1, 10-19.
- Weiss, L. R.
See Thomse et al., 37.1, 1-93.
- Weller, D. W.
See Nowacek et al., 39.4, 356-377.
- Wells, R. S.
—Fougeres, E. M., Cooper, A. G., Stevens, R. O., Brodsky, M., Lingenfelter, R., Dold, C., & Douglas, D. C., Movements and dive patterns of short-finned pilot whales (*Globicephala macrorhynchus*) released from a mass stranding in the Florida Keys, 39.1, 61-72.
—Smith, C. R., Sweeney, J. C., Townsend, F. I., Fauquier, D. A., Stone, R., Langan, J., Schwacke, L. H., & Rowles, T. K., Fetal survival of common bottlenose dolphins (*Tursiops truncatus*) in Sarasota Bay, Florida, 40.3, 252-259.
See Balmer et al., 36.1, 1-8; 37.2, 187-192.
See Buckstaff et al., 39.2, 174-186.
See Cunningham-Smith et al., 32.3, 346-356.
See Fazioli et al., 32.2, 212-222.
- Wensveen, P. J.
See Kastelein & Wensveen, 34.4, 420-425.
See Miller et al., 38.4, 362-401.
- Wenzel, F. W.
—Allen, J., Berrow, S., Hazevoet, C. J., Jann, B., Seton, R. E., Steiner, L., Stevick, P., Suárez, P. L., & Whooley, P., Current knowledge on the distribution and relative abundance of humpback whales (*Megaptera novaeangliae*) off the Cape Verde Islands, Eastern North Atlantic, 35.4, 502-510.
See Mate et al., 31.2, 157-160.
See Schofield et al., 34.1, 1-8.
- West, K. L.
See Bergfelt et al., 38.4, 354-361.
- Westerberg, H.
See Königson et al., 32.2, 152-156.
- Westgate, A. J.
See Balmer et al., 37.2, 187-192.
- Wheeler, E.
See Wilkin et al., 38.3, 301-310.
- Whitaker, B.
See Schofield et al., 34.1, 1-8.
- White, B. N.
See Frasier et al., 36.2, 115-120.
- White, R. W.
See Visser et al., 34.2, 193-199.
- Whitehead, H.
See Beekmans et al., 31.2, 243-247.
See Gomez-Salazar et al., 37.4, 472-485.
- See Kowarski et al., 40.2, 117-125.
See Piwetz et al., 37.2, 202-204.
- Whitt, A. D.
—Book Review: *Marine Protected Areas for whales, dolphins and porpoises: A world handbook for cetacean habitat conservation and planning*, 2nd ed., 38.2, 224-226.
- Whooley, P.
See Wenzel et al., 35.4, 502-510.
- Wiepkema, P. R.
See Kastelein et al., 31.1, 34-42.
- Wiggins, S. M.
—Oleson, E. M., McDonald, M. A., & Hildebrand, J. A., Blue whale (*Balaenoptera musculus*) diel call patterns offshore of southern California, 31.2, 161-168.
- Wilke, M.
—Bossley, M., & Doak, W., Managing human interactions with solitary dolphins, 31.4, 427-433.
- Wilkin, S. M.
—Cordaro, J., Gulland, F. M. D., Wheeler, E., Dunkin, R., Sigler, T., Casper, D., Berman, M., Flannery, M., Fire, S., Wang, Z., Colegrove, K., & Baker, J., An unusual mortality event of harbor porpoises (*Phocoena phocoena*) off Central California: Increase in blunt trauma rather than epizootic, 38.3, 301-310.
See Berman-Kowalewski et al., 36.1, 59-66.
See Gulland et al., 34.2, 182-191.
- Wilkins, R.
See Yoshida et al., 36.2, 154-161.
- Williams, M. T.
—Nations, C. S., Smith, T. G., Moulton, V. D., & Perham, C. J., Ringed seal (*Phoca hispida*) use of subnivean structures in the Alaskan Beaufort Sea during development of an oil production facility, 32.3, 311-324.
- Williams, T. M.
—Richter, B., Kendall, T., & Dunkin, R., Short Note: Metabolic demands of a tropical marine carnivore, the Hawaiian monk seal (*Monachus schauinslandi*): Implications for fisheries competition, 37.3, 372-376.
- Wilson, A. D. M.
—& Krause, J., Short Note: Repeated non-agonistic interactions between a bottlenose dolphin (*Tursiops truncatus*) and sperm whales (*Physeter macrocephalus*) in Azorean waters, 39.1, 89-96.
- Winter, A.
—Foy, R. J., & Wynne, K., Seasonal differences in prey availability around a Steller sea lion haulout and rookery in the Gulf of Alaska, 35.2, 145-162.
- Wiseman, N.
See Stockin et al., 34.2, 200-211.
- Witteveen, B. H.
—Worthy, G. A. J., Wynne, K. M., Hirons, A. C., Andrews, A. G., & Markel, R. W., Trophic levels of north Pacific humpback whales (*Megaptera novaeangliae*) through analysis of stable isotopes: Implications on prey and resource quality, 37.2, 101-110.
- Wolfanger, J.
See Filadelfo et al., 35.4, 445-451.
- Womble, J. N.
—& Conlon, S., Observation of Steller sea lion (*Eumetopias jubatus*) predation on a harbor seal (*Phoca vitulina richardii*) in the Glacier Bay region of Southeastern Alaska, 36.2, 129-137.
- Wong, A. W.
—Bonde, R. K., Siegal-Willott, J., Stamper, M. A., Colee, J., Powell, J. A., Reid, J. P., Deutsch, C. J., & Harr, K. E., Monitoring oral temperature, heart rate, and respiration rate of West Indian manatees (*Trichechus manatus*) during capture and handling in the field, 38.1, 1-16.

- Wood, D. T.
See Thomse et al., 37.1, 1-93.
- Wooley, P.
—Book Review: *The complete whale-watching handbook: A guide to whales, dolphins, and porpoises of the world*, 32.3, 391.
- Worthy, G. A. J.
See Ortiz & Worthy, 32.1, 41-45.
See McFadden et al., 32.1, 31-40.
See Turner et al., 32.1, 46-57.
See Witteveen et al., 37.2, 101-110.
- Wu, F.
—Xianyan, W., Xiaohui, D., Xing, M., & Qian, Z., Distribution pattern of Indo-Pacific humpback dolphins (*Sousa chinensis*) along coastal waters of Fujian Province, China, 40.4, 341-349.
- Würsig, B.
—Book Review: *Marine mammal research: Conservation beyond crisis*, 32.2, 242-243.
—Book Review: *Marine mammals of the world: A comprehensive guide to their identification*, 35.3, 414-415.
See Piwetz et al., 38.3, 325-331.
See Thewissen et al., 36.4, 413-419.
- Wurth, T.
See Brown et al., 37.3, 319-325.
- Wynne, K. M.
See Winter et al., 35.2, 145-162.
See Witteveen et al., 37.2, 101-110.
- Xia, Z.
See Yu et al., 35.2, 220-225.
- Xian, Y.
—Wang, K., Jiang, W., Zheng, B., & Wang, D., The development of spacial positions between mother and calf of Yangtze finless porpoises (*Neophocaena asiaeorientalis asiaeorientalis*) maintained in captive and seminatural environments, 38.2, 127-135.
- Xianyan, W.
See Wu et al., 40.4, 341-349.
- Xiaohui, D.
See Wu et al., 40.4, 341-349.
- Xing, M.
See Wu et al., 40.4, 341-349.
- Xitco, M.
See Sweeney et al., 36.3, 248-261.
- Yang, S. C.
See Dares et al., 40.4, 368-374.
- Yatabe, A.
—Kubo, N., Otsuka, M., Shima, S., Kubodera, T., & Yamada, T. K., Stomach contents and structure of a Longman's beaked whale (*Indopacetus pacificus*) stranded in Kyushu, Japan, 36.2, 172-177.
- Yeater, D. B.
—Miller, L. E., Caffery, K. A., & Kuczaj II, S. A., Effects of an increase in group size on the social behavior of a group of rough-toothed dolphins (*Steno bredanensis*), 39.4, 344-355.
See Kuczaj II & Yeater, 32.4, 413-422.
- Yochem, P. K.
See Zagzebski et al., 32.3, 334-345.
- Yonezaki, S.
See Iwata et al., 39.4, 378-384.
- Yoshida, H.
—Compton, J., Punnett, S., Lovell, T., Draper, K., Franklin, G., Norris, N., Phillip, P., Wilkins, R., & Kato, H., Cetacean sightings in the Eastern Caribbean and adjacent waters, spring 2004, 36.2, 154-161.
—Higashi, N., Ono, H., & Uchida, S., Short Note: Finless porpoise (*Neophocaena phocaenoides*) discovered at Okinawa Island, Japan, with the source population inferred from mitochondrial DNA, 36.3, 278-283.
- Yoshioka, M.
See Funasaka et al., 37.4, 433-442.
- Young, J. K.
—& Gerber, L. R., The influence of social composition on reproductive behavior of territorial male California sea lions, 34.1, 102-108.
- Youngbluth, M. J.
See Mazzoil et al., 34.1, 54-64.
- Yu, J.
—Sun, Y., & Xia, Z., The rescue, rehabilitation, and release of a stranded finless porpoise (*Neophocaena phocaenoides sunameri*) at Bohai Bay of China, 35.2, 220-225.
- Yuen, M. M. L.
See Nachtigall et al., 33.1, 6-13.
See Taylor et al., 33.1, 93-99.
- Yurk, H.
—Filatova, O., Matkin, C. O., Barrett-Lennard, L. G., & Brittain, M., Sequential habitat use by two resident killer whale (*Orcinus orca*) clans in Resurrection Bay, Alaska, as determined by remote acoustic monitoring, 36.1, 67-78.
- Zabka, T. S.
See Serran et al., 34.2, 157-165.
- Zagzebski, K. A.
—Gulland, F. M. D., Haulena, M., Lander, M. E., Greig, D. J., Gage, L. J., Hanson, M. B., Yochem, P. K., & Stewart, B. S., Twenty-five years of rehabilitation of odontocetes stranded in Central and Northern California, 1977 to 2002, 32.3, 334-345.
- Zamorano-Abramson, J.
See Olavarría et al., 36.3, 288-293.
- Zani, M. A.
—Taylor, J. K. D., & Kraus, S. D., Observation of a right whale (*Eubalaena glacialis*) birth in the coastal waters of the southeast United States, 34.1, 21-24.
- Zarzycki, J.
See Lopatka et al., 31.4, 463-467.
- Zhang, P.
—Han, J., Lu, Z., & Chen, R., Molecular evidence of a captive-born intergeneric hybridization between bottlenose and Risso's dolphins: *Tursiops truncatus* × *Grampus griseus*, 40.1, 5-8.
- Zheng, B.
See Xian et al., 38.2, 127-135.
- Zinn, S. A.
See Richmond & Zinn, 35.1, 19-31.
- Zoidis, A. M.
—Lomac-MacNair, K. S., Chomos-Betz, A. E., Day, A. J., & McFarland, A. S., Effects of sex, seasonal period, and sea state on calf behavior in Hawaiian humpback whales (*Megaptera novaeangliae*), 40.1, 44-58.
- Zolman, E. S.
See Adams et al., 32.3, 374-384.
See Balmer et al., 37.2, 187-192.
See Bergfelt et al., 39.2, 187-195.
See Fair et al., 32.2, 182-195.