

# Aquatic Mammals Key Word Index

Volumes 42.1-42.44 (Alphabetical)

## abundance

—Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.

—Guizada et al., Abundance of the Bolivian River Dolphin (*Inia boliviensis*) in Mamore River, Upper Madeira Basin, 42.3, 330-338.

## abundance estimates

Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.

## acoustic

Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.

## acoustic parameters

Barrios-Garrido et al., Acoustic Parameters of Guiana Dolphin (*Sotalia guianensis*) Whistles in the Southern Gulf of Venezuela, 42.2, 127-136.

## acoustic structure

Barrios-Garrido et al., Acoustic Parameters of Guiana Dolphin (*Sotalia guianensis*) Whistles in the Southern Gulf of Venezuela, 42.2, 127-136.

## activity state

Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.

## allometry

Harshaw et al., Morphometric Body Condition Indices of Wild Florida Manatees (*Trichechus manatus latirostris*), 42.4, 428-439.

## anatomy

Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.

## anomalous warm conditions

Elorriaga-Verplancken et al., First Record of Pygmy Killer Whales (*Feresa attenuata*) in the Gulf of California, Mexico: Diet Inferences and Probable Relation with Warm Conditions During 2014, 42.1, 20-26.

## aquatic mammals

Ramos et al., A Review of the Aquatic Mammals of Belize, 42.4, 476-493.

## ascorbic acid

Lewis et al., Plasma Vitamin Concentrations ( $\alpha$ - and  $\gamma$ -Tocopherols, Retinol, Retinyl Palmitate, and Ascorbic Acid) in Two Free-Ranging Dolphin (*Tursiops truncatus*) Populations, 42.3, 363-371.

## assistance

Quintana-Rizzo et al., Behavior of an Adult Female Bottlenose Dolphin (*Tursiops truncatus*) Toward an Unrelated Dead Calf, 42.2, 198-202.

## audiometry

Lucke et al., Variability in Click-Evoked Potentials in Killer Whales Variability in Click-Evoked Potentials in Killer Whales (*Orcinus orca*) and Determination of a Hearing Impairment in a Rehabilitated Killer Whale, 42.2, 184-192.

## auditory brainstem response

Rutledge et al., Relating Click-Evoked Auditory Brainstem Response Waveforms to Hearing Loss in the Bottlenose Dolphin (*Tursiops truncatus*), 42.3, 339-349.

## auditory evoked potentials

Lucke et al., Variability in Click-Evoked Potentials in Killer Whales Variability in Click-Evoked Potentials in Killer Whales (*Orcinus orca*) and Determination of a Hearing Impairment in a Rehabilitated Killer Whale, 42.2, 184-192.

## auditory steady-state response

Rutledge et al., Relating Click-Evoked Auditory Brainstem Response Waveforms to Hearing Loss in the Bottlenose Dolphin (*Tursiops truncatus*), 42.3, 339-349.

## beaked whale behavior

Manzano-Roth et al., Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters, 42.4, 507-518.

## beaked whale group vocal periods

Manzano-Roth et al., Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters, 42.4, 507-518.

## begging

Hazelkorn et al., Persistent Effects of Begging on Common Bottlenose Dolphin (*Tursiops truncatus*) Behavior in an Estuarine Population, 42.4, 531-541.

## behavior

—Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.

—Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.

## behavioral pattern

Hazelkorn et al., Persistent Effects of Begging on Common Bottlenose Dolphin (*Tursiops truncatus*) Behavior in an Estuarine Population, 42.4, 531-541.

## behavioral responses

Rasmussen et al., Behavioral Responses by Icelandic White-Beaked Dolphins (*Lagenorhynchus albirostris*) to Playback Sounds, 42.3, 317-329.

## Belize

—Ramos et al., A Review of the Aquatic Mammals of Belize, 42.4, 476-493.

—Takeuchi et al., Baseline Reference Range for Trace Metal Concentrations in Whole Blood of Wild and Managed West Indian Manatees (*Trichechus manatus*) in Florida and Belize, 42.4, 440-453.

## beluga whales

—Hill et al., Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions, 42.3, 277-291.

—Tsai et al., Effects of Physiological Factors and Seasonal Variations on Hematology and Plasma Biochemistry of Beluga Whales (*Delphinapterus leucas*) Managed in Pingtung, Taiwan, 42.4, 494-506.

## Blainville's beaked whale (*Mesoplodon densirostris*)

—Henderson et al., Occurrence and Habitat Use of Foraging Blainville's Beaked Whales (*Mesoplodon densirostris*) on a U.S. Navy Range in Hawaii, 42.4, 549-562.

—Manzano-Roth et al., Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters, 42.4, 507-518.

- blood  
Takeuchi et al., Baseline Reference Range for Trace Metal Concentrations in Whole Blood of Wild and Managed West Indian Manatees (*Trichechus manatus*) in Florida and Belize, 42.4, 440-453.
- body condition  
Harshaw et al., Morphometric Body Condition Indices of Wild Florida Manatees (*Trichechus manatus latirostris*), 42.4, 428-439.
- Bolivian river dolphin (*Inia boliviensis*)  
Guizada et al., Abundance of the Bolivian River Dolphin (*Inia boliviensis*) in Mamore River, Upper Madeira Basin, 42.3, 330-338.
- bottlenose dolphin (*Tursiops truncatus*)  
—Bräger et al., Identification of Bottlenose Dolphin (*Tursiops truncatus*) Prey Using Fish Scale Analysis, 42.1, 63-73.  
—Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.  
—Caldwell et al., Historical Evidence of *Tursiops truncatus* Exhibiting Habitat Preference and Seasonal Fidelity in Northeast Florida, 42.1, 89-103.  
—Caldwell et al., Historical Seasonal Density and Distribution Patterns of *Tursiops truncatus* in Northeast Florida, 42.1, 74-88.  
—Hazelkorn et al., Persistent Effects of Begging on Common Bottlenose Dolphin (*Tursiops truncatus*) Behavior in an Estuarine Population, 42.4, 531-541.  
—Lewis et al., Plasma Vitamin Concentrations ( $\alpha$ - and  $\gamma$ -Tocopherols, Retinol, Retinyl Palmitate, and Ascorbic Acid) in Two Free-Ranging Dolphin (*Tursiops truncatus*) Populations, 42.3, 363-371.  
—Quintana-Rizzo et al., Behavior of an Adult Female Bottlenose Dolphin (*Tursiops truncatus*) Toward an Unrelated Dead Calf, 42.2, 198-202.  
—Rutledge et al., Relating Click-Evoked Auditory Brainstem Response Waveforms to Hearing Loss in the Bottlenose Dolphin (*Tursiops truncatus*), 42.3, 339-349.
- bycatch  
Poonian et al., Small-Scale Mariculture: A Potentially Significant Threat to Dugongs (*Dugong dugon*) Through Incidental Entanglement, 42.1, 56-59.
- calf  
Hill et al., Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions, 42.3, 277-291.
- Cape fur seal (*Arctocephalus pusillus pusillus*)  
Polasek et al., Myoglobin Distribution in the Locomotory Muscles of Cape Fur Seals (*Arctocephalus pusillus pusillus*), 42.4, 421-427.
- captive  
Adimey et al., Twenty-Six Years of Post-Release Monitoring of Florida Manatees (*Trichechus manatus latirostris*): Evaluation of a Cooperative Rehabilitation Program, 42.3, 376-391.
- captivity  
—Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.  
—Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.
- cetacean  
—Barrios-Garrido et al., Acoustic Parameters of Guiana Dolphin (*Sotalia guianensis*) Whistles in the Southern Gulf of Venezuela, 42.2, 127-136.  
—Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.  
—Tsai et al., Effects of Physiological Factors and Seasonal Variations on Hematology and Plasma Biochemistry of Beluga Whales (*Delphinapterus leucas*) Managed in Pingtung, Taiwan, 42.4, 494-506.
- Chile  
Toro et al., Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile, 42.1, 47-55.
- communities  
Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.
- contact  
Hill et al., Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions, 42.3, 277-291.
- D-loop  
Ottewell et al., A Recent Stranding of Omura's Whale (*Balaenoptera omurai*) in Western Australia, 42.2, 193-197.
- dead calf  
Quintana-Rizzo et al., Behavior of an Adult Female Bottlenose Dolphin (*Tursiops truncatus*) Toward an Unrelated Dead Calf, 42.2, 198-202.
- density  
Guizada et al., Abundance of the Bolivian River Dolphin (*Inia boliviensis*) in Mamore River, Upper Madeira Basin, 42.3, 330-338.
- diet  
—Elorriaga-Verplancken et al., First Record of Pygmy Killer Whales (*Feresa attenuata*) in the Gulf of California, Mexico: Diet Inferences and Probable Relation with Warm Conditions During 2014, 42.1, 20-26.  
—Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- diet analysis  
Bräger et al., Identification of Bottlenose Dolphin (*Tursiops truncatus*) Prey Using Fish Scale Analysis, 42.1, 63-73.
- distribution  
—Caldwell et al., Historical Seasonal Density and Distribution Patterns of *Tursiops truncatus* in Northeast Florida, 42.1, 74-88.  
—Ottewell et al., A Recent Stranding of Omura's Whale (*Balaenoptera omurai*) in Western Australia, 42.2, 193-197.
- DNA fingerprinting  
Ottewell et al., A Recent Stranding of Omura's Whale (*Balaenoptera omurai*) in Western Australia, 42.2, 193-197.
- dugong (*Dugong dugon*)  
Poonian et al., Small-Scale Mariculture: A Potentially Significant Threat to Dugongs (*Dugong dugon*) Through Incidental Entanglement, 42.1, 56-59.
- eastern South Pacific  
Toro et al., Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile, 42.1, 47-55.
- echolocation clicks  
Henderson et al., Occurrence and Habitat Use of Foraging Blainville's Beaked Whales (*Mesoplodon densirostris*) on a U.S. Navy Range in Hawaii, 42.4, 549-562.
- estuary  
Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.
- Euphausia lucens*  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.

- experience  
Kavanagh et al., Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals, 42.1, 1-11.
- feeding ground  
Toro et al., Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile, 42.1, 47-55.
- female  
Quintana-Rizzo et al., Behavior of an Adult Female Bottlenose Dolphin (*Tursiops truncatus*) Toward an Unrelated Dead Calf, 42.2, 198-202.
- fin whale (*Balaenoptera physalus*)  
Toro et al., Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile, 42.1, 47-55.
- fish scales  
Bräger et al., Identification of Bottlenose Dolphin (*Tursiops truncatus*) Prey Using Fish Scale Analysis, 42.1, 63-73.
- Florida  
Takeuchi et al., Baseline Reference Range for Trace Metal Concentrations in Whole Blood of Wild and Managed West Indian Manatees (*Trichechus manatus*) in Florida and Belize, 42.4, 440-453.
- Florida manatee (*Trichechus manatus latirostris*)  
Harshaw et al., Morphometric Body Condition Indices of Wild Florida Manatees (*Trichechus manatus latirostris*), 42.4, 428-439.
- forage  
Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.
- foraging dives  
Henderson et al., Occurrence and Habitat Use of Foraging Blainville's Beaked Whales (*Mesoplodon densirostris*) on a U.S. Navy Range in Hawaii, 42.4, 549-562.
- Francisco Coloane Coastal Marine Protected Area  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- Fuegian sprat (*Sprattus fueguensis*)  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- functional morphology  
Marchesi et al., The Vertebral Column of the Hourglass Dolphin (*Lagenorhynchus cruciger*, Quoy and Gaimard, 1824), with Notes on Its Functional Properties in Relation to Its Habitat, 42.3, 306-316.
- genetic  
Ottewell et al., A Recent Stranding of Omura's Whale (*Balaenoptera omurai*) in Western Australia, 42.2, 193-197.
- grey seal (*Halichoerus grypus*)  
Surviliènè et al., Play Behavior of Wild Grey Seals (*Halichoerus grypus*) Effects of Haulout Group Size and Composition, 42.2, 144-161.
- group effect  
Surviliènè et al., Play Behavior of Wild Grey Seals (*Halichoerus grypus*) Effects of Haulout Group Size and Composition, 42.2, 144-161.
- Guadalupe fur seal (*Arctocephalus philippii townsendi*)  
—Elorriaga-Verplancken et al., Isotopic Variation Between Adult Female Guadalupe Fur Seals and Their Offspring: Implications for the Use of Neonates as Proxies for Maternal Foraging, 42.3, 268-276.
- Guiana dolphin (*Sotalia guianensis*)  
Barrios-Garrido et al., Acoustic Parameters of Guiana Dolphin (*Sotalia guianensis*) Whistles in the Southern Gulf of Venezuela, 42.2, 127-136.
- Gulf of Venezuela  
Barrios-Garrido et al., Acoustic Parameters of Guiana Dolphin (*Sotalia guianensis*) Whistles in the Southern Gulf of Venezuela, 42.2, 127-136.
- habitat preference  
Caldwell et al., Historical Evidence of *Tursiops truncatus* Exhibiting Habitat Preference and Seasonal Fidelity in Northeast Florida, 42.1, 89-103.
- habitat use  
Henderson et al., Occurrence and Habitat Use of Foraging Blainville's Beaked Whales (*Mesoplodon densirostris*) on a U.S. Navy Range in Hawaii, 42.4, 549-562.
- haul out  
Surviliènè et al., Play Behavior of Wild Grey Seals (*Halichoerus grypus*) Effects of Haulout Group Size and Composition, 42.2, 144-161.
- Hawaii  
Henderson et al., Occurrence and Habitat Use of Foraging Blainville's Beaked Whales (*Mesoplodon densirostris*) on a U.S. Navy Range in Hawaii, 42.4, 549-562.
- Hawaii beaked whales  
Manzano-Roth et al., Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters, 42.4, 507-518.
- hearing assessment  
Rutledge et al., Relating Click-Evoked Auditory Brainstem Response Waveforms to Hearing Loss in the Bottlenose Dolphin (*Tursiops truncatus*), 42.3, 339-349.
- hearing deficit  
Lucke et al., Variability in Click-Evoked Potentials in Killer Whales Variability in Click-Evoked Potentials in Killer Whales (*Orcinus orca*) and Determination of a Hearing Impairment in a Rehabilitated Killer Whale, 42.2, 184-192.
- hematology  
Tsai et al., Effects of Physiological Factors and Seasonal Variations on Hematology and Plasma Biochemistry of Beluga Whales (*Delphinapterus leucas*) Managed in Pingtung, Taiwan, 42.4, 494-506.
- home range  
Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.
- hourglass dolphin (*Lagenorhynchus cruciger*)  
Marchesi et al., The Vertebral Column of the Hourglass Dolphin (*Lagenorhynchus cruciger*, Quoy and Gaimard, 1824), with Notes on Its Functional Properties in Relation to Its Habitat, 42.3, 306-316.
- human interactions  
Hazelkorn et al., Persistent Effects of Begging on Common Bottlenose Dolphin (*Tursiops truncatus*) Behavior in an Estuarine Population, 42.4, 531-541.
- Humboldt Current  
Toro et al., Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile, 42.1, 47-55.
- humpback whale (*Megaptera novaeangliae*)  
—Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.  
—Kavanagh et al., Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals, 42.1, 1-11.

- incidental capture  
Poonian et al., Small-Scale Mariculture: A Potentially Significant Threat to Dugongs (*Dugong dugon*) Through Incidental Entanglement, 42.1, 56-59.
- interobserver agreement  
Kavanagh et al., Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals, 42.1, 1-11.
- interobserver reliability  
Kavanagh et al., Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals, 42.1, 1-11.
- Irrawaddy dolphin (*Orcaella brevirostris*)  
Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.
- isotopic variation  
Elorriaga-Verplancken et al., Isotopic Variation Between Adult Female Guadalupe Fur Seals and Their Offspring: Implications for the Use of Neonates as Proxies for Maternal Foraging, 42.3, 268-276.
- Kappa statistics  
Kavanagh et al., Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals, 42.1, 1-11.
- killer whale (*Orcinus orca*)  
—Lucke et al., Variability in Click-Evoked Potentials in Killer Whales Variability in Click-Evoked Potentials in Killer Whales (*Orcinus orca*) and Determination of a Hearing Impairment in a Rehabilitated Killer Whale, 42.2, 184-192.  
—Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.
- krill  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- lobster krill  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- manatee (*Trichechus manatus latirostris*)  
—Adimey et al., Twenty-Six Years of Post-Release Monitoring of Florida Manatees (*Trichechus manatus latirostris*): Evaluation of a Cooperative Rehabilitation Program, 42.3, 376-391.  
—Harshaw et al., Morphometric Body Condition Indices of Wild Florida Manatees (*Trichechus manatus latirostris*), 42.4, 428-439.
- marine mammal  
—Lucke et al., Variability in Click-Evoked Potentials in Killer Whales Variability in Click-Evoked Potentials in Killer Whales (*Orcinus orca*) and Determination of a Hearing Impairment in a Rehabilitated Killer Whale, 42.2, 184-192.  
—Ramos et al., A Review of the Aquatic Mammals of Belize, 42.4, 476-493.
- metal  
Takeuchi et al., Baseline Reference Range for Trace Metal Concentrations in Whole Blood of Wild and Managed West Indian Manatees (*Trichechus manatus*) in Florida and Belize, 42.4, 440-453.
- mid-frequency active sonar  
Manzano-Roth et al., Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters, 42.4, 507-518.
- monitoring  
Adimey et al., Twenty-Six Years of Post-Release Monitoring of Florida Manatees (*Trichechus manatus latirostris*): Evaluation of a Cooperative Rehabilitation Program, 42.3, 376-391.
- morphology  
Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.
- morphometrics  
Harshaw et al., Morphometric Body Condition Indices of Wild Florida Manatees (*Trichechus manatus latirostris*), 42.4, 428-439.
- mothers  
Elorriaga-Verplancken et al., Isotopic Variation Between Adult Female Guadalupe Fur Seals and Their Offspring: Implications for the Use of Neonates as Proxies for Maternal Foraging, 42.3, 268-276.
- MPA  
Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.
- Munida gregaria*  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- myoglobin  
Polasek et al., Myoglobin Distribution in the Locomotory Muscles of Cape Fur Seals (*Arctocephalus pusillus pusillus*), 42.4, 421-427.
- native language  
Kavanagh et al., Factors Affecting the Reliability and Validity of Behavioural Datasets: Assessing the Impact of Observers' Experience and Native Language on Studies of Wild Animals, 42.1, 1-11.
- Navy activity  
Manzano-Roth et al., Impacts of U.S. Navy Training Events on Blainville's Beaked Whale (*Mesoplodon densirostris*) Foraging Dives in Hawaiian Waters, 42.4, 507-518.
- northeast Florida  
—Caldwell et al., Historical Evidence of *Tursiops truncatus* Exhibiting Habitat Preference and Seasonal Fidelity in northeast Florida, 42.1, 89-103.  
—Caldwell et al., Historical Seasonal Density and Distribution Patterns of *Tursiops truncatus* in Northeast Florida, 42.1, 74-88.
- nutrition  
Harshaw et al., Morphometric Body Condition Indices of Wild Florida Manatees (*Trichechus manatus latirostris*), 42.4, 428-439.
- object contact  
Hill et al., Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions, 42.3, 277-291.
- odontocete  
—Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.  
—Rutledge et al., Relating Click-Evoked Auditory Brainstem Response Waveforms to Hearing Loss in the Bottlenose Dolphin (*Tursiops truncatus*), 42.3, 339-349.
- offspring  
Elorriaga-Verplancken et al., Isotopic Variation Between Adult Female Guadalupe Fur Seals and Their Offspring: Implications for the Use of Neonates as Proxies for Maternal Foraging, 42.3, 268-276.
- Omura's whale (*Balaenoptera omurai*)  
Ottewell et al., A Recent Stranding of Omura's Whale (*Balaenoptera omurai*) in Western Australia, 42.2, 193-197.

- osteology  
Marchesi et al., The Vertebral Column of the Hourglass Dolphin (*Lagenorhynchus cruciger*, Quoy and Gaimard, 1824), with Notes on Its Functional Properties in Relation to Its Habitat, 42.3, 306-316.
- oxygen stores  
Polasek et al., Myoglobin Distribution in the Locomotory Muscles of Cape Fur Seals (*Arctocephalus pusillus pusillus*), 42.4, 421-427.
- Palawan  
Poonian et al., Small-Scale Mariculture: A Potentially Significant Threat to Dugongs (*Dugong dugon*) Through Incidental Entanglement, 42.1, 56-59.
- pectoralis muscle  
Polasek et al., Myoglobin Distribution in the Locomotory Muscles of Cape Fur Seals (*Arctocephalus pusillus pusillus*), 42.4, 421-427.
- Philippines  
Poonian et al., Small-Scale Mariculture: A Potentially Significant Threat to Dugongs (*Dugong dugon*) Through Incidental Entanglement, 42.1, 56-59.
- plasma biochemistry  
Tsai et al., Effects of Physiological Factors and Seasonal Variations on Hematology and Plasma Biochemistry of Beluga Whales (*Delphinapterus leucas*) Managed in Pingtung, Taiwan, 42.4, 494-506.
- playback  
Rasmussen et al., Behavioral Responses by Icelandic White-Beaked Dolphins (*Lagenorhynchus albirostris*) to Playback Sounds, 42.3, 317-329.
- post-release  
Adimey et al., Twenty-Six Years of Post-Release Monitoring of Florida Manatees (*Trichechus manatus latirostris*): Evaluation of a Cooperative Rehabilitation Program, 42.3, 376-391.
- preference habitat  
Guizada et al., Abundance of the Bolivian River Dolphin (*Inia boliviensis*) in Mamore River, Upper Madeira Basin, 42.3, 330-338.
- presbycusis  
Rutledge et al., Relating Click-Evoked Auditory Brainstem Response Waveforms to Hearing Loss in the Bottlenose Dolphin (*Tursiops truncatus*), 42.3, 339-349.
- prey identification  
Bräger et al., Identification of Bottlenose Dolphin (*Tursiops truncatus*) Prey Using Fish Scale Analysis, 42.1, 63-73.
- pygmy killer whales (*Feresa attenuata*)  
Elorriaga-Verplancken et al., First Record of Pygmy Killer Whales (*Feresa attenuata*) in the Gulf of California, Mexico: Diet Inferences and Probable Relation with Warm Conditions During 2014, 42.1, 20-26.
- reference values  
Lewis et al., Plasma Vitamin Concentrations ( $\alpha$ - and  $\gamma$ -Tocopherols, Retinol, Retinyl Palmitate, and Ascorbic Acid) in Two Free-Ranging Dolphin (*Tursiops truncatus*) Populations, 42.3, 363-371.
- rehabilitation  
Adimey et al., Twenty-Six Years of Post-Release Monitoring of Florida Manatees (*Trichechus manatus latirostris*): Evaluation of a Cooperative Rehabilitation Program, 42.3, 376-391.
- rest  
Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.
- retinol  
Lewis et al., Plasma Vitamin Concentrations ( $\alpha$ - and  $\gamma$ -Tocopherols, Retinol, Retinyl Palmitate, and Ascorbic Acid) in Two Free-Ranging Dolphin (*Tursiops truncatus*) Populations, 42.3, 363-371.
- retinyl palmitate  
Lewis et al., Plasma Vitamin Concentrations ( $\alpha$ - and  $\gamma$ -Tocopherols, Retinol, Retinyl Palmitate, and Ascorbic Acid) in Two Free-Ranging Dolphin (*Tursiops truncatus*) Populations, 42.3, 363-371.
- sardine  
Bräger et al., Identification of Bottlenose Dolphin (*Tursiops truncatus*) Prey Using Fish Scale Analysis, 42.1, 63-73.
- seasonal density  
Caldwell et al., Historical Seasonal Density and Distribution Patterns of *Tursiops truncatus* in Northeast Florida, 42.1, 74-88.
- seasonal fidelity  
Caldwell et al., Historical Evidence of *Tursiops truncatus* Exhibiting Habitat Preference and Seasonal Fidelity in Northeast Florida, 42.1, 89-103.
- seasonal occurrence  
Toro et al., Novel Coastal Feeding Area for Eastern South Pacific Fin Whales (*Balaenoptera physalus*) in Mid-Latitude Humboldt Current Waters off Chile, 42.1, 47-55.
- seaweed farm  
Poonian et al., Small-Scale Mariculture: A Potentially Significant Threat to Dugongs (*Dugong dugon*) Through Incidental Entanglement, 42.1, 56-59.
- social interactions  
—Hill et al., Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions, 42.3, 277-291.  
—Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.
- social play  
Survilién et al., Play Behavior of Wild Grey Seals (*Halichoerus grypus*) Effects of Haulout Group Size and Composition, 42.2, 144-161.
- social structure  
Brusa et al., Abundance, Ranging Patterns, and Social Behavior of Bottlenose Dolphins (*Tursiops truncatus*) in an Estuarine Terminus, 42.1, 109-121.
- sound  
Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.
- Southeast Pacific humpback whale  
Haro et al., Trophic Ecology of Humpback Whales (*Megaptera novaeangliae*) in the Magellan Strait as Indicated by Carbon and Nitrogen Stable Isotopes, 42.2, 233-244.
- species distribution  
Ramos et al., A Review of the Aquatic Mammals of Belize, 42.4, 476-493.
- stable isotopes  
—Elorriaga-Verplancken et al., First Record of Pygmy Killer Whales (*Feresa attenuata*) in the Gulf of California, Mexico: Diet Inferences and Probable Relation with Warm Conditions During 2014, 42.1, 20-26.  
—Elorriaga-Verplancken et al., Isotopic Variation Between Adult Female Guadalupe Fur Seals and Their Offspring: Implications for the Use of Neonates as Proxies for Maternal Foraging, 42.3, 268-276.
- stereotypical behavior  
Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.

#### strandings

Ottewell et al., A Recent Stranding of Omura's Whale (*Balaenoptera omurai*) in Western Australia, 42.2, 193-197.

#### strip-width transect method

Guizada et al., Abundance of the Bolivian River Dolphin (*Inia boliviensis*) in Mamore River, Upper Madeira Basin, 42.3, 330-338.

#### swim-with-dolphin program

Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.

#### telemetry

Adimey et al., Twenty-Six Years of Post-Release Monitoring of Florida Manatees (*Trichechus manatus latirostris*): Evaluation of a Cooperative Rehabilitation Program, 42.3, 376-391.

#### transitory vs persistent

Hazelkorn et al., Persistent Effects of Begging on Common Bottlenose Dolphin (*Tursiops truncatus*) Behavior in an Estuarine Population, 42.4, 531-541.

#### vertebral column

Marchesi et al., The Vertebral Column of the Hourglass Dolphin (*Lagenorhynchus cruciger*, Quoy and Gaimard, 1824), with Notes on Its Functional Properties in Relation to Its Habitat, 42.3, 306-316.

#### vessel impact

Noren et al., Surface-Based Observations Can Be Used to Assess Behavior and Fine-Scale Habitat Use by an Endangered Killer Whale (*Orcinus orca*) Population, 42.2, 168-183.

#### vitamin $\alpha$ - and $\gamma$ -tocopherols

Lewis et al., Plasma Vitamin Concentrations ( $\alpha$ - and  $\gamma$ -Tocopherols, Retinol, Retinyl Palmitate, and Ascorbic Acid) in Two Free-Ranging Dolphin (*Tursiops truncatus*) Populations, 42.3, 363-371.

#### vocalization

Svarachorn et al., Sound Characteristics and Primary Descriptions of Vocalizations Associated with Behaviours of Captive Irrawaddy Dolphins (*Orcaella brevirostris*), 42.4, 519-530.

#### welfare

Kastelein et al., Reversible Bending of the Dorsal Fins of Harbor Porpoises (*Phocoena phocoena*) and a Striped Dolphin (*Stenella coeruleoalba*) in Captivity, 42.2, 218-226.

#### West Indian manatee (*Trichechus manatus*)

Takeuchi et al., Baseline Reference Range for Trace Metal Concentrations in Whole Blood of Wild and Managed West Indian Manatees (*Trichechus manatus*) in Florida and Belize, 42.4, 440-453.

#### Western Caribbean

Ramos et al., A Review of the Aquatic Mammals of Belize, 42.4, 476-493.

#### whale

Hill et al., Preliminary Findings in Beluga (*Delphinapterus leucas*) Tactile Interactions, 42.3, 277-291.

#### white-beaked dolphins (*Lagenorhynchus albirostris*)

Rasmussen et al., Behavioral Responses by Icelandic White-Beaked Dolphins (*Lagenorhynchus albirostris*) to Playback Sounds, 42.3, 317-329.