

Aquatic Mammals Key Word Index

Volumes 45.1-45.6 (Alphabetical)

abundance

Mello et al., Abundance Estimates of Guiana Dolphins (*Sotalia guianensis*; Van Bénédén, 1864) Inhabiting an Estuarine System in Southeastern Brazil, 45.1, 56-65.

acoustics

—Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.

—Miksis-Olds et al., Interpreting Fin Whale (*Balaenoptera physalus*) Call Behavior in the Context of Environmental Conditions, 45.6, 691-705.

activity budgets

Durden et al., Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*), 45.1, 66-87.

aggression

Robeck et al., Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype, 45.4, 430-446.

agonistic behavior

—Robeck et al., Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype, 45.4, 430-446.

—Serres et al., Agonistic Interactions and Dominance Relationships in Three Groups of Captive Odontocetes: Method of Assessment and Inter-Species/Group Comparison, 45.5, 478-499.

airgun

Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.

Amazonian manatee (*Trichechus inunguis*)

Mendoza et al., Growth Curve of Amazonian Manatee (*Trichechus inunguis*) in Captivity, 45.4, 389-397.

anthropogenic noise

—Kastelein et al., Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to a Series of Four Different Simulated Low-Frequency Sonar Sounds (1.33-1.43 kHz), 45.6, 632-645.

—Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.

—Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.

anthropogenic sound

—Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.

—Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.

—Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.

antibiotic resistance

Schaefer et al., Temporal Changes in Antibiotic Resistance Among Bacteria Isolated from Common Bottlenose Dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 2003-2015, 45.5, 533-542.

Argos

Keen et al., Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight, 45.2, 233-243.

audiogram

—Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.

baleen whales

Harris et al., Foraging Behavior and Disruption in Blue, Fin, and Humpback Whales in Relation to Sonar Exposure: The Challenges of Generalizing Responsiveness in Species with High Individual Variability, 45.6, 646-660.

basilar membrane

Voysey et al., Aligning Basilar Membrane Spirals to Two-Dimensional Images of Point-Stiffness Experiments, 45.6, 733-738.

beaked whales

Schick et al., Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar, 45.6, 675-690.

behavior

—Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.

—Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.

behavioral response

—Harris et al., Changes in the Spatial Distribution of Acoustically Derived Minke Whale (*Balaenoptera acutorostrata*) Tracks in Response to Navy Training, 45.6, 661-674.

—Henderson et al., Quantifying the Behavior of Humpback Whales (*Megaptera novaeangliae*) and Potential Responses to Sonar, 45.6, 612-631.

—Kastelein et al., Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to a Series of Four Different Simulated Low-Frequency Sonar Sounds (1.33-1.43 kHz), 45.6, 632-645.

behavioral response studies

—Harris et al., Foraging Behavior and Disruption in Blue, Fin, and Humpback Whales in Relation to Sonar Exposure: The Challenges of Generalizing Responsiveness in Species with High Individual Variability, 45.6, 646-660.

—Schick et al., Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar, 45.6, 675-690.

- blow
Mingramm et al., Relationships Between Blubber Respiratory Vapour Steroid Hormone Concentrations in Humpback Whales (*Megaptera novaeangliae*), 45.5, 465-477.
- blubber
Mingramm et al., Relationships Between Blubber Respiratory Vapour Steroid Hormone Concentrations in Humpback Whales (*Megaptera novaeangliae*), 45.5, 465-477.
- blue whale (*Balaenoptera musculus*)
Morales-Guerrero et al., Blue Whale (*Balaenoptera musculus*) Skin Contains Eumelanin and Pheomelanin, 45.1, 88-98.
- body condition
—Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
—Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- bottlenose dolphin (*Tursiops truncatus*)
—Durden et al., Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*), 45.1, 66-87.
—Schaefer et al., Temporal Changes in Antibiotic Resistance Among Bacteria Isolated from Common Bottlenose Dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 2003-2015, 45.5, 533-542.
—Serres et al., Agonistic Interactions and Dominance Relationships in Three Groups of Captive Odontocetes: Method of Assessment and Inter-Species/Group Comparison, 45.5, 478-499.
- bycatch
Li et al., Molecular Identification of Stranded Cetaceans in Coastal China, 45.5, 525-532.
- calf survivorship
Deng et al., Position at Birth and Possible Effects on Calf Survival in Finless Porpoises (*Neophocaena asiaeorientalis*), 45.4, 411-418.
- captivity study
Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.
- cetacean
—McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
—Tubelli et al., The Role of Material Properties in Cetacean Hearing Methods: Knowns and Unknowns, 45.6, 717-732.
—Voysey et al., Aligning Basilar Membrane Spirals to Two-Dimensional Images of Point-Stiffness Experiments, 45.6, 733-738.
- cetacean birth
Deng et al., Position at Birth and Possible Effects on Calf Survival in Finless Porpoises (*Neophocaena asiaeorientalis*), 45.4, 411-418.
- cetacean diversity
Li et al., Molecular Identification of Stranded Cetaceans in Coastal China, 45.5, 525-532.
- cochlear length
Voysey et al., Aligning Basilar Membrane Spirals to Two-Dimensional Images of Point-Stiffness Experiments, 45.6, 733-738.
- controlled exposure experiment
Schick et al., Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar, 45.6, 675-690.
- criteria
Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.
- Cytb
Li et al., Molecular Identification of Stranded Cetaceans in Coastal China, 45.5, 525-532.
- D-loop
Li et al., Molecular Identification of Stranded Cetaceans in Coastal China, 45.5, 525-532.
- deformity
Stack et al., Incidence of Odontocetes with Dorsal Fin Collapse in Maui Nui, Hawaii, 45.3, 257-265.
- density estimation
Miksis-Olds et al., Interpreting Fin Whale (*Balaenoptera physalus*) Call Behavior in the Context of Environmental Conditions, 45.6, 691-705.
- DEPONS
—Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
—Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- detection
Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.
- diel dive behavior
Keen et al., Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight, 45.2, 233-243.
- diet
—Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
—Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- dipping sonar
Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.
- disfigurement
Stack et al., Incidence of Odontocetes with Dorsal Fin Collapse in Maui Nui, Hawaii, 45.3, 257-265.
- distraction
Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.
- disturbance
Kastelein et al., Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to a Series of Four Different Simulated Low-Frequency Sonar Sounds (1.33-1.43 kHz), 45.6, 632-645.
- dive strategy
Keen et al., Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight, 45.2, 233-243.
- dolphins
Giovos et al., An International Online Social Survey of Public Attitudes Towards Cetaceans, 45.3, 327-339.
- dominance hierarchy
Robeck et al., Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype, 45.4, 430-446.

- dorsal fin
Stack et al., Incidence of Odontocetes with Dorsal Fin Collapse in Maui Nui, Hawaii, 45.3, 257-265.
- drilling
Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.
- East Asian finless porpoise
Deng et al., Position at Birth and Possible Effects on Calf Survival in Finless Porpoises (*Neophocaena asiaeorientalis*), 45.4, 411-418.
- effect disturbance
Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- energetics
—Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
—Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- environmental modeling
Miksis-Olds et al., Interpreting Fin Whale (*Balaenoptera physalus*) Call Behavior in the Context of Environmental Conditions, 45.6, 691-705.
- eumelanin
Morales-Guerrero et al., Blue Whale (*Balaenoptera musculus*) Skin Contains Eumelanin and Pheomelanin, 45.1, 88-98.
- exploration and production
Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.
- fetus presentation
Deng et al., Position at Birth and Possible Effects on Calf Survival in Finless Porpoises (*Neophocaena asiaeorientalis*), 45.4, 411-418.
- fin whale (*Balaenoptera physalus*)
—Keen et al., Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight, 45.2, 233-243.
—Miksis-Olds et al., Interpreting Fin Whale (*Balaenoptera physalus*) Call Behavior in the Context of Environmental Conditions, 45.6, 691-705.
- finless porpoise (*Neophocaena asiaeorientalis*)
—Serres et al., Agonistic Interactions and Dominance Relationships in Three Groups of Captive Odontocetes: Method of Assessment and Inter-Species/Group Comparison, 45.5, 478-499.
- Florida manatee (*Trichechus manatus latirostris*)
Harshaw et al., *In Vivo* Apparent Digestibility of Fiber in Florida Manatees (*Trichechus manatus latirostris*) Under Human Care, 45.5, 513-524.
- foraging
Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.
- frequency weighting
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
- frequency-place map
Voysey et al., Aligning Basilar Membrane Spirals to Two-Dimensional Images of Point-Stiffness Experiments, 45.6, 733-738.
- generalized estimating equations
Harris et al., Foraging Behavior and Disruption in Blue, Fin, and Humpback Whales in Relation to Sonar Exposure: The Challenges of Generalizing Responsiveness in Species with High Individual Variability, 45.6, 646-660.
- Gompertz function
Mendoza et al., Growth Curve of Amazonian Manatee (*Trichechus inunguis*) in Captivity, 45.4, 389-397.
- growth modelling
Mendoza et al., Growth Curve of Amazonian Manatee (*Trichechus inunguis*) in Captivity, 45.4, 389-397.
- Guiana dolphin (*Sotalia guianensis*)
Mello et al., Abundance Estimates of Guiana Dolphins (*Sotalia guianensis*; Van Bénédén, 1864) Inhabiting an Estuarine System in Southeastern Brazil, 45.1, 56-65.
- habitat selection
Durden et al., Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*), 45.1, 66-87.
- habitat use
Eder et al., Foraging Strategies of Female Elephant Seals from Peninsula Valdés, Patagonia, Inferred from Whisker Stable Isotope Signatures of Their Pups, 45.1, 1-13.
- habitat utilization
McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
- harbor porpoise
—Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
- hearing
—Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.
—Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
—Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.
—Tubelli et al., The Role of Material Properties in Cetacean Hearing Methods: Knowns and Unknowns, 45.6, 717-732.
—Voysey et al., Aligning Basilar Membrane Spirals to Two-Dimensional Images of Point-Stiffness Experiments, 45.6, 733-738.
- hearing damage
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.

- Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
- hearing sensitivity
- Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.
- Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
- helicopter
- Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.
- hormone
- Mingramm et al., Relationships Between Blubber Respiratory Vapour Steroid Hormone Concentrations in Humpback Whales (*Megaptera novaeangliae*), 45.5, 465-477.
- hot spot (GetisOrd Gi*) spatial statistic
- McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
- humpback whale (*Megaptera novaeangliae*)
- Henderson et al., Quantifying the Behavior of Humpback Whales (*Megaptera novaeangliae*) and Potential Responses to Sonar, 45.6, 612-631.
- Mingramm et al., Relationships Between Blubber Respiratory Vapour Steroid Hormone Concentrations in Humpback Whales (*Megaptera novaeangliae*), 45.5, 465-477.
- Tubelli et al., The Role of Material Properties in Cetacean Hearing Methods: Knowns and Unknowns, 45.6, 717-732.
- impacts
- Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.
- impulsive sound
- Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.
- Indian River Lagoon
- Durden et al., Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*), 45.1, 66-87.
- Schaefer et al., Temporal Changes in Antibiotic Resistance Among Bacteria Isolated from Common Bottlenose Dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 2003-2015, 45.5, 533-542.
- individual specialization
- Eder et al., Foraging Strategies of Female Elephant Seals from Peninsula Valdés, Patagonia, Inferred from Whisker Stable Isotope Signatures of Their Pups, 45.1, 1-13.
- individual variation
- Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.
- injury
- Stack et al., Incidence of Odontocetes with Dorsal Fin Collapse in Maui Nui, Hawaii, 45.3, 257-265.
- iPCoD
- Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
- Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- killer whale (*Orcinus orca*)
- Robeck et al., Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype, 45.4, 430-446.
- Leizhou Bay
- Liu et al., Efficiency and Effect Evaluation of Remote Biopsy Sampling on Indo-Pacific Humpback Dolphins (*Sousa chinensis*) in the Northern South China Sea, 45.3, 311-319.
- lunge feeding
- Harris et al., Foraging Behavior and Disruption in Blue, Fin, and Humpback Whales in Relation to Sonar Exposure: The Challenges of Generalizing Responsiveness in Species with High Individual Variability, 45.6, 646-660.
- marine mammals
- Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.
- Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.
- Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.
- marine mammal distribution
- McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
- mark-recapture
- Mello et al., Abundance Estimates of Guiana Dolphins (*Sotalia guianensis*; Van Bénédén, 1864) Inhabiting an Estuarine System in Southeastern Brazil, 45.1, 56-65.
- masking
- Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.
- material properties
- Tubelli et al., The Role of Material Properties in Cetacean Hearing Methods: Knowns and Unknowns, 45.6, 717-732.
- maturity age
- Mendoza et al., Growth Curve of Amazonian Manatee (*Trichechus inunguis*) in Captivity, 45.4, 389-397.
- mean size
- Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
- mechanics
- Tubelli et al., The Role of Material Properties in Cetacean Hearing Methods: Knowns and Unknowns, 45.6, 717-732.
- melanin
- Morales-Guerrero et al., Blue Whale (*Balaenoptera musculus*) Skin Contains Eumelanin and Pheomelanin, 45.1, 88-98.
- mitigation
- Kastelein et al., Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to a Series of Four Different Simulated Low-Frequency Sonar Sounds (1.33-1.43 kHz), 45.6, 632-645.
- mitigation hierarchy
- Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.

- model
 Tubelli et al., The Role of Material Properties in Cetacean Hearing Methods: Knowns and Unknowns, 45.6, 717-732.
- modeling
 Voysey et al., Aligning Basilar Membrane Spirals to Two-Dimensional Images of Point-Stiffness Experiments, 45.6, 733-738.
- monitoring
 Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.
- movement patterns
 Durden et al., Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*), 45.1, 66-87.
- Multiple Antibiotic Resistance index
 Schaefer et al., Temporal Changes in Antibiotic Resistance Among Bacteria Isolated from Common Bottlenose Dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 2003-2015, 45.5, 533-542.
- naval sonar
 —Harris et al., Changes in the Spatial Distribution of Acoustically Derived Minke Whale (*Balaenoptera acutorostrata*) Tracks in Response to Navy Training, 45.6, 661-674.
 —Harris et al., Foraging Behavior and Disruption in Blue, Fin, and Humpback Whales in Relation to Sonar Exposure: The Challenges of Generalizing Responsiveness in Species with High Individual Variability, 45.6, 646-660.
 —Kastelein et al., Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to a Series of Four Different Simulated Low-Frequency Sonar Sounds (1.33-1.43 kHz), 45.6, 632-645.
- navy
 —Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.
 —Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.
- Neophocaena asiaeorientalis* sp.
 Serres et al., Agonistic Interactions and Dominance Relationships in Three Groups of Captive Odontocetes: Method of Assessment and Inter-Species/Group Comparison, 45.5, 478-499.
- neritic/oceanic foraging strategies
 Eder et al., Foraging Strategies of Female Elephant Seals from Peninsula Valdés, Patagonia, Inferred from Whisker Stable Isotope Signatures of Their Pups, 45.1, 1-13.
- noise
 Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.
- noise exposure
 Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.
- nutrition
 —Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
 —Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
- odontocete
 —Kastelein et al., Behavioral Responses of a Harbor Porpoise (*Phocoena phocoena*) to a Series of Four Different Simulated Low-Frequency Sonar Sounds (1.33-1.43 kHz), 45.6, 632-645.
 —Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.
 —Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.
 —Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.
 —Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
 —Kastelein et al., Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons, 45.1, 37-47.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
 —Serres et al., Agonistic Interactions and Dominance Relationships in Three Groups of Captive Odontocetes: Method of Assessment and Inter-Species/Group Comparison, 45.5, 478-499.
 —Stack et al., Incidence of Odontocetes with Dorsal Fin Collapse in Maui Nui, Hawaii, 45.3, 257-265.
- online surveys
 Giovos et al., An International Online Social Survey of Public Attitudes Towards Cetaceans, 45.3, 327-339.
- orca
 Robeck et al., Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype, 45.4, 430-446.
- passive acoustic monitoring
 Harris et al., Changes in the Spatial Distribution of Acoustically Derived Minke Whale (*Balaenoptera acutorostrata*) Tracks in Response to Navy Training, 45.6, 661-674.
- Paxarms biopsy system
 Liu et al., Efficiency and Effect Evaluation of Remote Biopsy Sampling on Indo-Pacific Humpback Dolphins (*Sousa chinensis*) in the Northern South China Sea, 45.3, 311-319.
- pheomelanin
 Morales-Guerrero et al., Blue Whale (*Balaenoptera musculus*) Skin Contains Eumelanin and Pheomelanin, 45.1, 88-98.
- phocids
 Kastelein et al., Hearing Thresholds of Two Harbor Seals (*Phoca vitulina*) for Helicopter Dipping Sonar Signals (1.3-1.4 kHz), 45.3, 349-355.
- photo-identification
 Mello et al., Abundance Estimates of Guiana Dolphins (*Sotalia guianensis*; Van Bénédén, 1864) Inhabiting an Estuarine System in Southeastern Brazil, 45.1, 56-65.
- photo protection
 Morales-Guerrero et al., Blue Whale (*Balaenoptera musculus*) Skin Contains Eumelanin and Pheomelanin, 45.1, 88-98.
- pigmentation
 Morales-Guerrero et al., Blue Whale (*Balaenoptera musculus*) Skin Contains Eumelanin and Pheomelanin, 45.1, 88-98.
- pile driving
 Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.

- platform of opportunity
 McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
- presence-only data
 McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
- PTS
 Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.
- public attitudes
 Giovos et al., An International Online Social Survey of Public Attitudes Towards Cetaceans, 45.3, 327-339.
- public health
 Schaefer et al., Temporal Changes in Antibiotic Resistance Among Bacteria Isolated from Common Bottlenose Dolphins (*Tursiops truncatus*) in the Indian River Lagoon, Florida, 2003-2015, 45.5, 533-542.
- public opinion
 Giovos et al., An International Online Social Survey of Public Attitudes Towards Cetaceans, 45.3, 327-339.
- radio-telemetry
 Durden et al., Small-Scale Movement Patterns, Activity Budgets, and Association Patterns of Radio-Tagged Indian River Lagoon Bottlenose Dolphins (*Tursiops truncatus*), 45.1, 66-87.
- rake marks
 Robeck et al., Evidence of Variable Agonistic Behavior in Killer Whales (*Orcinus orca*) Based on Age, Sex, and Ecotype, 45.4, 430-446.
- received level
 Schick et al., Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar, 45.6, 675-690.
- recovery from disturbance
 Kastelein et al., High Levels of Food Intake in Harbor Porpoises (*Phocoena phocoena*): Insight into Recovery from Disturbance, 45.4, 380-388.
- reproductive assessment
 Mingramm et al., Relationships Between Blubber Respiratory Vapour Steroid Hormone Concentrations in Humpback Whales (*Megaptera novaeangliae*), 45.5, 465-477.
- robust design
 Mello et al., Abundance Estimates of Guiana Dolphins (*Sotalia guianensis*; Van Bénédén, 1864) Inhabiting an Estuarine System in Southeastern Brazil, 45.1, 56-65.
- sampling success rate
 Liu et al., Efficiency and Effect Evaluation of Remote Biopsy Sampling on Indo-Pacific Humpback Dolphins (*Sousa chinensis*) in the Northern South China Sea, 45.3, 311-319.
- Sanniang Bay
 Liu et al., Efficiency and Effect Evaluation of Remote Biopsy Sampling on Indo-Pacific Humpback Dolphins (*Sousa chinensis*) in the Northern South China Sea, 45.3, 311-319.
- satellite tag
 —Henderson et al., Quantifying the Behavior of Humpback Whales (*Megaptera novaeangliae*) and Potential Responses to Sonar, 45.6, 612-631.
 —Schick et al., Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar, 45.6, 675-690.
- sea state
 Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.
- seismic survey
 —Bröker et al., An Overview of Potential Impacts of Hydrocarbon Exploration and Production on Marine Mammals and Associated Monitoring and Mitigation Measures, 45.6, 576-611.
 —Kastelein et al., Effect of a Bubble Screen on the Behavioral Responses of Captive Harbor Porpoises (*Phocoena phocoena*) Exposed to Airgun Sounds, 45.6, 706-716.
- ship strike
 Keen et al., Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight, 45.2, 233-243.
- small cetaceans
 Liu et al., Efficiency and Effect Evaluation of Remote Biopsy Sampling on Indo-Pacific Humpback Dolphins (*Sousa chinensis*) in the Northern South China Sea, 45.3, 311-319.
- social dominance
 Serres et al., Agonistic Interactions and Dominance Relationships in Three Groups of Captive Odontocetes: Method of Assessment and Inter-Species/Group Comparison, 45.5, 478-499.
- social media
 Giovos et al., An International Online Social Survey of Public Attitudes Towards Cetaceans, 45.3, 327-339.
- sonar
 —Henderson et al., Quantifying the Behavior of Humpback Whales (*Megaptera novaeangliae*) and Potential Responses to Sonar, 45.6, 612-631.
 —Kastelein et al., Behavioral Responses of Harbor Porpoises (*Phocoena phocoena*) to U.S. Navy 53C Sonar Signals in Noise, 45.4, 359-366.
- Southern California Bight
 Keen et al., Diel Dive Behavior of Fin Whales (*Balaenoptera physalus*) in the Southern California Bight, 45.2, 233-243.
- spatial bias
 McBride-Kebert et al., Controlling for Survey Effort Is Worth the Effort: Comparing Bottlenose Dolphin (*Tursiops truncatus*) Habitat Use Between Standardized and Opportunistic Photographic-Identification Surveys, 45.1, 21-29.
- spatial distribution
 Harris et al., Changes in the Spatial Distribution of Acoustically Derived Minke Whale (*Balaenoptera acutorostrata*) Tracks in Response to Navy Training, 45.6, 661-674.
- species pooling
 —Harris et al., Foraging Behavior and Disruption in Blue, Fin, and Humpback Whales in Relation to Sonar Exposure: The Challenges of Generalizing Responsiveness in Species with High Individual Variability, 45.6, 646-660.
- stable isotopes
 Eder et al., Foraging Strategies of Female Elephant Seals from Peninsula Valdés, Patagonia, Inferred from Whisker Stable Isotope Signatures of Their Pups, 45.1, 1-13.
- temporary threshold shift
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.
- TTS
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz, 45.3, 280-292.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Band at 32 kHz, 45.5, 549-562.

—Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.

uncertainty

Schick et al., Accounting for Positional Uncertainty When Modeling Received Levels for Tagged Cetaceans Exposed to Sonar, 45.6, 675-690.

weighting

Southall et al., Marine Mammal Noise Exposure Criteria: Updated Scientific Recommendations for Residual Hearing Effects, 45.2, 125-232.

whale carcasses

Li et al., Molecular Identification of Stranded Cetaceans in Coastal China, 45.5, 525-532.

whales

Giovos et al., An International Online Social Survey of Public Attitudes Towards Cetaceans, 45.3, 327-339.

wind park

Kastelein et al., Effect of Pile-Driving Playback Sound Level on Fish-Catching Efficiency in Harbor Porpoises (*Phocoena phocoena*), 45.4, 398-410.

Yangtze finless porpoise (*Neophocaena asiaeorientalis*)

Deng et al., Position at Birth and Possible Effects on Calf Survival in Finless Porpoises (*Neophocaena asiaeorientalis*), 45.4, 411-418.