

Aquatic Mammals Key Word Index

Volumes 46.1-46.6 (Alphabetical)

abundance

Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.

acoustic deterrent device

Basran et al., Behavioural Responses of Humpback Whales (*Megaptera novaeangliae*) to Two Acoustic Deterrent Devices in a Northern Feeding Ground off Iceland, 46.6, 584-602.

acoustic exposure

Niu et al., Behavioral Responses by Captive Bottlenose Dolphins (*Tursiops truncatus*) to 15- to 50-kHz Tonal Signals, 46.1, 1-10.

Adriatic Sea

Miočić-Stošić et al., Sea Lamprey (*Petromyzon marinus*) Attachment to the Common Bottlenose Dolphin (*Tursiops truncatus*), 46.2, 152-166.

allomother

Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.

anatomy

Barboza et al., Gross and Microscopic Anatomy of the Nasal Cavity, Including Olfactory Epithelium, of the Florida Manatee (*Trichechus manatus latirostris*), 46.3, 274-284.

anthropogenic noise

—Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.

—Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.

—Niu et al., Behavioral Responses by Captive Bottlenose Dolphins (*Tursiops truncatus*) to 15- to 50-kHz Tonal Signals, 46.1, 1-10.

Atlantic spotted dolphin (*Stenella frontalis*)

Dunn et al., Satellite-Linked Telemetry Study of a Rehabilitated and Released Atlantic Spotted Dolphin in the Bahamas Provides Insights into Broader Ranging Patterns and Conservation Needs, 46.6, 633-639.

audiogram

—Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.

—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.

—Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.

Bahamas

Dunn et al., Satellite-Linked Telemetry Study of a Rehabilitated and Released Atlantic Spotted Dolphin in the Bahamas Provides Insights into Broader Ranging Patterns and Conservation Needs, 46.6, 633-639.

behavior

Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.

behavioral response

—Basran et al., Behavioural Responses of Humpback Whales (*Megaptera novaeangliae*) to Two Acoustic Deterrent Devices in a Northern Feeding Ground off Iceland, 46.6, 584-602.

—Niu et al., Behavioral Responses by Captive Bottlenose Dolphins (*Tursiops truncatus*) to 15- to 50-kHz Tonal Signals, 46.1, 1-10.

beluga (*Delphinapterus leucas*)

Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.

Black Sea

Zaharieva et al., The Conflict Between Fisheries and Cetaceans in Bulgaria's Black Sea Territorial Waters, 46.1, 99-110.

bottlenose dolphins (*Tursiops truncatus*)

—Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.

—Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.

—Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA, 46.3, 285-300.

—Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.

—Niu et al., Behavioral Responses by Captive Bottlenose Dolphins (*Tursiops truncatus*) to 15- to 50-kHz Tonal Signals, 46.1, 1-10.

—Robinson et al., Don't Hold Your Breath: Limited DNA Capture Using Non-Invasive Blow Sampling for Small Cetaceans, 46.1, 32-41.

Brazil

Athyde et al., Bryde's Whales (*Balaenoptera brydei*) off the North Coast of São Paulo, Brazil: First Photo-Identification Study, 46.5, 488-501.

breath duration

Fahlman et al., Pulmonary Function and Resting Metabolic Rates in California Sea Lions (*Zalophus californianus*) on Land and in Water, 46.1, 67-79.

breeding grounds

Wenzel et al., Humpback Whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory Patterns, Resightings, and Abundance, 46.1, 21-31.

Bryde's whales (*Balaenoptera brydei*)

Athyde et al., Bryde's Whales (*Balaenoptera brydei*) off the North Coast of São Paulo, Brazil: First Photo-Identification Study, 46.5, 488-501.

- Bulgaria
Zaharieva et al., The Conflict Between Fisheries and Cetaceans in Bulgaria's Black Sea Territorial Waters, 46.1, 99-110.
- calf
Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.
- California sea lion (*Zalophus californianus*)
Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- caloric consumption
Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.
- caloric food intake
Grande et al., Nutritional Management, Caloric Food Intake, and Body Mass of Grey Seals (*Halichoerus grypus*) Under Human Care, 46.1, 49-57.
- Cape Verde Islands
Wenzel et al., Humpback Whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory Patterns, Resightings, and Abundance, 46.1, 21-31.
- Caspian seals (*Pusa caspica*)
Hoseini et al., Detection of Carcinogenic Polycyclic Aromatic Hydrocarbons in Stranded Caspian Seals (*Pusa caspica*), 46.1, 58-66.
- catalog
Athayde et al., Bryde's Whales (*Balaenoptera brydei*) off the North Coast of São Paulo, Brazil: First Photo-Identification Study, 46.5, 488-501.
- cetacean
—Athayde et al., Bryde's Whales (*Balaenoptera brydei*) off the North Coast of São Paulo, Brazil: First Photo-Identification Study, 46.5, 488-501
—Miočić-Stošić et al., Sea Lamprey (*Petromyzon marinus*) Attachment to the Common Bottlenose Dolphin (*Tursiops truncatus*), 46.2, 152-166.
—Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
—Zaharieva et al., The Conflict Between Fisheries and Cetaceans in Bulgaria's Black Sea Territorial Waters, 46.1, 99-110.
- chemoreception
Barboza et al., Gross and Microscopic Anatomy of the Nasal Cavity, Including Olfactory Epithelium, of the Florida Manatee (*Trichechus manatus latirostris*), 46.3, 274-284.
- common dolphin (*Delphinus delphis*)
Robinson et al., Don't Hold Your Breath: Limited DNA Capture Using Non-Invasive Blow Sampling for Small Cetaceans, 46.1, 32-41.
- conservation
—Dunn et al., Satellite-Linked Telemetry Study of a Rehabilitated and Released Atlantic Spotted Dolphin in the Bahamas Provides Insights into Broader Ranging Patterns and Conservation Needs, 46.6, 633-639.
—Robinson et al., Don't Hold Your Breath: Limited DNA Capture Using Non-Invasive Blow Sampling for Small Cetaceans, 46.1, 32-41.
- conservation genetics
Robinson et al., Don't Hold Your Breath: Limited DNA Capture Using Non-Invasive Blow Sampling for Small Cetaceans, 46.1, 32-41.
- contact call
Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.
- cortisol
Zhang et al., Aging and Seasonal Serum Cortisol Concentrations in Captive Spotted Seals (*Phoca largha*) from the Liaodong Bay Colony, 46.3, 266-273.
- current-assisted travel
Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- daily metabolic rate
Grande et al., Nutritional Management, Caloric Food Intake, and Body Mass of Grey Seals (*Halichoerus grypus*) Under Human Care, 46.1, 49-57.
- dermal papillae
Garten et al., Comparative Histological Examination of the Integument of Odontocete Flukes, 46.4, 367-381.
- diet
Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- disease
Herr et al., Injuries, Malformations, and Epidermal Conditions in Cetaceans of the Strait of Gibraltar, 46.2, 215-235.
- distribution
Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- dive behavior
Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- diving physiology
Fahlman et al., Pulmonary Function and Resting Metabolic Rates in California Sea Lions (*Zalophus californianus*) on Land and in Water, 46.1, 67-79.
- DNA
Robinson et al., Don't Hold Your Breath: Limited DNA Capture Using Non-Invasive Blow Sampling for Small Cetaceans, 46.1, 32-41.
- dolphin
—Herr et al., Injuries, Malformations, and Epidermal Conditions in Cetaceans of the Strait of Gibraltar, 46.2, 215-235.
—Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- eastern North Atlantic
Wenzel et al., Humpback Whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory Patterns, Resightings, and Abundance, 46.1, 21-31.
- eastern North Pacific
Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
- ecosystem-based management
Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- energetics
Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.

- entanglement
 Basran et al., Behavioural Responses of Humpback Whales (*Megaptera novaeangliae*) to Two Acoustic Deterrent Devices in a Northern Feeding Ground off Iceland, 46.6, 584-602.
- epipelagic
 Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- female bias
 Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- fisheries
 Zaharieva et al., The Conflict Between Fisheries and Cetaceans in Bulgaria's Black Sea Territorial Waters, 46.1, 99-110.
- fishing cooperatives
 Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- food webs
 Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- frequency weighting
 —Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
 —Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.
- glucocorticoid
 Zhang et al., Aging and Seasonal Serum Cortisol Concentrations in Captive Spotted Seals (*Phoca largha*) from the Liaodong Bay Colony, 46.3, 266-273.
- grey seals (*Halichoerus grypus*)
 Grande et al., Nutritional Management, Caloric Food Intake, and Body Mass of Grey Seals (*Halichoerus grypus*) Under Human Care, 46.1, 49-57.
- Gulf Stream
 Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- harbor porpoise (*Phocoena phocoena*)
 Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
- harbor seal (*Phoca vitulina*)
 Fowler et al., Insulin and Blubber Deposition in Rehabilitating Harbor Seal (*Phoca vitulina*) Pups, 46.3, 243-253.
- hearing
 —Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
- hearing (cont.)
 —Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.
 —Niu et al., Behavioral Responses by Captive Bottlenose Dolphins (*Tursiops truncatus*) to 15- to 50-kHz Tonal Signals, 46.1, 1-10.
- hearing damage
 —Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
 —Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.
- hearing loss
 Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
- hearing sensitivity
 —Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
 —Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
 —Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.
- host
 Miočić-Stošić et al., Sea Lamprey (*Petromyzon marinus*) Attachment to the Common Bottlenose Dolphin (*Tursiops truncatus*), 46.2, 152-166.
- human impact
 Herr et al., Injuries, Malformations, and Epidermal Conditions in Cetaceans of the Strait of Gibraltar, 46.2, 215-235.
- humpback whale (*Megaptera novaeangliae*)
 —Basran et al., Behavioural Responses of Humpback Whales (*Megaptera novaeangliae*) to Two Acoustic Deterrent Devices in a Northern Feeding Ground off Iceland, 46.6, 584-602.
 —Wenzel et al., Humpback Whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory Patterns, Resightings, and Abundance, 46.1, 21-31.
- Iceland
 Basran et al., Behavioural Responses of Humpback Whales (*Megaptera novaeangliae*) to Two Acoustic Deterrent Devices in a Northern Feeding Ground off Iceland, 46.6, 584-602.
- India
 Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- Indian River Lagoon Estuarine System stock
 Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA, 46.3, 285-300.

- injury
Herr et al., Injuries, Malformations, and Epidermal Conditions in Cetaceans of the Strait of Gibraltar, 46.2, 215-235.
- insulin
Fowler et al., Insulin and Blubber Deposition in Rehabilitating Harbor Seal (*Phoca vitulina*) Pups, 46.3, 243-253.
- interaction with fisheries
Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- Iran
Hoseini et al., Detection of Carcinogenic Polycyclic Aromatic Hydrocarbons in Stranded Caspian Seals (*Pusa caspica*), 46.1, 58-66.
- island
Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- Jacksonville Estuarine System stock
Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA, 46.3, 285-300.
- killer whale (*Orcinus orca*)
Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
- lactating
Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.
- lactation
Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- Lakshadweep
Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- Liaodong Bay
Zhang et al., Aging and Seasonal Serum Cortisol Concentrations in Captive Spotted Seals (*Phoca largha*) from the Liaodong Bay Colony, 46.3, 266-273.
- lipid metabolism
Fowler et al., Insulin and Blubber Deposition in Rehabilitating Harbor Seal (*Phoca vitulina*) Pups, 46.3, 243-253.
- management
Herr et al., Injuries, Malformations, and Epidermal Conditions in Cetaceans of the Strait of Gibraltar, 46.2, 215-235.
- manatee (*Trichechus manatus latirostris*)
Barboza et al., Gross and Microscopic Anatomy of the Nasal Cavity, Including Olfactory Epithelium, of the Florida Manatee (*Trichechus manatus latirostris*), 46.3, 274-284.
- marine mammal conservation
Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- mark-recapture
Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.
- mesopelagic
Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- metabolic demands
Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.
- Mexican Exclusive Economic Zone
Ramírez-León et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 623-632.
- Mosquito Lagoon
Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA, 46.3, 285-300.
- movement patterns
Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA, 46.3, 285-300.
- nasal
Barboza et al., Gross and Microscopic Anatomy of the Nasal Cavity, Including Olfactory Epithelium, of the Florida Manatee (*Trichechus manatus latirostris*), 46.3, 274-284.
- neritic
Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- night-time feeding
Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- non-invasive
Robinson et al., Don't Hold Your Breath: Limited DNA Capture Using Non-Invasive Blow Sampling for Small Cetaceans, 46.1, 32-41.
- North America
Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
- Northeast Florida
Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus truncatus*) in Northeast Florida, USA, 46.3, 285-300.
- nursing
Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- nutritional energetics
Grande et al., Nutritional Management, Caloric Food Intake, and Body Mass of Grey Seals (*Halichoerus grypus*) Under Human Care, 46.1, 49-57.
- observation
Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- odontocete
—Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
—Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.

- olfaction
Barboza et al., Gross and Microscopic Anatomy of the Nasal Cavity, Including Olfactory Epithelium, of the Florida Manatee (*Trichechus manatus latirostris*), 46.3, 274-284.
- ontogeny
Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.
- Pacific harbor seal (*Phoca vitulina richardii*)
Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
- PAHs
Hoseini et al., Detection of Carcinogenic Polycyclic Aromatic Hydrocarbons in Stranded Caspian Seals (*Pusa caspica*), 46.1, 58-66.
- parasite
Miočić-Stošić et al., Sea Lamprey (*Petromyzon marinus*) Attachment to the Common Bottlenose Dolphin (*Tursiops truncatus*), 46.2, 152-166.
- peer-reviewed papers
Ramírez-León et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 623-632.
- photo-identification
—Athayde et al., Bryde's Whales (*Balaenoptera brydei*) off the North Coast of São Paulo, Brazil: First Photo-Identification Study, 46.5, 488-501.
—Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.
—Miočić-Stošić et al., Sea Lamprey (*Petromyzon marinus*) Attachment to the Common Bottlenose Dolphin (*Tursiops truncatus*), 46.2, 152-166.
—Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
—Wenzel et al., Humpback Whales (*Megaptera novaeangliae*) in the Cape Verde Islands: Migratory Patterns, Resightings, and Abundance, 46.1, 21-31.
- pilot whale (*Globicephala macrorhynchus*)
Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- platform of opportunity
Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- population viability
Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.
- post-release monitoring
Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- pregnancy
—Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.
—Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- prl
Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- prolactin
Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- pulmonary function
Fahlman et al., Pulmonary Function and Resting Metabolic Rates in California Sea Lions (*Zalophus californianus*) on Land and in Water, 46.1, 67-79.
- questionnaire
Zaharieva et al., The Conflict Between Fisheries and Cetaceans in Bulgaria's Black Sea Territorial Waters, 46.1, 99-110.
- ranging patterns
Dunn et al., Satellite-Linked Telemetry Study of a Rehabilitated and Released Atlantic Spotted Dolphin in the Bahamas Provides Insights into Broader Ranging Patterns and Conservation Needs, 46.6, 633-639.
- rehabilitation
Dunn et al., Satellite-Linked Telemetry Study of a Rehabilitated and Released Atlantic Spotted Dolphin in the Bahamas Provides Insights into Broader Ranging Patterns and Conservation Needs, 46.6, 633-639.
- repertoire
Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.
- reproduction
—Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.
—Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- research trends
Ramírez-León et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 623-632.
- respiratory flow
Fahlman et al., Pulmonary Function and Resting Metabolic Rates in California Sea Lions (*Zalophus californianus*) on Land and in Water, 46.1, 67-79.
- response
Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
- season
Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- sensitivity analysis
Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.
- shear stress
Garten et al., Comparative Histological Examination of the Integument of Odontocete Flukes, 46.4, 367-381.
- sighting records
Ramírez-León et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 623-632.

- simulation
Blázquez et al., Population Viability Analysis and Comparison of Two Monitoring Strategies for Bottlenose Dolphins (*Tursiops truncatus*) in the Shannon Estuary, Ireland, to Inform Management, 46.3, 307-325.
- site fidelity
Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus*) in Northeast Florida, USA, 46.3, 285-300.
- skin
Garten et al., Comparative Histological Examination of the Integument of Odontocete Flukes, 46.4, 367-381.
- slope
Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.
- spotted seal (*Phoca largha*)
—Arias-Del-Razo et al., Fishermen and Pinniped Interactions: The Perception of Fishermen in Baja California, Mexico, 46.6, 609-622.
—Zhang et al., Aging and Seasonal Serum Cortisol Concentrations in Captive Spotted Seals (*Phoca largha*) from the Liaodong Bay Colony, 46.3, 266-273.
- St. Johns River
Mazzoil et al., Spatiotemporal Movements of Common Bottlenose Dolphins (*Tursiops truncatus*) in Northeast Florida, USA, 46.3, 285-300.
- stomach contents
Takahashi et al., Prey Species and Foraging Behaviour of Indo-Pacific Bottlenose Dolphins (*Tursiops aduncus*) Around Mikura Island in Japan, 46.6, 531-541.
- stranding
Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
- stratum corneum
Garten et al., Comparative Histological Examination of the Integument of Odontocete Flukes, 46.4, 367-381.
- survival
Towers et al., Live Strandings of Bigg's Killer Whales (*Orcinus orca*) Along the West Coast of North America, 46.5, 466-477.
- tagging
Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- telemetry
Dunn et al., Satellite-Linked Telemetry Study of a Rehabilitated and Released Atlantic Spotted Dolphin in the Bahamas Provides Insights into Broader Ranging Patterns and Conservation Needs, 46.6, 633-639.
- temperature
Eskelinen et al., The Effects of Reproductive Status and Water Temperature on the Caloric Intake of *Tursiops truncatus*, 46.4, 382-394.
- temporary threshold shift
—Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
—Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.
- tidal volume
Fahlman et al., Pulmonary Function and Resting Metabolic Rates in California Sea Lions (*Zalophus californianus*) on Land and in Water, 46.1, 67-79.
- tracking
Moore et al., Post-Release Monitoring of a Stranded and Rehabilitated Short-Finned Pilot Whale (*Globicephala macrorhynchus*) Reveals Current-Assisted Travel, 46.2, 200-214.
- TTS
—Kastelein et al., Temporary Hearing Threshold Shift at Ecologically Relevant Frequencies in a Harbor Porpoise (*Phocoena phocoena*) Due to Exposure to a Noise Band Centered at 88.4 kHz, 46.5, 444-453.
—Kastelein et al., Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz, 46.2, 167-182.
—Kastelein et al., Temporary Threshold Shift in a Second Harbor Porpoise (*Phocoena phocoena*) After Exposure to a One-Sixth-Octave Noise Band at 1.5 kHz and a 6.5 kHz Continuous Wave, 46.5, 431-443.
- ultrasound
Muraco et al., Urinary Prolactin Concentrations in the Female Bottlenose Dolphin (*Tursiops truncatus*), 46.6, 561-577.
- vocal development
Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.
- vocalization
Ames et al., Trajectories of Vocal Repertoire Development in Beluga (*Delphinapterus leucas*) Calves: Insights from Studies a Decade Apart, 46.4, 344-366.
- whale
—Garten et al., Comparative Histological Examination of the Integument of Odontocete Flukes, 46.4, 367-381.
—Herr et al., Injuries, Malformations, and Epidermal Conditions in Cetaceans of the Strait of Gibraltar, 46.2, 215-235.
—Panicker et al., Cetacean Distribution and Diversity in Lakshadweep Waters, India, Using a Platform of Opportunity: October 2015 to April 2016, 46.1, 80-92.

