

Historical Perspectives
Purposeful Porpoise Training at Fjord&Bælt:
The First 25 Years

Supplemental Material

Magnus Wahlberg,^{1,2} Mats Amundin,³ Kirstin Anderson Hansen,^{1,2}
Søren Hechmann Andersen,⁴ Marie-Anne Blanchet,⁵ Sabrina Brando,⁶
Andreas Brogaard Buhl,⁷ Geneviève Desportes,⁸ Sabina Fobian Hansen,⁹
Christina Lockyer,¹⁰ Lee Miller,¹ Marianne Rasmussen,¹¹
Ursula Siebert,¹² and Mette Thybo²

¹*Marine Biological Research Center, University of Southern Denmark,
Hindsholmvej 11, 5300 Kerteminde, Denmark
E-mail: magnus@biology.sdu.dk*

²*Fjord&Bælt, Margrethes Plads 1, 5300 Kerteminde, Denmark*

³*Kolmården Wildlife Park, 61892 Kolmården, Sweden*

⁴*Korsvejs Alle 23A, 5500 Middelfart, Denmark*

⁵*Norwegian Polar Institute, Framsenteret, 9296 Tromsø, Norway*

⁶*AnimalConcepts, 03725 Teulada, Spain*

⁷*NIRAS, Sortemosevej 19, 3450 Allerød, Denmark*

⁸*NAMMCO, Forskningsparken, Sykehusvegen 21-23, 9278 Tromsø, Norway*

⁹*Mågevej 5, 5800 Nyborg, Denmark*

¹⁰*AgeDynamics, Kongens Lyngby, 2800 Copenhagen, Denmark*

¹¹*The University of Iceland's Research Center in Húsavík, Hafnarstétt 3, 640 Húsavík, Iceland*

¹²*Institute for Terrestrial and Aquatic Wildlife Research, University of Veterinary Medicine Hannover,
Werftstrasse 6, 25761 Büsum, Germany*

Publications from Fjord&Bælt

Updated by Magnus Wahlberg, December 2022

Publications marked with * are authored by Fjord&Bælt staff or involved Fjord&Bælt's guests, or Fjord&Bælt animals other than the porpoises. All other publications involved Fjord&Bælt harbour porpoises.

Scientific Papers and Book Chapters

2022

- *Campagna, S., Anderson Hansen, K., Wahlberg, M., & Célérier, A. (2022). Aversive response of grey (*Halichoerus grypus*) and harbour (*Phoca vitulina*) seals exposed to camphor: A new approach to keep seals away from sensitive areas? *Aquatic Mammals*, 48(6), 634-638. <https://doi.org/10.1578/AM.48.6.2022.634>
- Irschick, D. J., Christiansen, F., Hammerschlag, N., Johnson, M., Madsen, P. T., Wyneken, J., Brooks, A., Gleiss, A., Fossette, S., Siler, C., Gamble, T., Fish, F., Siebert, U., Patel, J., Xu, Z., Kalogerakis, E., Medina, J., Mukherji, A., Mandica, M., Zotos, S., . . . Lauder, G. (2022). 3D visualization processes for recreating and studying organismal form. *iScience*, 25, 104867. <https://doi.org/10.1016/j.isci.2022.104867>
- Tougaard, J., Beedholm, K., & Madsen, P. T. (2022). Thresholds for noise induced hearing loss in harbor porpoises and phocid seals. *The Journal of the Acoustical Society of America*, 151(6), 4252-4263. <https://doi.org/10.1121/10.0011560>

2021

- Elmegaard, S. L., McDonald, B. I., Teilmann, J., & Madsen, P. T. (2021). Heart rate and startle responses in diving, captive harbour porpoises (*Phocoena phocoena*) exposed to transient noise and sonar. *Journal of Experimental Biology*, 10, bio058679. <https://doi.org/10.1242/bio.058679>
- Malinka, C. E., Rojano-Doñate, L., & Madsen, P. T. (2021). Directional biosonar beams allow echolocating harbour porpoises to actively discriminate and intercept closely spaced targets. *Journal of Experimental Biology*, 224, 242779. <https://doi.org/10.1242/jeb.242779>
- Reckendorf, A., Schmicke, M., Bunschoek, P., Anderson Hansen, K., Thybo, M., Strube, C., & Siebert, U. (2021). Is harbor porpoise (*Phocoena phocoena*) exhaled breath sampling suitable for hormonal assessments? *Animals*, 11, 907. <https://doi.org/10.3390/ani11030907>
- Smith, A. B., Madsen, P. T., Johnson, M., Tyack, P., & Wahlberg, M. (2021). Toothed whale auditory brainstem responses measured with a non-invasive, on-animal tag. *JASA Express Letters*, 1(9), 091201. <https://doi.org/10.1121/10.0006454>
- Vance, H., Madsen, P. T., Aguilar de Soto, N., Wisniewska, D. M., Ladegaard, M., Hooker, S., & Johnson, M. (2021). Echolocating toothed whales use ultra-fast echo-kinetic responses to track evasive prey. *eLife*, 10, e68825. <https://doi.org/10.7554/eLife.68825>

2020

- Irschick, D. J., Martin, J., Siebert, U., Kristensen, J. H., Madsen, P. T., & Christiansen, F. (2020). Creation of accurate 3D models of harbor porpoises (*Phocoena phocoena*) using 3D photogrammetry. *Marine Mammal Science*, 37(7), 1-10. <https://doi.org/10.1111/mms.12759>
- MacAuley, J. D. J., Malinka, C. E., Gillespie, G., & Madsen, P. T. (2020). High resolution three-dimensional beam radiation pattern of harbour porpoise clicks with implications for passive acoustic monitoring. *The Journal of the Acoustical Society of America*, 147(6), 4175-4188. <https://doi.org/10.1121/10.0001376>
- Osiecka, A., Jones, O., & Wahlberg, M. (2020). Diurnal variation in clicking harbour porpoises. *Scientific Reports*, 10, 14876. <https://doi.org/10.1038/s41598-020-71957-0>
- Siebert, U., Blanchet, M.-A., Teilmann, J., Anderson Hansen, K., Kristensen, J., Bunschoek, P., Dietz, R., Desforges, J.-P., Sonne, C., & Desportes, G. (2020). Haematology and clinical blood chemistry in harbour porpoises (*Phocoena phocoena*) from the inner Danish waters. *Environment International*, 143, 105937. <https://doi.org/10.1016/j.envint.2020.105937>

2019

- Elmegaard, S. L., McDonald, B. I., & Madsen, P. T. (2019). Drivers of the dive response in trained harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, 222, jeb208637. <https://doi.org/10.1242/jeb.208637>
- *Goulet, P., Guinet, C., Swift, R., Madsen, P. T., & Johnson, M. (2019). A miniature biomimetic sonar and movement tag to study the biotic environment and predator-prey interactions in aquatic animals. *Deep-Sea Research Part 1: Oceanographic Research Papers*, 148, 1-11. <https://doi.org/10.1016/j.dsr.2019.04.007>
- Ladegaard, M., & Madsen, P. T. (2019). Context-dependent biosonar adjustments during active target approaches in echolocating harbour porpoises. *Journal of Experimental Biology*, 222, jeb.206169. <https://doi.org/10.1242/jeb.206169>
- Schaffeld, T., Ruser, A., Woelfing, B., Baltzer, J., Kristensen, J. H., Larsson, J., Schnitzler, J. G., & Siebert, U. (2019). The use of seal scarers as a protective mitigation measure can induce hearing impairment in harbour porpoises. *The Journal of the Acoustical Society of America*, 146(6), 4288-4298. <https://doi.org/10.1121/1.5135303>

2018

- *Kaczmarek, J., Reichmuth, C., McDonald, B. I., Kristensen, J. H., Larson, J., Johansson, F., Sullivan, J., & Madsen, P. T. (2018). Drivers of the dive response in pinnipeds; apnea, submergence or temperature? *Journal of Experimental Biology*, 221, jeb176545. <https://doi.org/10.1242/jeb.176545>
- McDonald, B. I., Johnson, M., & Madsen, P. T. (2018). Dive heart rate in harbour porpoises is influenced by exercise and expectations. *Journal of Experimental Biology*, 221, jeb168740. <https://doi.org/10.1242/jeb.168740>
- Rojano-Doñate, L., McDonald, B. I., Wisniewska, D. M., Johnson, M., Teilmann, J., Wahlberg, M., Kristensen, J. H., & Madsen, P. T. (2018). High field metabolic rates of wild harbour porpoises. *Journal of Experimental Biology*, 221, jeb185827. <https://doi.org/10.1242/jeb.185827>

2017

- Schröder, A. E. M., Beedholm, K., & Madsen, P. T. (2017). Time-varying auditory gain control in response to double-pulse stimuli in harbour porpoises is not mediated by a stapedial reflex. *Biology Open*, 6(4), 525-529. <https://doi.org/10.1242/bio.021469>
- Wahlberg, M., Delgado-García, L., & Kristensen, J. H. (2017). Precocious hearing in harbour porpoise neonates. *Journal of Comparative Physiology A*, 203(2), 121-132. <https://doi.org/10.1007/s00359-017-1145-0>

2016

- *Brando, S., Bowles, A., Böye, M., Dudzinski, K., van Elk, N., McBain, J., Singer, R., & Wahlberg, M. (2016). Proceedings of Marine Mammal Welfare Seminars hosted in the Netherlands and the USA in 2012. *Aquatic Mammals*, 43(3), 392-416. <https://doi.org/10.1578/AM.42.3.2016.392>
- Elmegaard, S. L., Johnson, M., Madsen, P. T., & McDonald, B. I. (2016). Cognitive control of heart rate in diving harbor porpoises. *Current Biology*, 26(22), R1175-R1176. <https://doi.org/10.1016/j.cub.2016.10.020>
- *Johansen, S., Larsen, O. N., Dalsgaard, J. C., Seidelin, L., Boström, M., Lunneryd, S.-G., & Wahlberg, M. (2016). In-air and underwater hearing in the great cormorant (*Phalacrocorax carbo*). In A. N. Popper & R. R. Fay (Eds.), *The effects of noise on aquatic life II: Advances in experimental medicine and biology* (Vol. 875, pp. 505-512). Springer. https://doi.org/10.1007/978-1-4939-2981-8_61
- *Smeele, S., Anderson Hansen, K., Ortiz, S., Kristensen, J. H., Johansson, F., Larsson, J., Siebert, U., & Wahlberg, M. (2019). Short-term memory in pinnipeds. *Animal Cognition*, 22, 947-958. <https://doi.org/10.1007/s10071-019-01286-x>
- *Tougaard, J., Wright, A. J., & Madsen, P. T. (2016). Noise exposure criteria for harbor porpoises. In A. N. Popper & R. R. Fay (Eds.), *The effects of noise on*

aquatic life II: Advances in experimental medicine and biology (Vol. 875, pp. 1167-1173). Springer. https://doi.org/10.1007/978-1-4939-2981-8_146

Wisniewska, D. M., Teilmann, J., Hermannsen, L., Johnson, M., Miller, L. A., Siebert, U., & Madsen, P. T. (2016). Quantitative measures of anthropogenic noise on harbor porpoises: Testing the reliability of acoustic tag recordings. In A. N. Popper & R. R. Fay (Eds.), *The effects of noise on aquatic life II: Advances in experimental medicine and biology* (Vol. 875, pp. 1237-1242). Springer. https://doi.org/10.1007/978-1-4939-2981-8_155

2015

Dyndo, M., Wisniewska, D. M., Rojano-Doñate, L., & Madsen, P. T. (2015). Harbour porpoises react to low levels of high frequency vessel noise. *Scientific Reports*, 5, 11083. <https://doi.org/10.1038/srep11083>

Herder, V., van de Velde, N., Kristensen, J. H., van Elk, C., Peters, M., Kilwinski, J., Schares, C., Siebert, U., & Wohlsein, P. (2015). Fatal disseminated *Toxoplasma gondii* infection in a captive harbour porpoise (*Phocoena phocoena*). *Journal of Comparative Pathology*, 153(4), 357-362. <https://doi.org/10.1016/j.jcpa.2015.08.004>

Wisniewska, D. M., Ratcliffe, J. M., Beedholm, K., Christensen, C. B., Johnson, M., Koblitz, J. C., Wahlberg, M., & Madsen, P. T. (2015). Range-dependent flexibility in the acoustic field of view of echolocating porpoises (*Phocoena phocoena*). *eLife*, 4, e05651. <https://doi.org/10.7554/eLife.05651>

2014

Blanchet, M.-A., Aquarone, M., & Siebert, U. (2014). Arktische Robben und Eisbären – Auswirkungen von Klimaerwärmung und Ressourcennutzung [Arctic seals and polar bears – Impacts of global warming and resource use]. In J.-L. Lozan, H. Graßl, D. Piepenburg, & D. Notz (Eds.), *Warnsignale Klima: Die Polarregionen* [Climate warning signs: The polar regions] (pp. 183-191). Wissenschaftliche Auswertungen.

Borowska, E. I., Nowak, Z., van Elk, C., & Wahlberg, M. (2014). Determining genotypes from blowhole exhalation samples of harbour porpoises (*Phocoena phocoena*). *Aquatic Mammals*, 40(4), 407-411. <https://doi.org/10.1578/AM.40.4.2014.407>

*Hjalager, A.-M., & Wahlberg, M. (2014). Museum guests as contributors to regional food innovation. *Museum Management and Curatorship*, 29(1), 50-65. <https://doi.org/10.1080/09647775.2013.869854>

Tougaard, J., Wright, A. J., & Madsen, P. T. (2014). Cetacean noise criteria revisited in the light of proposed exposure limits for harbour porpoises. *Marine Pollution Bulletin*, 90(1-2), 196-208. <https://doi.org/10.1016/j.marpolbul.2014.10.051>

*Wahlberg, M., & Surlykke, A. (2014). Source levels of bats and toothed whales. In A. Surlykke, P. E. Nachtigall, A. N. Popper, & R. R. Fay (Eds.), *Biosonar: Springer handbook of auditory research* (Vol. 51, pp. 107-142). Springer-Verlag. https://doi.org/10.1007/978-1-4614-9146-0_4

*Ydesen, K. S., Wisniewska, D. M., Hansen, J. D., Beedholm, K., Johnson, M., & Madsen, P. T. (2014). What a jerk: Prey engulfment revealed by high-rate, super-cranial accelerometry on a harbour seal (*Phoca vitulina*). *Journal of Experimental Biology*, 217, 2239-2243. <https://doi.org/10.1242/jeb.100016>

2013

*Boström, M., Krog, C., Larsen, L. K., Lunneryd, S.-G., & Wahlberg, M. (2013). The acoustic activity of harbour porpoises (*Phocoena phocoena*) around gill nets. *Aquatic Mammals*, 39(4), 389-396. <https://doi.org/10.1578/AM.39.4.2013.389>

*Jensen, F., Wahlberg, M., Beedholm, K., Johnson, M., Aguilar de Soto, N., Tyack, P. L., & Madsen, P. T. (2015). Single click beam patterns reveal adaptable changes to the field of view of echolocating Atlantic spotted dolphins (*Stenella frontalis*) in the wild. *Journal of Experimental Biology*, 218, 1314-1324. <https://doi.org/10.1242/jeb.116285>

Linnenschmidt, M., Wahlberg, M., & Hansen, J. D. (2013). The modulation rate transfer function of a harbour porpoise (*Phocoena phocoena*). *Journal of Comparative Physiology A*, 199(2), 115-126. <https://doi.org/10.1007/s00359-012-0772-8>

Miller, L. A., & Wahlberg, M. (2013). Echolocation of the harbour porpoise: Life in coastal waters. *Frontiers in Physiology*, 4, 52. <https://doi.org/10.3389/fphys.2013.00052>

Müller, S., Lehnert, K., Seibel, H., Driver, J., Ronnenberg, K., Teilmann, J., van Elk, C., Kristensen, J., Everaats, E., & Siebert, U. (2013). Evaluation of immune and stress status in harbour porpoises (*Phocoena phocoena*): Can hormones and mRNA expression levels serve as indicators to assess stress? *BMC Veterinary Research*, 9(1), 145. <https://doi.org/10.1186/1746-6148-9-145>

*Oliveira, C., Wahlberg, M., Johnson, M., Miller, P., & Madsen, P. T. (2013). The function of male sperm whale slow clicks off northern Norway: Echolocation, feeding or navigation. *The Journal of the Acoustical Society of America*, 133(5), 3135-3144. <https://doi.org/10.1121/1.4795798>

2012

Foote, A., Thomsen, P. F., Svegaard, S., Wahlberg, M., Kielgast, J., Salling, A. B., Galatius, A., Orlando, L., & Gilbert, M. T. P. (2012). Investigating the potential use of environmental DNA (eDNA) for genetic monitoring of marine mammals. *PLOS ONE*, 7(8), e41781. <https://doi.org/10.1371/journal.pone.0041781>

*Jensen, F. H., Beedholm, K., Wahlberg, M., Bejder, L., & Madsen, P. T. (2012). Estimated communication range and energetic cost of bottlenose dolphin whistles in a tropical habitat. *The Journal of the Acoustical Society of America*, 131(1), 582-592. <https://doi.org/10.1121/1.3662067>

*Jørgensen, R. A., Brandt, C., Wahlberg, M., & Christensen-Dalsgaard, J. (2012). Importance of hearing for survival of *Danio reio* (zebrafish) in an experimental predator/prey environment. In A. N. Popper & A. D. Hawkins (Eds.), *The effects of noise on aquatic life: Advances in experimental medicine and biology* (Vol. 730, pp. 117-120). Springer. https://doi.org/10.1007/978-1-4419-7311-5_26

Koblitz, J. C., Wahlberg, M., Stilz, P., Madsen, P. T., Beedholm, K., & Schnitzler, H.-U. (2012). Asymmetry and dynamics of a narrow sonar beam in an echolocating harbor porpoise. *The Journal of the Acoustical Society of America*, 131(3), 2315-2324. <https://doi.org/10.1121/1.3683254>

Linnenschmidt, M., Kloepper, L. N., Wahlberg, M., & Nachtigall, P. E. (2012). Stereotypical rapid source level regulation in the harbour porpoise biosonar. *Naturwissenschaften*, 99(9), 767-771. <https://doi.org/10.1007/s00114-012-0948-7>

Linnenschmidt, M., Beedholm, K., Wahlberg, M., Kristensen, J., & Nachtigall, P. E. (2012). Keeping returns optimal: Gain control elicited by dynamic hearing thresholds in a harbour porpoise. *Proceedings of the Royal Society B: Biological Sciences*, 279(1736), 2237-2245. <https://doi.org/10.1098/rspb.2011.2465>

*Nielsen, T. P., Wahlberg, M., Heikillä, S., Jensen, M., Sabinsky, P., & Dabelsteen, T. (2012). Swimming patterns of wild harbour porpoises (*Phocoena phocoena*) show detection and avoidance of gill nets at very long ranges. *Marine Ecology Progress Series*, 453, 241-248. <https://doi.org/10.3354/meps09630>

Søgaard, L. B., Hansen, M. N., van Elk, C., Brahm, J., & Jensen, F. B. (2012). Respiratory properties of blood in the harbor porpoise, *Phocoena phocoena*. *Journal of Experimental Biology*, 215, 1938-1943. <https://doi.org/10.1242/jeb.069872>

Wisniewska, D. M., Johnson, M., Beedholm, K., Wahlberg, M., & Madsen, P. T. (2012). Acoustic gaze adjustments during active target selection in echolocating porpoises. *Journal of Experimental Biology*, 215, 4358-4373. <https://doi.org/10.1242/jeb.074013>

2011

*Bonderup Dohn, N. (2011). Situational interest of high school students who visit an aquarium. *Science Education*, 95(2), 337-357. <https://doi.org/10.1002/sce.20425>

*Eskesen, I. G., Wahlberg, M., Simon, M., & Larsen, O. N. (2011). Echolocation clicks from sympatric killer whales and long finned pilot whales. *The Journal of the Acoustical Society of America*, 130(1), 9-12. <https://doi.org/10.1121/1.3583499>

Lucke, K., Lepper, P. A., Blanchet, M.-A., & Siebert, U. (2011). The use of an air bubble curtain to reduce the received sound levels for harbor porpoises (*Phocoena phocoena*). *The Journal of the Acoustical Society of America*, 130(5), 3406-3412. <https://doi.org/10.1121/1.3626123>

Siebert, U., Pozniak, B., Anderson Hansen, K., Nordstrom, G., Teilmann, J., van Elk, N., Vossen, A., & Dietz, R. (2011). Investigations of thyroid and stress hormones in free-ranging and captive harbor porpoises (*Phocoena phocoena*): A pilot study. *Aquatic Mammals*, 37(4), 443-453. <https://doi.org/10.1578/AM.37.4.2011.443>

*Wahlberg, M., Beedholm, K., Heerfordt, A., & Möhl, B. (2011). Characteristics of biosonar signals from the northern bottlenose whale, *Hyperoodon ampullatus*. *The Journal of the Acoustical Society of America*, 130(5), 3077-3084. <https://doi.org/10.1121/1.3641434>

- *Wahlberg, M., Jensen, F. H., Aguilar de Soto, N., Beedholm, K., Bejder, L., Oliveira, C., Rasmussen, M., Simon, M., Villadsgaard, A., & Madsen, P. T. (2011). Source parameters of echolocation clicks from wild bottlenose dolphins (*Tursiops truncatus* and *T. aduncus*). *The Journal of the Acoustical Society of America*, *130*(4), 2263-2274. <https://doi.org/10.1121/1.3624822>
- *Wilson, M., Schack, H. B., Madsen, P. T., Surlykke, A., & Wahlberg, M. (2011). Directional escape behavior in allis shad (*Alosa alosa*) exposed to ultrasonic clicks mimicking an approaching toothed whale. *Journal of Experimental Biology*, *214*, 22-29. <https://doi.org/10.1242/jeb.043323>
- ## 2010
- *Christensen Dalsgaard, J., Brandt, C., Wilson, M., Wahlberg, M., & Madsen, P. T. (2010). Hearing in lungfish. In J. M. Jørgensen & J. Joss (Eds.), *The biology of lungfishes* (pp. 501-510). CRC Press.
- Clausen, K. T., Wahlberg, M., Beedholm, K., DeRuiter, S., & Madsen, P. T. (2010). Click communication in harbour porpoises *Phocoena phocoena*. *Bioacoustics*, *20*(1), 1-28. <https://doi.org/10.1080/09524622.2011.9753630>
- Madsen, P. T., Wisniewska, D., & Beedholm, K. (2010). Single source sound production and dynamic beam formation in echolocating harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, *213*, 3105-3110. <https://doi.org/10.1242/jeb.044420>
- Miller, L. A. (2010). Prey capture by harbor porpoises (*Phocoena phocoena*): A comparison between echolocators in the field and in captivity. *Journal of the Marine Acoustical Society of Japan*, *37*(3), 156-168.
- ## 2009
- Atem, A. C. G., Rasmussen, M. H., Wahlberg, M., Petersen, H. C., & Miller, L. A. (2009). Changes in click source levels with distance to targets: Studies of free-ranging white-beaked dolphins *Lagenorhynchus albirostris* and captive harbour porpoises *Phocoena phocoena*. *Bioacoustics*, *19*(1-2), 49-65.
- Blanchet, M-A., Wahlberg, M., & Ishigami, T. (2009). First observation of the parturition and peripartum events in a harbor porpoise (*Phocoena phocoena*). *Aquatic Mammals*, *35*(4), 473-480. <https://doi.org/10.1578/AM.35.4.2009.473>
- DeRuiter, S. L., Bahr, A., Blanchet, M-A., Hansen, S. F., Kristensen, J. H., Madsen, P. T., Tyack, P. L., & Wahlberg, M. (2009). Acoustic behaviour of echolocating porpoises during prey capture. *Journal of Experimental Biology*, *212*, 3100-3107. <https://doi.org/10.1242/jeb.030825>
- *Jensen, F. H., Bejder, L., Wahlberg, M., & Madsen, P. T. (2009). Biosonar adjustments to target range of echolocating bottlenose dolphins (*Tursiops* sp.) in the wild. *Journal of Experimental Biology*, *212*, 1078-1086. <https://doi.org/10.1242/jeb.025619>
- *Jensen, F. H., Bejder, L., Wahlberg, M., Aguilar Soto, N., Johnson, M., & Madsen, P. T. (2009). Vessel noise effects on delphinid communication. *Marine Ecology Progress Series*, *395*, 161-175. <https://doi.org/10.3354/meps08204>
- *Kyh, L. A., Tougaard, J., Jensen, F., Wahlberg, M., Stone, G., Yoshinaga, A., Beedholm, K., & Madsen, P. T. (2009). Feeding at a high pitch: Source parameters of narrow band, high-frequency clicks from echolocating off-shore hourglass dolphins and coastal Hector's dolphins. *The Journal of the Acoustical Society of America*, *125*(3), 1783-1791. <https://doi.org/10.1121/1.3075600>
- Lucke, K., Siebert, U., Lepper, P. A., & Blanchet, M-A. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (*Phocoena phocoena*) after exposure to seismic airgun stimuli. *The Journal of the Acoustical Society of America*, *125*(6), 4060-4070. <https://doi.org/10.1121/1.3117443>
- *Shapiro, A. D., Tougaard, J., Jørgensen, P. B., Kyhn, L. A., Balle, J. D., Bernardez, C., Fjalling, A., Karlsen, J., & Wahlberg, M. (2009). Transmission loss patterns from acoustic harassment and deterrent devices do not always follow geometrical spreading predictions. *Marine Mammal Science*, *25*(1), 53-67. <https://doi.org/10.1111/j.1748-7692.2008.00243.x>
- Verfuß, U. K., Miller, L. A., Pilz, P. K. D., & Schnitzler, H-U. (2009). Echolocation by two foraging harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, *212*, 823-834. <https://doi.org/10.1242/jeb.022137>
- ## 2008
- Beedholm, K. (2008). Harbor porpoise clicks do not have conditionally minimum time bandwidth product. *The Journal of the Acoustical Society of America*, *124*(2), EL15-EL20. <https://doi.org/10.1121/1.2947623>
- Blanchet, M-A., Nance, T., Ast, C., Wahlberg, M., & Acquarone, M. (2008). First case of a monitored pregnancy of a harbour porpoise (*Phocoena phocoena*) under human care. *Aquatic Mammals*, *34*(1), 9-20. <https://doi.org/10.1578/AM.34.1.2008.9>
- Hansen, M., Wahlberg, M., & Madsen, P. T. (2008). Low-frequency components in harbor porpoise (*Phocoena phocoena*) clicks: Communication signal, by-products, or artifacts? *The Journal of the Acoustical Society of America*, *124*(6), 4059-4068. <https://doi.org/10.1121/1.2945154>
- *Jensen, F. H., Wahlberg, M., Bejder, L., & Madsen, P. T. (2008). Noise levels and masking potential of small whale-watching and research vessels around two delphinid species. *Bioacoustics*, *17*(1-3), 166-168. <https://doi.org/10.1080/09524622.2008.9753803>
- Koblitz, J. C., Wahlberg, M., Madsen, P. T., Stilz, P., & Schnitzler, H-U. (2008). Two-dimensional sonar beam characteristics of single harbour porpoise (*Phocoena phocoena*) echolocation clicks measured with a 16 hydrophone array. *The Journal of the Acoustical Society of America*, *123*(5), 3773. <https://doi.org/10.1121/1.2935390>
- *Kyh, L. A., Tougaard, J., Teilmann, J., Wahlberg, M., Jørgensen, P. B., & Bech, N. I. (2008). Harbour porpoise (*Phocoena phocoena*) static acoustic monitoring: Laboratory detection thresholds of T-PODs are reflected in field sensitivity. *Journal of the Marine Biological Association of the United Kingdom*, *88*(6), 1085-1091. <https://doi.org/10.1017/S0025315408000416>
- *Langård, L., Øvredal, J. T., Johannessen, A., Nøttestad, L., Skaret, G., Fernö, A., & Wahlberg, M. (2008). Sound production in pre-spawning herring, cod and haddock in a naturally enclosed ecosystem. *Bioacoustics*, *17*(1-3), 38-40. <https://doi.org/10.1080/09524622.2008.9753756>
- Lucke, K., Lepper, P. A., Blanchet, M-A., & Siebert, U. (2008). How tolerant are harbour porpoises to underwater sound? In K. Wollny-Goerkne & K. Eskildsen (Eds.), *Marine mammals and seabirds in front of offshore wind energy* (pp. 59-76). Teubner.
- Lucke, K., Lepper, P. A., Blanchet, M-A., & Siebert, U. (2008). Testing the acoustic tolerance of harbour porpoise hearing for impulsive sounds. *Bioacoustics*, *17*(1-3), 329-331. <https://doi.org/10.1080/09524622.2008.9753865>
- *Tougaard, J., Madsen, P. T., & Wahlberg, M. (2008). Underwater noise from construction and operation of offshore wind farms. *Bioacoustics*, *17*(1-3), 143-146. <https://doi.org/10.1080/09524622.2008.9753795>
- Verfuß, U. K., Honnef, C. G., Meding, A., Dähne, M., Adler, S., Kilian, A., & Benke, H. (2008). The history of the German Baltic Sea harbour porpoise acoustic monitoring at the German Oceanographic Museum. In K. Wollny-Goerkne & K. Eskildsen (Eds.), *Marine mammals and seabirds in front of offshore wind energy* (pp. 41-56). Teubner.
- *Wahlberg, M. (2008). Contribution of biological sound sources to underwater ambient noise levels. *Bioacoustics*, *17*(1-3), 30-32. <https://doi.org/10.1080/09524622.2008.9753754>
- *Wahlberg, M., Schack, H. B., Wilson, M., Bejder, L., & Madsen, P. T. (2008). Particle acceleration noise generated by boats. *Bioacoustics*, *17*(1-3), 148-150. <https://doi.org/10.1080/09524622.2008.9753797>
- *Wilson, M., Acolas, M-L., Begout, M-L., Madsen, P. T., & Wahlberg, M. (2008). Ultrasound detection and intensity graded response in allis shad (*Alosa alosa*). *The Journal of the Acoustical Society of America*, *124*(4), 243-247. <https://doi.org/10.1121/1.2960899>
- ## 2007
- Beedholm, K., & Miller, L. A. (2007). Automatic gain control in harbor porpoises (*Phocoena phocoena*)? Central versus peripheral mechanisms. *Aquatic Mammals*, *33*(1), 69-75. <https://doi.org/10.1578/AM.33.1.2007.69>
- Desportes, G., Buholzer, L., Anderson Hansen, K., Blanchet, M-A., Acquarone, M., Shephard, G., Brando, S., Vossen, A., & Siebert, U. (2007). Decrease stress; train your animals: The effect of handling methods on cortisol levels in harbour porpoises (*Phocoena phocoena*) under human care. *Aquatic Mammals*, *33*(3), 286-292. <https://doi.org/10.1578/AM.33.3.2007.286>
- Fonfara, S., Siebert, U., Prange, A., & Colijn, F. (2007). The impact of stress on cytokine and haptoglobin mRNA expression in blood samples from harbour porpoises (*Phocoena phocoena*). *Journal of the Marine Biological Association of the United Kingdom*, *87*(1), 305-311. <https://doi.org/10.1017/S0025315407055567>
- *Heerfordt, A., Møhl, B., & Wahlberg, M. (2007). A wideband link to sperm whales: A fiber-optically linked deep-sea linear hydrophone array. *Deep-Sea*

- Research Part I: *Oceanographic Research Papers*, 54(3), 428-436. <https://doi.org/10.1016/j.dsr.2006.12.003>
- Lockyer, C. (2007). All creatures great and smaller: A study in cetacean life history energetics. *Journal of the Marine Biological Association of the United Kingdom*, 87(4), 1035-1045. <https://doi.org/10.1017/S0025315407054720>
- *Madsen, P. T., & Wahlberg, M. (2007). Recording and quantification of ultrasonic echolocation clicks from free-ranging toothed whales. *Deep-Sea Research Part I: Oceanographic Research Papers*, 54(8), 1421-1444. <https://doi.org/10.1016/j.dsr.2007.04.020>
- *Simon, M., Wahlberg, M., & Miller, L. A. (2007). Echolocation clicks from killer whales (*Orcinus orca*) feeding on herring (*Clupea harengus*) in Norwegian waters. *The Journal of the Acoustical Society of America*, 121(2), 749-752. <https://doi.org/10.1121/1.2404922>
- Teilmann, J., Larsen, F., & Desportes, G. (2007). Time allocation and diving behaviour of harbour porpoises (*Phocoena phocoena*) in Danish and adjacent waters. *Journal of Cetacean Research and Management*, 9, 201-210.
- *Teloni, V., Zimmer, W. M. X., Wahlberg, M., & Madsen, P. T. (2007). Consistent acoustic size estimation of sperm whales using clicks recorded from unknown aspects. *Journal of Cetacean Research and Management*, 9, 127-136.
- *Villadsgaard, A., Wahlberg, M., & Tougaard, J. (2007). Echolocation clicks of wild harbour porpoises, *Phocoena phocoena*. *Journal of Experimental Biology*, 210, 56-64. <https://doi.org/10.1242/jeb.02618>

2006

- Beedholm, K., Miller, L. A., & Blanchet, M-A. (2006). Auditory brainstem response in a harbor porpoise show lack of automatic gain control for simulated echoes. *The Journal of the Acoustical Society of America*, 119(3), EL41-EL46. <https://doi.org/10.1121/1.2167027>
- *Blanchet, M-A., Desportes, G., Nance, T., & Vanman, C. (2006). Description of the pregnancies, labours, and pre- and post-partum events of two harbour seals (*Phoca vitulina*) in a zoological environment. *Aquatic Mammals*, 32(2), 145-151. <https://doi.org/10.1578/AM.32.2.2006.145>
- *Simon, M., Ugarte, F., Wahlberg, M., & Miller, L. A. (2006). Icelandic killer whales *Orcinus orca* use a pulsed call suitable for manipulating the schooling behaviour of herring *Clupea harengus*. *Bioacoustics*, 16, 57-74. <https://doi.org/10.1080/09524622.2006.9753564>
- Teilmann, J., Tougaard, J., Miller, L. A., Kirketerp, T., Hansen, K., & Brando, S. (2006). Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science*, 22(2), 240-260. <https://doi.org/10.1111/j.1748-7692.2006.00031.x>

2005

- Madsen, P. T., Carder, D. A., Beedholm, K., & Ridgway, S. H. (2005). Porpoise clicks from a sperm whale nose – Convergent evolution of 130 kHz pulses in toothed whale sonars? *Bioacoustics*, 15, 195-206. <https://doi.org/10.1080/09524622.2005.9753547>
- Verfuß, U. K., Miller, L. A., & Schnitzler, H-U. (2005). Spatial orientation in echolocating harbour porpoises (*Phocoena phocoena*). *Journal of Experimental Biology*, 208, 3385-3394. <https://doi.org/10.1242/jeb.01786>

2003

- Desportes, G., Kristensen, J. H., Benham, D., Wilson, S., Jepsen, T., Korsgaard, B., Siebert, U., Driver, J., Amundin, M., Hansen, K., & Shephard, G. (2003). Multiple insights into the reproductive function of harbour porpoises (*Phocoena phocoena*): An ongoing study. *NAMMCO Scientific Publications*, 5, 91-105.
- Lockyer, C., Desportes, G., Hansen, K., Labberté, S., & Siebert, U. (2003). Monitoring growth and energy utilisation of the harbour porpoise (*Phocoena phocoena*) in human care. *NAMMCO Scientific Publications*, 5, 107-120. <https://doi.org/10.7557/3.2743>

2002

- Siebert, U., Müller, G., Baumgärtner, W., Weiss, R., Desportes, G., & Hansen, K. (2002). Pyogranulomatous myocarditis due to *Staphylococcus aureus* septicemia in two harbour porpoises (*Phocoena phocoena*). *Veterinary Record*, 150(9), 273-277. <https://doi.org/10.1136/vr.150.9.273>

- Brennecke, D., Siebert, U., Knickmeier, K., Pawlitzca, I., & Wahlberg, M. (Eds.). (2023, In press). *Marine mammals*. Springer-Verlag.
- Haug, T., Desportes, G., Víkingsson, G. A., & Witting, L. (Eds.). (2003). *Harbour porpoises in the North Atlantic* (NAMMCO Scientific Publications, Vol. 5). North Atlantic Marine Mammal Commission. <https://doi.org/10.7557/3.5>
- Popper, A. N., Hawkins, A. D., & Wahlberg, M. (Eds.). (2008). Special edition on effects of noise on underwater wildlife. *Bioacoustics*, 17.

Popular Science (Selection)

- Blanchet, M-A., Wahlberg, M., Kristensen, J., Hansen, S., Jensen, A-L., & van Elk, N. (2008). First birth of a harbor porpoise (*Phocoena phocoena*) under human care. *Soundings*, 33(2), 6-9. <https://doi.org/10.1578/AM.34.1.2008.9>
- *Hansen, S., Blanchet, M-A., Wahlberg, M., & Kristensen, J. H. (2009). Andy – Menace turned ally. *Soundings*, 34(1), 8-9.
- *Jakobsen, F., Sveegaard, S., Thybo, M., Kaarsted, T., & Wahlberg, M. (2020). *Find flere marsvin* [Find more porpoises]. Videnskab.dk. (In Danish)
- *Tougaard, J. (2008). Lyd i oceanerne [Sound in the oceans]. In *Galathea* (Vol. 3, pp. 147-151). Dansk Ekspeditionsfond. (In Danish)
- Wahlberg, M., Linnenschmidt, M., Madsen, P. T., Wisniewska, D. M., & Miller, L. A. (2015). The acoustic world of harbor porpoises. *American Scientist*, 103(1), 36-53. <https://doi.org/10.1511/2015.112.46>